






LOC 	DIST -	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

POLARIZATION KEYS			
TYPE "A"	TYPE "B"	TYPE "C"	TYPE "D"
P/N 293590-1 AS SHOWN	P/N 293590-2 AS SHOWN	P/N 293590-3 AS SHOWN	P/N 293590-4 AS SHOWN
			

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±°

1 PLC ±0.3

2 PLC ±0.20

3 PLC ±°

4 PLC ±°

ANGLES ±3°

FINISH -

DWN
M. ZUCCA
28OCT2009

CHK
M. ZUCCA
28OCT2009

APVD
G. TURCO
28OCT2009

PRODUCT SPEC
108-20304

APPLICATION SPEC
114-20152

WEIGHT
-

Customer Drawing

TE Connectivity

NAME
PIN CONNECTOR PCB
VERTICAL VERSION
NECTOR* M-LINE 3 POS. UNSEALED

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-293590

RESTRICTED TO
-


SCALE
3:1

SHEET
2

OF
3

REV
F1


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
1	-		-	SEE SHEET 1	-	-




SUGGESTED L, N AND PE
TRACKS LAYOUT ON PCB


- BOTTOM VIEW -

- TOP VIEW -



SUGGESTED PCB LAYOUT



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. ZUCCA	28OCT2009	 TE Connectivity	
		CHK M. ZUCCA	28OCT2009		
		APVD G. TURCO	28OCT2009		
		PRODUCT SPEC	108-20304		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME PIN CONNECTOR PCB VERTICAL VERSION NECTOR* M-LINE 3 POS. UNSEALED	
		0 PLC	±	SIZE	
		1 PLC	±0.3	CAGE CODE	
		2 PLC	±0.20	DRAWING NO	
		3 PLC	±	RESTRICTED TO	
		4 PLC	±	A300779C-293590	
		ANGLES	±3°		
MATERIAL		FINISH	-	Customer Drawing	
				SCALE	3:1
				SHEET	3 OF 3
				REV	FI