

Specification Sheet

Part Number: GT.50X6MP2V2



Grip Tie, UL94V0-2 Flame Rated, .5" x 6.0", PA6/PP, Maroon, 10/pkg

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 854-44352                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Type                | GT.50X6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Color               | Red Brown (RDBN)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Features & Benefits | <ul style="list-style-type: none"><li>•UL 94 V-2 flame rated material allows use in air handling spaces.</li><li>•Features quick release for repetitive access to cable and wire.</li><li>•Can be opened and closed numerous times without failure.</li><li>•Adjustable so one size can accommodate multiple bundle diameters.</li></ul>                                                                                                                                                                                                  |
| Quantity Per        | bag                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Product Description | <p>HellermannTyton offers UL 94 V-2 flame rated Grip Ties for use in air handling spaces. Grip Ties are UL Listed in accordance with the National Electric Code regulations. Grip Ties are low-profile, one-piece fastening devices. Constructed of a hook and loop design, laminated back to back, the Grip Tie features quick release for repetitive access to cable and wire. Grip Ties are available in a variety of colors and are versatile enough for applications ranging from network installations to bundling power cords.</p> |

|                                     |                                                                    |
|-------------------------------------|--------------------------------------------------------------------|
| Short Description                   | Grip Tie, UL94V0-2 Flame Rated, .5" x 6.0", PA6/PP, Maroon, 10/pkg |
| Global Part Name                    | GT.50X6                                                            |
| Minimum Tensile Strength (Imperial) | 40.0                                                               |
| Minimum Tensile Strength (Metric)   | 177.93                                                             |
| Length L (Imperial)                 | 6.0                                                                |
| Length L (Metric)                   | 152.4                                                              |
| Width W (Imperial)                  | 0.5                                                                |
| Width W (Metric)                    | 12.7                                                               |
| Bundle Diameter Max (Imperial)      | 1.0                                                                |
| Bundle Diameter Max (Metric)        | 25.4                                                               |
| Material                            | Polyamide 6 (PA6) Polypropylene (PP)                               |
| Material Shortcut                   | PP PA                                                              |
| UL Recognized (US)                  | Yes                                                                |
| UL Recognized (US and Canada)       | Yes                                                                |

|                            |            |
|----------------------------|------------|
| Package Quantity(Imperial) | 10         |
| Package Quantity (Metric)  | 10         |
| Customs Number             | 3926909988 |