

Specification Sheet

Part Number: IT50R9C2



Identification Tie, 8" Long, 50lb Tensile Strength, PA66, Natural, 100/pkg

Article Number	111-85019
Type	IT50R
Color	Natural (NA)
Features & Benefits	• Identification plate feature allows bundles to be easily marked and identified. • Wire and cable harnesses can be secured and identified using just one product, which saves time. • Plates can be marked manually with a permanent marker or with a pre-printed adhesive label.
Quantity Per	bag

Product Description	Identification Cable Ties feature an identification plate that allows wire and cable bundles to be easily marked and identified. These ties enable wire and cables to be secured and identified using just one product, saving installation time. The plates can be marked using a permanent marker or with a HellermannTyton adhesive label.
---------------------	---

Short Description	Identification Tie, 8" Long, 50lb Tensile Strength, PA66, Natural, 100/pkg
Global Part Name	IT50R-PA66-NA
Minimum Tensile Strength (Imperial)	50.0
Minimum Tensile Strength (Metric)	225.0
Length L (Imperial)	8.0
Length L (Metric)	203.2
Fixation Method	Others
Identification Plate Position	attached to bundle
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Inside Serrated
Width W (Imperial)	1.1
Width W (Metric)	28.0
Bundle Diameter Min (Imperial)	0.37
Bundle Diameter Min (Metric)	9.5
Bundle Diameter Max (Imperial)	1.8
Bundle Diameter Max (Metric)	44.5

Thickness T (Imperial)	0.05	
Thickness T (Metric)	1.2	
Height H (Imperial)	0.51	
Height H (Metric)	12.9	
Outside Diameter Max(Imperial)	1.73	
Outside Diameter Min (metric)	9.50	
Outside Diameter Min(Imperial)	0.37	
Outside Diameter Max (metric)	44.50	
Material	Polyamide 6.6 (PA66)	
Material Shortcut	PA66	
US MIL SPEC	MS3368-1-9A	
SAE-AS33681		
Flammability		
UL 94 V2		Halogen free
Yes		Operating Temperature (Metric)
-40°F to +185°F (-40°C to +85°C)		Reach Complaint(Article 33)
Yes		ROHS Complaint

Yes	Certification/Specification WEB
UL ANSI/UL 62275 UL ANSI/UL 1565 UL ANSI/UL 746B CAGE Code 53421	UL Recognized (US)
Yes	UL Recognized (US and Canada)
Yes	

Package Quantity(Imperial)	100
Package Quantity (Metric)	100
Customs Number	3926909988
Content Unit(BMEcat)	pcs.
Weight (Metric)	1.5