

Specification Sheet

Part Number: 181-00249



Solid Wall Wiring Duct, 2" x 5", Non-Adhesive, PVC, White, 30ft/Box

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 181-00249                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Type                | SD2X5                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Color               | White (WH)                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Features & Benefits | <ul style="list-style-type: none"><li>•Solid wall construction provides excellent coverage to keep wires clean.</li><li>•Durable material protects wires from damage, with long-lasting performance.</li><li>•Available standard colors complement or contrast in light and dark environments.</li><li>•Optional covers snap on and off easily, and are provided with a non-slip lining that insures the covers remain in place during vibration.</li></ul> |
| Quantity Per        | box                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|                     |                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | HellermannTyton's Pro-Duct, Solid Wall wiring duct efficiently routes and protects wire. Solid Wall wiring duct it designed for straight wire runs where break outs are not required. Pro-Duct, Solid Wall wiring duct is manufactured from high impact, rigid PVC, comes in standard colors of white, gray and black, and is available in 6-foot lengths. |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                  |                                                                     |
|----------------------------------|---------------------------------------------------------------------|
| Short Description                | Solid Wall Wiring Duct, 2" x 5", Non-Adhesive, PVC, White, 30ft/Box |
| Global Part Name                 | SD2X5-PVC-WH                                                        |
| Technical Description            | Non-Adhesive                                                        |
| Length L (Imperial)              | 6.0                                                                 |
| Length L (Metric)                | 1.83                                                                |
| Width W (Imperial)               | 2.0                                                                 |
| Width W (Metric)                 | 50.8                                                                |
| Height H (Imperial)              | 5.07                                                                |
| Height H (Metric)                | 128.8                                                               |
| Mounting Hole Centers (Imperial) | 4.0                                                                 |
| Material                         | Polyvinylchloride (PVC)                                             |
| Material Shortcut                | PVC                                                                 |
| Flammability                     | Self-Extinguishing                                                  |
| Halogen free                     | No                                                                  |
| Operating Temperature (Metric)   | +122°F (+50°C)                                                      |

|                                 |                                                  |
|---------------------------------|--------------------------------------------------|
| Reach Complaint(Article 33)     | No                                               |
| ROHS Complaint                  | Yes                                              |
| Certification/Specification WEB | EN 50085-1:2005 + A1:2013 CSA EN 50085-2-3_1A UL |
| UL Recognized (US)              | Yes                                              |
| Package Quantity(Imperial)      | 30                                               |
| Package Quantity (Metric)       | 9.14                                             |
| Customs Number                  | 3925900000                                       |