

Specification Sheet

Part Number: T50I9C2



Cable Tie, 12" Long, UL Rated, 50lb Tensile Strength, PA66, Natural, 100/pkg

Article Number	112-05219
Type	T50I
Color	Natural (NA)
Features & Benefits	•Engineered and manufactured for maximum performance and quality. •Made from 100% high-quality plastic to ensure efficient recycling. •Inside serration for a strong grip onto bundles. •Easy application either manually or with a tensioning tool. •Bent tail allows for simpler insertion.
Quantity Per	bag
Product Description	T-Series Cable Ties feature inside serrations to provide a positive hold on wire and cable bundles. The head design guarantees high tensile strength and a low insertion force. The bent tail design allows quick and simple installations by hand. For high-volume applications, tensioning tools are available to ensure consistent and safe installation.

Short Description	Cable Tie, 12" Long, UL Rated, 50lb Tensile Strength, PA66, Natural, 100/pkg
Global Part Name	T50I-PA66-NA
Minimum Tensile Strength (Imperial)	50.0
Minimum Tensile Strength (Metric)	225.0
Length L (Imperial)	12.0
Length L (Metric)	305.0
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Inside Serrated
Width W (Imperial)	0.18
Width W (Metric)	4.6
Bundle Diameter Min (Imperial)	0.06
Bundle Diameter Min (Metric)	1.5
Bundle Diameter Max (Imperial)	3.2
Bundle Diameter Max (Metric)	81.3
Thickness T (Imperial)	0.05

Thickness T (Metric)	1.2	
Material	Polyamide 6.6 (PA66)	
Material Shortcut	PA66	
US MIL SPEC	MS3367-7-9	
SAE-AS33671		
Flammability		
UL 94 V2		Halogen free
Yes		Operating Temperature (Metric)
-40°F to +185°F (-40°C to +85°C)		Reach Complaint(Article 33)
Yes		ROHS Complaint
Yes		Certification/Specification WEB
CAGE Code 53421 BACS38K Bundesamt für Wehrtechnik VG 95387 Part 4 Edition: 2008-12		UL Recognized (US)
Yes		UL Listed (US and Canada)
Yes		UL Recognized (US and Canada)
Yes		UL Listed (US
Yes		

Package Quantity(Imperial)	100
Package Quantity (Metric)	100
Customs Number	3926909988
Content Unit(BMEcat)	pcs.
Weight (Metric)	1.9