

Specification Sheet

Part Number: TELS-13



Extended-Length Tie, POM, Black, 10-13.5" straps and 10 heads/pkg

Article Number	111-32108
Type	TELS-13
Color	Black (BK)
Features & Benefits	• Continuous strap and separate heads allow for any bundle diameter, eliminating waste. • Smooth strap prevents cable damage. • UV resistant materials contain an inhibitor which prolongs the life of the tie in outdoor environments.
Quantity Per	pack
Product Description	Extended Length Ties provide a high tensile strength strapping system consisting of a continuous strap and separate locking head making it suitable for any bundle diameter, eliminating waste. The smooth strap and specially designed heads with stainless steel pawls provide a strong grip on cables and wires without damage during vibration or in extreme environments. Spacers are available for dual bundle applications.

Short Description	Extended-Length Tie, POM, Black, 10-13.5" straps and 10 heads/pkg
Global Part Name	TELS-13-POM-BK
Contents of pkg/kit	10 straps (340 mm), 10 heads
Minimum Tensile Strength (Imperial)	250.0
Minimum Tensile Strength (Metric)	1112.0
Length L (Imperial)	13.5
Length L (Metric)	343.0
Fixation Method	2 piece
Identification Plate Position	none
Releasable Closure	No
Tie Closure	steel pawl
Variant	Extended Length
Width W (Imperial)	0.5
Width W (Metric)	12.7
Thickness T (Imperial)	0.06
Thickness T (Metric)	1.52
Height H (Imperial)	.49

Height H (Metric)	12.40
Material	Polyacetal (POM)
Material Shortcut	POM
Material Cable Tie	Polyacetal (POM)
Material Head	Polyacetal (POM)
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +185°F (-40°C to +85°C)
ROHS Complaint	Yes
Package Quantity(Imperial)	10
Package Quantity (Metric)	10
Customs Number	3926909988