

Specification Sheet

Part Number: TSR2FW-6A



One Piece Surface Raceway, 1-1/4", 6.0 ft Long, PVC, Office White, 120ft/Carton

Article Number	250-02601
Type	TSR2-6A
Color	Office White (OEWH)
Features & Benefits	• Tamper resistant, self-locking hidden positive latch permits quick re-entry as well as providing a secure installation of premise wire. • Fittings incorporate a minimum 1" bend radius per ANSI/TIA-568-C and 569-A standards. • Rubber-based, foam-tape adhesive with high ultimate bond strength conforms to any surface. • Flexible hinge allows the raceway to endure numerous openings without creating discoloration or stress cracking
Quantity Per	carton

Product Description	HellermannTyton's low voltage raceway (TSR) is a one piece, non-metallic, adhesive backed, latching raceway designed to aesthetically organize and route communications wires, including high speed UTP cable and fiber optic cable, from the telecom room to the work area.
---------------------	--

Short Description	One Piece Surface Raceway, 1-1/4", 6.0 ft Long, PVC, Office White, 120ft/Carton
Global Part Name	TSR2-6A-PVC-WH
Length L (Imperial)	6.0
Length L (Metric)	1.83
Width W (Imperial)	1.25
Width W (Metric)	31.75
Height H (Imperial)	.75
Height H (Metric)	19.05
Material	Polyvinylchloride (PVC)
Material Shortcut	PVC
Flammability	UL 94 V0
Halogen free	No
Operating Temperature (Metric)	+122°F (+50°C)
Reach Complaint(Article 33)	No
ROHS Complaint	Yes

Package Quantity(Imperial)	120
Package Quantity (Metric)	36.58
Customs Number	3925900000