

Test plugs - PS-UK 2,5 B/Z-6 - 3001239

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Test plugs, color: red

Your advantages

- ✓ The test plug reliably makes contact in the bridge shaft and in all test sockets with a 2.3 mm or 4 mm diameter
- ✓ Individual test adapters can be combined using the modular PS-...2,3MM test plug.

RoHS

Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 089856
GTIN	4017918089856

Technical data

Dimensions

Length	19.6 mm
Width	5 mm
Pitch	6.2 mm
Pin diameter	6.5 mm

General

Color	red
Material	PA
Ambient temperature (operation)	-40 °C ... 115 °C

Standards and Regulations

Flammability rating according to UL 94	V2
--	----

Environmental Product Compliance

	Lead 7439-92-1
--	----------------

Test plugs - PS-UK 2,5 B/Z-6 - 3001239


Technical data

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Dimensional drawing



Approvals

Approvals

Approvals

EAC / EAC

Test plugs - PS-UK 2,5 B/Z-6 - 3001239

Approvals

Ex Approvals

Approval details

EAC		EAC-Zulassung
-----	---	---------------

EAC		RU C- DE.A*30.B.01742
-----	---	--------------------------

Phoenix Contact 2019 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>