

Product / Process Change Notification (PCN)

- ☒ Major change
☐ Minor change

PCN #: PCN_FeSTAR-RING_20230801

Affected Series: STAR-RING; 742715x

PCN Date: May01, 2023

Effective Date: August 01, 2023

Change Category:

- ☐ Equipment / Location
☐ General Data
☐ Material
☐ Process
☐ Product Design
☒ Shipping / Packaging
☐ Supplier
☐ Software

Contact: Product Management

Phone: +49 (0) 7942 - 945 5001

Fax: +49 (0) 7942 - 945 5179

E-Mail: pcn.eisos@we-online.com

Data Sheet Change:

- ☒ Yes ☐ No

Attachment:

- ☐ Yes ☒ No

Description and purpose of change:

In order to internal standardization and to improve the transportation safety, Würth Elektronik will improve the packaging by implementing a new tray design.

All products with date code 2023-08-01 or later, will be affected by this change.

Detail of Change:

The tray changes in the design and in the size from a double wall corrugated cardboard tray to a paper mould tray. The outer carton size and packaging quantity will change as detailed in the table below. The carton box material will remain double wall corrugated cardboard but changes to a better quality for improved transportation safety.

New carton box	Old carton box
	


7427151; 7427151S	Unit	New Packaging	Old Packaging
Carton Packaging Quantity (CPQ)	pcs	165	280
Standard Packaging Quantity (SPQ)	pcs	33	40
Number of trays	pcs	5	7
Moisture Impermeable Bag (MIB)		yes	yes
Dimensions of the carton (LxWxH)	mm	400 x 300 x 165	400 x 300 x 140
Dimensions of the tray (LxWxH)	mm	370 x 280 x 12	340 x 260 x 6
Weight of a CPQ	g	6500	9500
Weight of a SPQ	g	1150	1250

7427154; 7427154S	Unit	New Packaging	Old Packaging
Carton Packaging Quantity (CPQ)	pcs	165	240
Standard Packaging Quantity (SPQ)	pcs	33	40
Number of trays	pcs	5	6
Moisture Impermeable Bag (MIB)		yes	yes
Dimensions of the carton (LxWxH)	mm	400 x 300 x 165	400 x 300 x 140
Dimensions of the tray (LxWxH)	mm	370 x 280 x 12	340 x 260 x 6
Weight of a CPQ	g	8200	10860
Weight of a SPQ	g	1500	1750

7427155; 7427155S	Unit	New Packaging	Old Packaging
Carton Packaging Quantity (CPQ)	pcs	132	150
Standard Packaging Quantity (SPQ)	pcs	33	30
Number of trays	pcs	4	5
Moisture Impermeable Bag (MIB)		yes	yes
Dimensions of the carton (LxWxH)	mm	400 x 300 x 165	400 x 300 x 140
Dimensions of the tray (LxWxH)	mm	370 x 280 x 12	340 x 260 x 6
Weight of a CPQ	g	9700	10800
Weight of a SPQ	g	2400	2100



7427153; 7427153S	Unit	New Packaging	Old Packaging
Carton Packaging Quantity (CPQ)	pcs	532	280
Standard Packaging Quantity (SPQ)	pcs	76	40
Number of trays	pcs	7	7
Moisture Impermeable Bag (MIB)		yes	yes
Dimensions of the carton (LxWxH)	mm	400 x 300 x 165	400 x 300 x 140
Dimensions of the tray (LxWxH)	mm	370 x 280 x 12	340 x 260 x 6
Weight of a CPQ	g	10000	5026
Weight of a SPQ	g	1350	700



Reliability / Qualification Summary:

Drop test according to DIN EN 22248 "Packaging; complete, filled transport packages; vertical impact test by dropping (ISO 2248:1985)" has been done and passed.