



PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 25/4/2022
MODIFICATION / REVISION DATE: 25/4/2022

AMJS1010-0200-BKB-26 MODULAR CABLE

CHANGE NOTIFICATION: PCN 20220425_AMJS1010-0200-BKB-26

DESCRIPTION OF CHANGES: CHANGE OF DATA SHEET
CHANGE OF DATA SHEET
New Draw.-No. ASS_7943_CArev02

REASON FOR CHANGE: CHANGE OF PRODUCT LOCATION
CHANGE OF PRODUCT LOCATION

KEY CHARACTERISTICS OF CHANGE: Details see page 3

PRODUCTS AFFECTED: AMJS1010-0200-BKB-26

DATE OF CHANGE AND IMPLEMENTATION: CHANGE: WEEK 18 / YEAR 2022
IMPLEMENTATION: 25/4/2022

RESPONSE: NO RESPONSE TO THIS NOTIFICATION IS REQUIRED

PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 25/4/2022
MODIFICATION / REVISION DATE: 25/4/2022


AMJS1010-0200-BKB-26

OLD VERSION


AMJS1010-0200-BKB-26

NEW VERSION

Appearance



Appearance



BOM

③	Molding	LSOH PVC 45P Color: see order code	NA	KG
②	CONNECTOR	RJ45 8P8C two fork 3u" gold plated with metal shield	2	PCS
①	CABLE	CAT6a S/FTP (26AWG*1PR+A)*4+B+LSOH OD=5.8±0.3MM Color: see order code	NA	MM
NO:	NAME	DESCRIPTION	Q'TY	UNIT

BOM

④	AL-FOIL	Double-sided conductive aluminum foil ②	2	PCS
③	Molding	LSOH 65P Color: see order code ②	NA	KG
②	CONNECTOR	RJ45 8P8C two fork 3u" gold plated with metal shield	2	PCS
①	CABLE	CAT6a S/FTP (26AWG*1PR+A)*4+B(AM)+LSOH OD=5.8±0.3MM Color: see order code ②	NA	MM
NO:	NAME	DESCRIPTION	Q'TY	UNIT

FOR DETAIL, PLEASE TAKE ATTACHED NEW DRAWING: FOR REFERENCE

PCN REVISION HISTORY:

DATE OF REVISION: 25/4/2022

REVISION NUMBER: 00

page 3/

	1	2	3	4	5	6	7																																																																	
A									A																																																															
B									B																																																															
C									C																																																															
D	PIN OUT <table><thead><tr><th>CN1</th><th>② WIRE COLOR</th><th>CN2</th></tr></thead><tbody><tr><td>1</td><td>ORANGE/WHITE</td><td>1</td></tr><tr><td>2</td><td>ORANGE</td><td>2</td></tr><tr><td>3</td><td>GREEN/WHITE</td><td>3</td></tr><tr><td>6</td><td>GREEN</td><td>6</td></tr><tr><td>4</td><td>BLUE</td><td>4</td></tr><tr><td>5</td><td>BLUE/WHITE</td><td>5</td></tr><tr><td>7</td><td>BROWN/WHITE</td><td>7</td></tr><tr><td>8</td><td>BROWN</td><td>8</td></tr><tr><td>SHELL</td><td>BRAID</td><td>SHELL</td></tr></tbody></table> Electrical test: Open/short/intermittence: 100% <table><thead><tr><th>④</th><th>AL-FOIL</th><th>Double-sided conductive aluminum foil ②</th><th>2</th><th>PCS</th></tr><tr><th>③</th><th>Molding</th><th>LSOH 65P Color: see order code ②</th><th>NA</th><th>KG</th></tr><tr><th>③</th><th>CONNECTOR</th><th>RJ45 8P8C two fork 3u" gold plated with metal shield</th><th>2</th><th>PCS</th></tr><tr><th>③</th><th>CABLE</th><th>CAT6a S/FTP (26AWG*1PR+A)*4+B(AM)+LSOH OD=5.8±0.3MM Color: see order code ②</th><th>NA</th><th>MM</th></tr><tr><th>NO:</th><th>NAME</th><th>DESCRIPTION</th><th>Q'TY</th><th>UNIT</th></tr></thead></table> WSW order code AMJS1010-xxxx-xxB-26① Cable length 0030: 0.3M 0050: 0.5M 0100: 1.0M 0150: 1.5M 0200: 2.0M 0300: 3.0M 0500: 5.0M 0700: 7.0M 1000: 10M 1500: 15M Cable&Molding color BK: Black RD: Red YE: Yellow GN: Green GY: Grey BU: Blue WH: White BN: Brown								CN1	② WIRE COLOR	CN2	1	ORANGE/WHITE	1	2	ORANGE	2	3	GREEN/WHITE	3	6	GREEN	6	4	BLUE	4	5	BLUE/WHITE	5	7	BROWN/WHITE	7	8	BROWN	8	SHELL	BRAID	SHELL	④	AL-FOIL	Double-sided conductive aluminum foil ②	2	PCS	③	Molding	LSOH 65P Color: see order code ②	NA	KG	③	CONNECTOR	RJ45 8P8C two fork 3u" gold plated with metal shield	2	PCS	③	CABLE	CAT6a S/FTP (26AWG*1PR+A)*4+B(AM)+LSOH OD=5.8±0.3MM Color: see order code ②	NA	MM	NO:	NAME	DESCRIPTION	Q'TY	UNIT	D								
CN1	② WIRE COLOR	CN2																																																																						
1	ORANGE/WHITE	1																																																																						
2	ORANGE	2																																																																						
3	GREEN/WHITE	3																																																																						
6	GREEN	6																																																																						
4	BLUE	4																																																																						
5	BLUE/WHITE	5																																																																						
7	BROWN/WHITE	7																																																																						
8	BROWN	8																																																																						
SHELL	BRAID	SHELL																																																																						
④	AL-FOIL	Double-sided conductive aluminum foil ②	2	PCS																																																																				
③	Molding	LSOH 65P Color: see order code ②	NA	KG																																																																				
③	CONNECTOR	RJ45 8P8C two fork 3u" gold plated with metal shield	2	PCS																																																																				
③	CABLE	CAT6a S/FTP (26AWG*1PR+A)*4+B(AM)+LSOH OD=5.8±0.3MM Color: see order code ②	NA	MM																																																																				
NO:	NAME	DESCRIPTION	Q'TY	UNIT																																																																				
E									E																																																															
F									F																																																															
G	RoHS compliant Unit: mm <table><thead><tr><th>Scale</th><th>Free</th><th></th><th></th><th></th><th></th><th>Date</th><th>Name</th><th>Customer-No.</th></tr></thead><tbody><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td></td><td>Drawn</td><td>30.03.2017</td><td>Amy</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>Approved</td><td>12.04.2022</td><td>Luca</td></tr><tr><td></td><td></td><td>②</td><td>Change the plant</td><td>12.04.2022</td><td>Luca</td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td>①</td><td>Update the WSW order code</td><td>02.06.2017</td><td>Amy</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>30.03.2017</td><td>Amy</td><td></td><td></td><td></td></tr><tr><td>Angle</td><td>TOL</td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td></td><td></td><td></td></tr></tbody></table> ASSMANN WSW components ASSMANN WSW-No. ①AMJS1010-xxxx-xxB-26 Drawing-No. ASS 7943 CA rev02 Replace Sheet								Scale	Free					Date	Name	Customer-No.	TOLERANCE						Drawn	30.03.2017	Amy							Approved	12.04.2022	Luca			②	Change the plant	12.04.2022	Luca				DIM	TOL	①	Update the WSW order code	02.06.2017	Amy						①	Drawn	30.03.2017	Amy				Angle	TOL	Id.	Modification	Date	Name				G
Scale	Free					Date	Name	Customer-No.																																																																
TOLERANCE						Drawn	30.03.2017	Amy																																																																
						Approved	12.04.2022	Luca																																																																
		②	Change the plant	12.04.2022	Luca																																																																			
DIM	TOL	①	Update the WSW order code	02.06.2017	Amy																																																																			
		①	Drawn	30.03.2017	Amy																																																																			
Angle	TOL	Id.	Modification	Date	Name																																																																			
H									H																																																															
	1	2	3	4	5	6	7																																																																	