

# Data sheet

## 3812.2 ZES 15 BG



End stop, Mounting type: Mounting rail TS 15/5.5, Width: 5 mm, Colour: Beige

### Business data

|                                            |               |
|--------------------------------------------|---------------|
| Article number                             | 3812.2        |
| Article name                               | ZES 15 BG     |
| GTIN (EAN)                                 | 4044211080617 |
| Colour                                     | Beige         |
| Packaging unit                             | 50            |
| Quantity unit                              | PC            |
| Weight per piece (not including packaging) | 1.6 g         |
| Weight per piece (including packaging)     | 1.64 g        |
| Unit of weight                             | G             |
| Customs number                             | 85389099      |
| Country of origin                          | CZ            |
| Product description                        | End bracket   |

# Data sheet

## 3812.2 ZES 15 BG

### Technical data

#### Dimensions

|                |         |
|----------------|---------|
| Length         | 27 mm   |
| Width          | 5 mm    |
| Terminal width | 5.00 mm |
| Height         | 23.5 mm |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |

#### Further technical data

|               |       |
|---------------|-------|
| Mounting type | TS 15 |
|---------------|-------|

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2022-01-17 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |


---

**Media**

---


### Accessories

#### ##INVERSE##CONTA-CONNECT




Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name               | GTIN (EAN)    | Packaging unit |
|----------------|----------------------------|---------------|----------------|
| <u>3668.2</u>  | ZSTK 2,5/1A/1S-H/Z/B/15 BG | 4044211177799 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging unit |
|----------------|--------------------------|---------------|----------------|
| <u>3677.2</u>  | ZSTK 2,5/1A/1S-H/Z/15 BG | 4044211177881 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name           | GTIN (EAN)    | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>3676.2</u>  | ZSTK 2,5/1A/1S-H/15 BG | 4044211177874 | 100            |



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>3601.2</u>  | ZSLN 2,5/3A/15 GNYE | 4044211152048 | 100 ST         |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name           | GTIN (EAN)    | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>1709.2</u>  | ZSLN 2,5/2A/15 Ex GNYE | 4044211059385 | 100 ST         |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow


| Article number | Article name           | GTIN (EAN)    | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>1710.2</u>  | ZSLN 2,5/3A/15 Ex GNYE | 4044211059651 | 100 ST         |

### ##INVERSE##CONTA-CONNECT




Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>3586.2</u>  | ZSLN 2,5/2A/15 GNYE | 4044211151935 | 100 ST         |




Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name         | GTIN (EAN)    | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>1700.2</u>  | ZSRK 2,5/2A/15 Ex BG | 4044211059354 | 100            |




Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3585.2</u>  | ZSRK 2,5/2A/15 BG | 4044211151904 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3599.2</u>  | ZSRK 2,5/3A/15 BG | 4044211152024 | 100            |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name         | GTIN (EAN)    | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>1701.2</u>  | ZSRK 2,5/3A/15 Ex BG | 4044211059590 | 100            |