

OMRON ELECTRONIC COMPONENTS LLC ENGINEERINGUPDATE



NO: Sw - 141 PRODUCT: A6S/A6T/A6H/A6R/A6E-N/A6FR Series

DATE: April 2023 TYPE: MODIFICATION – Change in Marking Method

Top Actuated and Rotary DIP Switches - Change in Marking Method


In an effort to enhance our production process, Omron will change the marking method used for the A6S, A6T, A6H, A6R, A6E-N, A6FR Series DIP Switches. The new method of marking the product will take effect as of our production in June 2023. This modification notice will explain the appearance change of the marking on the A6S, A6T, A6H, A6R, A6E-N, A6FR Series DIP Switches. This change will not alter the technical specifications or external dimensions of the switch. The models to be affected include all, but are not limited to, the models listed below; should you have any additional questions, however, please communicate with the Switch Product Manager, Roland Hiso.




Effective Date:

Effective as of our production in June 2023


A6H Details of the Changes:




A6S-H, A6T Details of the Changes:




A6E-N Details of the Changes:




A6SR, A6TR Details of the Changes:



A6FR Details of the Changes:



A6R, A6RV, A6RS Details of the Changes:



Details of Applicable Models:

Models
A6H series
A6S-H series
A6T series
A6E-N series
A6SR series
A6TR series
A6FR series
A6R series
A6RV series

* Sales teams should communicate this modification with their OEM's and CEM's.

For further technical support and any questions, please communicate with Product Marketing.

Specifications in this product news are as of the issue date and are subject to change without notice.

Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products.

This PCN is intended for use in the Americas

Last time buy dates are subject to change based on availability