



TE Connectivity

Product Change Notification: PCN-23-183821


PCN Date: 25-AUG-23

| |
|--|
| General Product Description: |
| RECEPTACLE ASSEMBLY, VERTICAL, 28 POSITION, SLIVER 2.0 |


| Description of Changes |
|------------------------|
| |

Please be aware of an upcoming feature change to the listed part numbers. Before: 1. the distance from HSG to shell is 1.76 ± 0.03 (page 1 D6). 2. The distance between the left positioning column and the axis of symmetry is 1.75mm, and the right is 0mm (page 1 A8 & A6) 3. The distance between the left round hole and the axis of symmetry is 1.75mm and the right is 0mm (page 2 C6 & C4) After: 1. the distance from HSG to shell is 1.91 ± 0.03 mm (page 1 D6). 2. The distance between the left positioning column and the axis of symmetry is 0mm, and the right is 1.75mm (page 1 A8 & A6) 3. The distance between the left round hole and the axis of symmetry is 0mm, and the right is 1.75mm (page 2 C6 & C4) Reference performance test data: NA


1. the distance from HSG to shell is 1.76 ± 0.03 (page 1 D6).




1. the distance from HSG to shell is $1.91 \pm 0.03 \text{ mm}$ (page 1 D6).



2. The distance between the left positioning column and the axis of symmetry is 1.75mm, and the right is 0mm (page 1 A8 & A6)



2. The distance between the left positioning column and the axis of symmetry is 0mm, and the right is 1.75mm (page 1 A8 & A6)



3. The distance between the left round hole and the axis of symmetry is 1.75mm, and the right is 0mm (page 2 C6 & C4)

3. The distance between the left round hole and the axis of symmetry is 0mm, and the right is 1.75mm (page 2 C6 & C4)



1. match SFF-TA-1020 2. customer request

| | |
|---|---|
| Estimated Dates: | |
| Last Order Date (Obsolete Parts Only): | First Ship Date of Changed Items (Changed Parts Only): |
| | 11-NOV-2023 |
| Last Ship Date of Changed Items (Obsolete Parts Only): | Last Date for Mixed Shipments: (Changed Parts Only): |
| | No Mixed Shipments |
| Effectivity Date: | Date of First Samples: |

| Part Number | Part Discontinued per PCN | Customer Drawing | Customer Part Number | Alias Part Number(s) | Substitute Part Number | Substitute Alias Part Number(s) | Description Of Difference |
|---------------------------|---------------------------|------------------|----------------------|----------------------|------------------------|---------------------------------|---------------------------|
| 2354531-2 | NO | | | | | | |
| 2354531-3 | NO | | | | | | |

| Drawing Number | Related Part Number | Customer Part Number | Current Revision | New Revision |
|-------------------------|---------------------|----------------------|------------------|--------------|
| 2354531 | 2354531-2 | | B1 | |

| Part Number | Part Discontinued per PCN | Customer Drawing | Customer Part Number | Alias Part Number(s) | Substitute Part Number | Substitute Alias Part Number(s) | Description Of Difference |
|---------------------------|---------------------------|------------------|----------------------|----------------------|------------------------|---------------------------------|---------------------------|
| 2354531-2 | NO | | | | | | |
| 2354531-3 | NO | | | | | | |

Part Number(s) being Modified:

| Part Number | Part Discontinued per PCN | Customer Drawing | Customer Part Number | Alias Part Number(s) | Substitute Part Number | Substitute Alias Part Number(s) | Description Of Difference |
|---------------------------|---------------------------|------------------|----------------------|----------------------|------------------------|---------------------------------|---------------------------|
| 2354531-2 | NO | | | | | | |
| 2354531-3 | NO | | | | | | |

The documents listed below are being modified. Related parts that are not explicitly listed on this PCN are not being modified or discontinued as per the PCN. The Last Order Date, Last Ship Date, First Date to Ship Changed Parts and last date for Mixed Shipments apply only to parts explicitly listed on this PCN.

Customer Drawing(s) Being Modified:

| Drawing Number | Related Part Number | Customer Part Number | Current Revision | New Revision |
|-------------------------|---------------------|----------------------|------------------|--------------|
| 2354531 | 2354531-2 | | B1 | |

RECEPTACLE ASSEMBLY, VERTICAL, 28 POSITION, SLIVER 2.0







11-AUG-2023

EVERY CONNECTION COUNTS



Comparison of differences before and after changes



| Difference comparison | | | |
|-----------------------|---|--|--|
| Number | before | after | remark |
| 1 |  |  | change the distance from HSG to shell from 1.76+/-0.03 to 1.91+/-0.03mm. |
| 2 |  |  | change the location of position column |
| 3 |  |  | change PCB layout |

**CONNECT
LIKE THE WORLD
DEPENDS ON IT.
BECAUSE IT DOES.**

EVERY CONNECTION COUNTS

