

N° LFPCN230926

Date: September 26th, 2023

<u>Subject</u>: PCN for E3 Power Modules Inhouse Assembly Location Transfer

(Refer to the list of affected parts in page 5)

Dear Valued Customer,

Littelfuse would like to notify you about the transfer of the backend manufacturing of our modules in E3 package to our Outsourced Semiconductor Assembly and Test (OSAT) factory in Laguna, Philippines.

This OSAT facility, a Littelfuse Back End partner since many years, build in mass production E3 products for Littelfuse already. This transfer refers to all our E3 products, which have only been built in our Lampertheim facility so far until now.

Our clear focus being to bring high levels of service to our customers and quality products to support future growth of the power semiconductor business.

Please find enclosed all details related to this PCN.

Important information for your attention and according to JEDEC STANDARD "JESD46":

- Please acknowledge receipt of this PCN. In your acknowledgement, you can grant approval or request additional information.
- Littelfuse will assume the change is acceptable if no acknowledgement is received within 30 days from the date of this PCN. Lack of any additional response within 90 days of PCN issuance further constitutes acceptance of change.

Your prompt reply will help Littelfuse to assure a smooth and well executed transition. Your attention and response to this matter is greatly appreciated.

Thank you very much. Best Regards,

Mirko Vogelmann
Product Manager
Medium Power Modules
mvogelmann@littelfuse.com

Contact Information:	Contact your local Littelfuse Sales Partner or Mirko Vogelmann



N° LFPCN230926

SUBJECT OF CHANGE:		E3 Bipolar and IGBT Power Modules				
		OSAT Backend Assembly Location Transfer				
PR	ODUCTS AFFECTED:	See page 5				
		Set the right balance for power modules assembly between internal and				
REASON OF CHANGE:		outsourced Back End facilities. Extend the E3 packages assembly being built in				
		this facility additionally to other E3 products already built there.				
DESCRIPTION OF CHANGE:		ACTUAL SITE	TRANSFERRED SITE			
		Lampertheim, Germany	Laguna, Philippines			
	Marking (on parts)					
•	Type of marking	Laser marking Laser marking				
•	Company Logo	Ixys Logo Littelfuse IXYS Logo				
		L IXYS	IXYS A Littelfuse Technology			
•	UL Logo	NO CHANGE				
•	Date code + Site Assy code	YYWWX	YYWW AM			
•	Catalog Part Number	NO CHANGE				
•	2D Matrix	36 characters 49 characters				
		1st to 19th digit 20th to 23rd digit 24th to 25th digit 26th to 31st digit 27th to 31st digit 37th digit 37th to 36th digit	1st to 25th digit Official product part number 26th to 31st digit Date code (YYWW) 32nt to 33rd digit Assembly Line 34th to 43rd digit Lot Number 44th digit Extra digit for future reference 45th to 49th digit Individual Module number within one lot			

Labelling (on packing)

• Inner Box	Made P. Common Out 1600 PT EH P. Common Out 16	(1)PPart No: MDMA900U1600PTEH – PC LF No: MDMA900U1600PT-PC Prod Code: 529193 Prod Code: 529193 (9D)Date Code: 2308AM	
Master/Outer Box	(P) Costoner Par No. 747—MOMASOU1500PTEH (Q) Country: 24 (A) 500 DE (H) Supplier Part No. MOMASOU1500PTEH (F) Supplier Part No. MOMASOU1500PTEH	(19)Part No: MDMA900U1600PTEH – PC LF No: MDMA900U1600PTEH – PC Prod Code: \$29183 (90)Date Code: 2308AM	
■ Bill of material	NO CHANGE		
■ Electrical characteristics	Electrical characteristics of qualification site matched to current production		
	site		
Mechanical characteristics	Mechanical characteristics of qualification site matched to current		
	production site		



N° LFPCN230926

RELIABILITY DATA SUMMARY:

- Qualification done on module part structurally representative to the whole E3 modules package family
- The acceptance defining criteria for type tests of this product family are detailed in: IEC 60747-6 Edition 3.0, clause 7.5.5, table 10

Results:	Test	Description	Conditions	Standard Use	# Lots	Qty /Lot	Result
MDMA900U1600PTEH							
1	HTRB	High Temp. Rev. Bias	1000hr., ≤125°C, 1120 V AC	IEC 60749-23	2	5	Passed
2	Humidity	High Temp. High Humidity Bias	1000hr., 85% rH., 85°C	IEC 60749-42	2	5	Passed
3	T/C	Temperature Cycling	100 cycles, -40°C/+150°C	IEC 60749-25	2	5	Passed
4	P/C	Power Cycling	20 000 cycles, ≤ 125°C, dT=80K	IEC 60749-34	2	5	Passed



N° LFPCN230926

TIME SCHEDULE:

■ Parts availability: First evaluation samples scheduled for week 44 (October 30th)


from Philippines

Production ramp-up November 2023 (Week 44 onwards)

■ Last Shipment: By end of October (Week 43) from assembly site in Lampertheim

■ Last time buy: N/A - Any new orders will be processed through the new

assembly site



E3 package pressfit pin

(pin-out location is non representative to all topologies offered)



N° LFPCN230926

ASSESSMENT:

- No influence in terms fit, form and function.
- No part number change.
- Data sheets remain unchanged.
- LF Qualification report available upon request.

LIST OF AFFECTED E3 POWER MODULES (See Note below):

	Littelfuse SAP	Catalog
	part number	part number
1	MDMA450U1600PT-PC	MDMA450U1600PTEH-PC
2	MDMA660U1600PTEH	MDMA660U1600PTEH
3	MDMA660U1600PT-PC	MDMA660U1600PTEH-PC
4	MDMA900U1600PTEH	MDMA900U1600PTEH
5	MDMA900U1600PT-PC	MDMA900U1600PTEH-PC
6	MDNA600U2200PT-PC	MDNA600U2200PTEH-PC
7	MIXG120W1200PTEH	MIXG120W1200PTEH
8	MIXG180W1200PT	MIXG180W1200PT
9	MIXG180W1200PT-PC	MIXG180W1200PTEH-PC
10	MIXG240W1200PTEH	MIXG240W1200PTEH
11	MIXG240W1200PT-PC	MIXG240W1200PTEH-PC
12	MIXG240W1200PZ-PC	MIXG240W1200PZTEH-PC
13	MIXG240W1200PZTEH	MIXG240W1200PZTEH
14	MIXA80W1200PTEH	MIXA80W1200PTEH
15	MUBW50-17T8	MUBW50-17T8
16	MUBW75-17T8	MUBW75-17T8

<u>NOTE</u>: This PCN is related to E3 power modules only. The first PCN was released for E2 Bipolar modules and third one related to E2 IGBT modules will be edited soon.

Customer information:

Forward-looking statements are intended to provide information about our expected future operations. These statements are not promises or guarantees, particularly with respect to any timelines provided in the schedule. All terms of delivery and rights to technical changes are subject to alteration by Littelfuse.