

Dear customers/AKM partners

Doc.#: PC#2023_028e

Issued on: Sept. 25, 2023

Notice of Packing Specification Changes

Asahi Kasei Microdevices Corporation (AKM) notifies the change of packing specification. Affected products and details of change are indicated as below.

We would appreciate your understanding and cooperation for this change.

Sincerely

| Items | See the attached Product List | |
|-----------------|---|--|
| Detail | Change of packing specification (Label & Inner Box use). | |
| Detail | Please refer to the attached for details. | |
| Doncon | In order to enhance the total product quality and standardize | |
| Reason | our product Label. | |
| Tayor Cabadyla | After November 2023 when on-hand stock is expected to be | |
| Target Schedule | cleared out. | |

End

Naoyuki Kurita Vice President, Sales Asahi Kasei Microdevices Corporation 1-1-2 Yuraku-cho, Chiyoda-ku, Tokyo 100-0006, Japan



Product List

| No. | Customer P/N | AKM Product No. | Remark |
|-----|--------------|-----------------|--------|
| 1 | | CZ3700CA-HA | |
| 2 | | CZ3701CA-HA | |
| 3 | | CZ3702CA-HA | |
| 4 | | CZ3703CA-HA | |
| 5 | | CZ3704CA-HA | |
| 6 | | CZ3705CA-HA | |
| 7 | | CZ3706CA-HA | |
| 8 | | CZ3720CA-HA | |
| 9 | | CZ3721CA-HA | |
| 10 | | CZ3722CA-HA | |
| 11 | | CZ3723CA-HA | |
| 12 | | CZ3724CA-HA | |
| 13 | | CZ3725CA-HA | |
| 14 | | CZ3726CA-HA | |
| 15 | | CZ3A01CB-HA | |
| 16 | | CZ3A02CB-HA | |
| 17 | | CZ3A03CB-HA | |
| 18 | | CZ3A04CB-HA | |
| 19 | | CZ3A05CB-HA | |
| 20 | | CZ3A06CB-HA | |
| 21 | | CZ3A07CB-HA | |
| 22 | | CZ3AG1CA-HA | |
| 23 | | CZ3AG2CA-HA | |
| 24 | | CZ3AG3CA-HA | |
| 25 | | CZ3AG4CA-HA | |
| 26 | | CZ3AG5CA-HA | |
| 27 | | CZ3AG6CA-HA | |
| 28 | | CZ3AG7CA-HA | |
| 29 | | CZ3AJ1CA-HA | |
| 30 | | CZ3AJ2CA-HA | |
| 31 | | CZ375ACB-HA | |
| 32 | | CZ375BCB-HA | |
| 33 | | CZ375CCB-HA | |
| 34 | | CZ375DCB-HA | |



Change Summery

| Item | Old | New |
|--------------------------|--|--|
| Packing Specification | [Old]CZ373Axx_ Packing ej.pdf | [New]CZ373Axx _Packing ej.pdf |
| Label | RA名 原 図白 Blank Dyh No Lot No 数 QTY リード Lead PRODUCT: MSL: 2a PEAK:260C F/L:4W S/L:60M SEAL: 防湿梱包日 Dry packed day | (P) P/N: (I) Oty: (90) D/C: (17) SID: (17) SID: (17) SID: (17) SID: (18) SiA: 60M (18) SiA: 60M (19) D/C: (18) SiA: 60M (19) SiA |
| Inner Box | Non-use | use |