



中国国家强制性产品认证证书

证书编号：2015010907749045

发证日期：2023 年 11 月 15 日

有效期至：2024 年 07 月 26 日

认证委托人名称 翌胜电子股份有限公司
及注册地址 中国台湾新北市中和区建一路 150 号 11 楼之二

产品生产者名称 翌胜电子股份有限公司
及注册地址 中国台湾新北市中和区建一路 150 号 11 楼之二

生产企业名称 翌胜电子（苏州）有限公司
及生产地址 苏州市苏州工业园区胜浦镇常胜路 59 号

产品名称和系列、规格、型号 电源适配器
EA1300XYWWWW, EM1300XYWWWW ("X" 可为 1 或 3 表示不同器具输入插座类型：1 代表 C14 type, 3 代表 C6 type ; "Y" 可为 A, B, C, D, E, F, G, H, N, P, M 或 Q 表示不同的输出范围 ; "W" 可为 0-9 A-Z, a-z, "- " 或空白, 代表不同输出电压) 规格：产品输入：100-240 Vac, 50-60 Hz, 5.0-2.5 A ; (产品销售时不配备电线组件, 适用于海拔 5000 米及以下)

产品标准和技术要求 GB 17625.1-2022 (A 级) ;GB 4943.1-2022;GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2023 认证规则的要求，特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书，证书首次颁发日期：2015 年 01 月 15 日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发：谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 1 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001A	12.00	19.16	230
EA13001A-120	12.00	19.16	230
EA13001A-125	12.50	18.40	230
EA13001A-130	13.00	17.69	230
EA13001A-135	13.50	17.03	230
EA13001A-140	14.00	16.42	230
EA13001A-145	14.50	15.86	230
EA13001A-150	15.00	15.33	230
EA13001A-155	15.50	14.83	230
EA13001A-160	16.00	14.37	230
EA13001A-165	16.50	13.93	230
EA13001A-170	17.00	13.52	230
EA13001A-175	17.50	13.14	230
EA13001A-180	18.00	12.77	230
EA13003A	12.00	19.16	230
EA13003A-120	12.00	19.16	230
EA13003A-125	12.50	18.40	230
EA13003A-130	13.00	17.69	230
EA13003A-135	13.50	17.03	230
EA13003A-140	14.00	16.42	230
EA13003A-145	14.50	15.86	230
EA13003A-150	15.00	15.33	230
EA13003A-155	15.50	14.83	230
EA13003A-160	16.00	14.37	230
EA13003A-165	16.50	13.93	230
EA13003A-170	17.00	13.52	230
EA13003A-175	17.50	13.14	230
EA13003A-180	18.00	12.77	230
EA13001B	12.00	20.00	240



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 2 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001B-120	12.00	20.00	240
EA13001B-125	12.50	19.20	240
EA13001B-130	13.00	18.46	240
EA13001B-135	13.50	17.77	240
EA13001B-140	14.00	17.14	240
EA13001B-145	14.50	16.55	240
EA13001B-150	15.00	16.00	240
EA13001B-155	15.50	15.48	240
EA13001B-160	16.00	15.00	240
EA13001B-165	16.50	14.54	240
EA13001B-170	17.00	14.11	240
EA13001B-175	17.50	13.71	240
EA13001B-180	18.00	13.33	240
EA13003B	12.00	20.00	240
EA13003B-120	12.00	20.00	240
EA13003B-125	12.50	19.20	240
EA13003B-130	13.00	18.46	240
EA13003B-135	13.50	17.77	240
EA13003B-140	14.00	17.14	240
EA13003B-145	14.50	16.55	240
EA13003B-150	15.00	16.00	240
EA13003B-155	15.50	15.48	240
EA13003B-160	16.00	15.00	240
EA13003B-165	16.50	14.54	240
EA13003B-170	17.00	14.11	240
EA13003B-175	17.50	13.71	240
EA13003B-180	18.00	13.33	240
EA13001C	12.00	20.85	250.2
EA13001C-120	12.00	20.85	250.2



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 3 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001C-125	12.50	20.01	250.2
EA13001C-130	13.00	19.24	250.2
EA13001C-135	13.50	18.53	250.2
EA13001C-140	14.00	17.87	250.2
EA13001C-145	14.50	17.25	250.2
EA13001C-150	15.00	16.68	250.2
EA13001C-155	15.50	16.14	250.2
EA13001C-160	16.00	15.63	250.2
EA13001C-165	16.50	15.16	250.2
EA13001C-170	17.00	14.71	250.2
EA13001C-175	17.50	14.29	250.2
EA13001C-180	18.00	13.90	250.2
EA13003C	12.00	20.85	250.2
EA13003C-120	12.00	20.85	250.2
EA13003C-125	12.50	20.01	250.2
EA13003C-130	13.00	19.24	250.2
EA13003C-135	13.50	18.53	250.2
EA13003C-140	14.00	17.87	250.2
EA13003C-145	14.50	17.25	250.2
EA13003C-150	15.00	16.68	250.2
EA13003C-155	15.50	16.14	250.2
EA13003C-160	16.00	15.63	250.2
EA13003C-165	16.50	15.16	250.2
EA13003C-170	17.00	14.71	250.2
EA13003C-175	17.50	14.29	250.2
EA13003C-180	18.00	13.90	250.2
EA13001D	24.00	10.83	260
EA13001D-190	19.00	13.68	260
EA13001D-195	19.50	13.33	260



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 4 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001D-200	20.00	13.00	260
EA13001D-205	20.50	12.68	260
EA13001D-210	21.00	12.38	260
EA13001D-215	21.50	12.09	260
EA13001D-220	22.00	11.81	260
EA13001D-225	22.50	11.55	260
EA13001D-230	23.00	11.30	260
EA13001D-235	23.50	11.06	260
EA13001D-240	24.00	10.83	260
EA13001D-245	24.50	10.61	260
EA13001D-250	25.00	10.40	260
EA13001D-255	25.50	10.19	260
EA13001D-260	26.00	10.00	260
EA13001D-265	26.50	9.81	260
EA13001D-270	27.00	9.62	260
EA13001D-275	27.50	9.45	260
EA13001D-280	28.00	9.28	260
EA13003D	24.00	10.83	260
EA13003D-190	19.00	13.68	260
EA13003D-195	19.50	13.33	260
EA13003D-200	20.00	13.00	260
EA13003D-205	20.50	12.68	260
EA13003D-210	21.00	12.38	260
EA13003D-215	21.50	12.09	260
EA13003D-220	22.00	11.81	260
EA13003D-225	22.50	11.55	260
EA13003D-230	23.00	11.30	260
EA13003D-235	23.50	11.06	260
EA13003D-240	24.00	10.83	260



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 5 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003D-245	24.50	10.61	260
EA13003D-250	25.00	10.40	260
EA13003D-255	25.50	10.19	260
EA13003D-260	26.00	10.00	260
EA13003D-265	26.50	9.81	260
EA13003D-270	27.00	9.62	260
EA13003D-275	27.50	9.45	260
EA13003D-280	28.00	9.28	260
EA13001E	24.00	11.25	270
EA13001E-190	19.00	14.21	270
EA13001E-195	19.50	13.84	270
EA13001E-200	20.00	13.50	270
EA13001E-205	20.50	13.17	270
EA13001E-210	21.00	12.85	270
EA13001E-215	21.50	12.55	270
EA13001E-220	22.00	12.27	270
EA13001E-225	22.50	12.00	270
EA13001E-230	23.00	11.73	270
EA13001E-235	23.50	11.48	270
EA13001E-240	24.00	11.25	270
EA13001E-245	24.50	11.02	270
EA13001E-250	25.00	10.80	270
EA13001E-255	25.50	10.58	270
EA13001E-260	26.00	10.38	270
EA13001E-265	26.50	10.18	270
EA13001E-270	27.00	10.00	270
EA13001E-275	27.50	9.81	270
EA13001E-280	28.00	9.64	270
EA13003E	24.00	11.25	270



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 6 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003E-190	19.00	14.21	270
EA13003E-195	19.50	13.84	270
EA13003E-200	20.00	13.50	270
EA13003E-205	20.50	13.17	270
EA13003E-210	21.00	12.85	270
EA13003E-215	21.50	12.55	270
EA13003E-220	22.00	12.27	270
EA13003E-225	22.50	12.00	270
EA13003E-230	23.00	11.73	270
EA13003E-235	23.50	11.48	270
EA13003E-240	24.00	11.25	270
EA13003E-245	24.50	11.02	270
EA13003E-250	25.00	10.80	270
EA13003E-255	25.50	10.58	270
EA13003E-260	26.00	10.38	270
EA13003E-265	26.50	10.18	270
EA13003E-270	27.00	10.00	270
EA13003E-275	27.50	9.81	270
EA13003E-280	28.00	9.64	270
EA13001F	36.00	7.50	270
EA13001F-320	32.00	8.43	270
EA13001F-325	32.50	8.30	270
EA13001F-330	33.00	8.18	270
EA13001F-335	33.50	8.05	270
EA13001F-340	34.00	7.94	270
EA13001F-345	34.50	7.82	270
EA13001F-350	35.00	7.71	270
EA13001F-355	35.50	7.60	270
EA13001F-360	36.00	7.50	270



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 7 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001F-365	36.50	7.39	270
EA13001F-370	37.00	7.29	270
EA13001F-375	37.50	7.20	270
EA13001F-380	38.00	7.10	270
EA13001F-385	38.50	7.01	270
EA13001F-390	39.00	6.92	270
EA13001F-395	39.50	6.83	270
EA13001F-400	40.00	6.75	270
EA13001F-405	40.50	6.66	270
EA13001F-410	41.00	6.58	270
EA13001F-415	41.50	6.50	270
EA13001F-420	42.00	6.42	270
EA13003F	36.00	7.50	270
EA13003F-320	32.00	8.43	270
EA13003F-325	32.50	8.30	270
EA13003F-330	33.00	8.18	270
EA13003F-335	33.50	8.05	270
EA13003F-340	34.00	7.94	270
EA13003F-345	34.50	7.82	270
EA13003F-350	35.00	7.71	270
EA13003F-355	35.50	7.60	270
EA13003F-360	36.00	7.50	270
EA13003F-365	36.50	7.39	270
EA13003F-370	37.00	7.29	270
EA13003F-375	37.50	7.20	270
EA13003F-380	38.00	7.10	270
EA13003F-385	38.50	7.01	270
EA13003F-390	39.00	6.92	270
EA13003F-395	39.50	6.83	270



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 8 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003F-400	40.00	6.75	270
EA13003F-405	40.50	6.66	270
EA13003F-410	41.00	6.58	270
EA13003F-415	41.50	6.50	270
EA13003F-420	42.00	6.42	270
EA13001G	48.00	5.62	270
EA13001G-440	44.00	6.13	270
EA13001G-445	44.50	6.06	270
EA13001G-450	45.00	6.00	270
EA13001G-455	45.50	5.93	270
EA13001G-460	46.00	5.86	270
EA13001G-465	46.50	5.80	270
EA13001G-470	47.00	5.74	270
EA13001G-475	47.50	5.68	270
EA13001G-480	48.00	5.62	270
EA13001G-485	48.50	5.56	270
EA13001G-490	49.00	5.51	270
EA13001G-495	49.50	5.45	270
EA13001G-500	50.00	5.40	270
EA13001G-505	50.50	5.34	270
EA13001G-510	51.00	5.29	270
EA13001G-515	51.50	5.24	270
EA13001G-520	52.00	5.19	270
EA13001G-525	52.50	5.14	270
EA13001G-530	53.00	5.09	270
EA13001G-535	53.50	5.04	270
EA13001G-540	54.00	5.00	270
EA13001G-545	54.50	4.95	270
EA13001G-550	55.00	4.90	270



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2015010907749045

第 9 页 / 共 33 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001G-555	55.50	4.86	270
EA13001G-560	56.00	4.82	270
EA13003G	48.00	5.62	270
EA13003G-440	44.00	6.13	270
EA13003G-445	44.50	6.06	270
EA13003G-450	45.00	6.00	270
EA13003G-455	45.50	5.93	270
EA13003G-460	46.00	5.86	270
EA13003G-465	46.50	5.80	270
EA13003G-470	47.00	5.74	270
EA13003G-475	47.50	5.68	270
EA13003G-480	48.00	5.62	270
EA13003G-485	48.50	5.56	270
EA13003G-490	49.00	5.51	270
EA13003G-495	49.50	5.45	270
EA13003G-500	50.00	5.40	270
EA13003G-505	50.50	5.34	270
EA13003G-510	51.00	5.29	270
EA13003G-515	51.50	5.24	270
EA13003G-520	52.00	5.19	270
EA13003G-525	52.50	5.14	270
EA13003G-530	53.00	5.09	270
EA13003G-535	53.50	5.04	270
EA13003G-540	54.00	5.00	270
EA13003G-545	54.50	4.95	270
EA13003G-550	55.00	4.90	270
EA13003G-555	55.50	4.86	270
EA13003G-560	56.00	4.82	270
EA13001H	24.00	11.66	280



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 10 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001H-190	19.00	14.73	280
EA13001H-195	19.50	14.35	280
EA13001H-200	20.00	14.00	280
EA13001H-205	20.50	13.65	280
EA13001H-210	21.00	13.33	280
EA13001H-215	21.50	13.02	280
EA13001H-220	22.00	12.72	280
EA13001H-225	22.50	12.44	280
EA13001H-230	23.00	12.17	280
EA13001H-235	23.50	11.91	280
EA13001H-240	24.00	11.66	280
EA13001H-245	24.50	11.42	280
EA13001H-250	25.00	11.20	280
EA13001H-255	25.50	10.98	280
EA13001H-260	26.00	10.76	280
EA13001H-265	26.50	10.56	280
EA13001H-270	27.00	10.37	280
EA13001H-275	27.50	10.18	280
EA13001H-280	28.00	10.00	280
EA13003H	24.00	11.66	280
EA13003H-190	19.00	14.73	280
EA13003H-195	19.50	14.35	280
EA13003H-200	20.00	14.00	280
EA13003H-205	20.50	13.65	280
EA13003H-210	21.00	13.33	280
EA13003H-215	21.50	13.02	280
EA13003H-220	22.00	12.72	280
EA13003H-225	22.50	12.44	280
EA13003H-230	23.00	12.17	280



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 11 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003H-235	23.50	11.91	280
EA13003H-240	24.00	11.66	280
EA13003H-245	24.50	11.42	280
EA13003H-250	25.00	11.20	280
EA13003H-255	25.50	10.98	280
EA13003H-260	26.00	10.76	280
EA13003H-265	26.50	10.56	280
EA13003H-270	27.00	10.37	280
EA13003H-275	27.50	10.18	280
EA13003H-280	28.00	10.00	280
EA13001M	24.00	12.08	290
EA13001M-190	19.00	15.26	290
EA13001M-195	19.50	14.87	290
EA13001M-200	20.00	14.50	290
EA13001M-205	20.50	14.14	290
EA13001M-210	21.00	13.80	290
EA13001M-215	21.50	13.48	290
EA13001M-220	22.00	13.18	290
EA13001M-225	22.50	12.88	290
EA13001M-230	23.00	12.60	290
EA13001M-235	23.50	12.34	290
EA13001M-240	24.00	12.08	290
EA13001M-245	24.50	11.83	290
EA13001M-250	25.00	11.60	290
EA13001M-255	25.50	11.37	290
EA13001M-260	26.00	11.15	290
EA13001M-265	26.50	10.94	290
EA13001M-270	27.00	10.74	290
EA13001M-275	27.50	10.54	290



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 12 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001M-280	28.00	10.35	290
EA13003M	24.00	12.08	290
EA13003M-190	19.00	15.26	290
EA13003M-195	19.50	14.87	290
EA13003M-200	20.00	14.50	290
EA13003M-205	20.50	14.14	290
EA13003M-210	21.00	13.80	290
EA13003M-215	21.50	13.48	290
EA13003M-220	22.00	13.18	290
EA13003M-225	22.50	12.88	290
EA13003M-230	23.00	12.60	290
EA13003M-235	23.50	12.34	290
EA13003M-240	24.00	12.08	290
EA13003M-245	24.50	11.83	290
EA13003M-250	25.00	11.60	290
EA13003M-255	25.50	11.37	290
EA13003M-260	26.00	11.15	290
EA13003M-265	26.50	10.94	290
EA13003M-270	27.00	10.74	290
EA13003M-275	27.50	10.54	290
EA13003M-280	28.00	10.35	290
EA13001N	24.00	12.50	300
EA13001N-190	19.00	15.78	300
EA13001N-195	19.50	15.38	300
EA13001N-200	20.00	15.00	300
EA13001N-205	20.50	14.63	300
EA13001N-210	21.00	14.28	300
EA13001N-215	21.50	13.95	300
EA13001N-220	22.00	13.63	300



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 13 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001N-225	22.50	13.33	300
EA13001N-230	23.00	13.04	300
EA13001N-235	23.50	12.76	300
EA13001N-240	24.00	12.50	300
EA13001N-245	24.50	12.24	300
EA13001N-250	25.00	12.00	300
EA13001N-255	25.50	11.76	300
EA13001N-260	26.00	11.53	300
EA13001N-265	26.50	11.32	300
EA13001N-270	27.00	11.11	300
EA13001N-275	27.50	10.90	300
EA13001N-280	28.00	10.71	300
EA13003N	24.00	12.50	300
EA13003N-195	19.50	15.38	300
EA13003N-200	20.00	15.00	300
EA13003N-205	20.50	14.63	300
EA13003N-210	21.00	14.28	300
EA13003N-215	21.50	13.95	300
EA13003N-220	22.00	13.63	300
EA13003N-225	22.50	13.33	300
EA13003N-230	23.00	13.04	300
EA13003N-235	23.50	12.76	300
EA13003N-240	24.00	12.50	300
EA13003N-245	24.50	12.24	300
EA13003N-250	25.00	12.00	300
EA13003N-255	25.50	11.76	300
EA13003N-260	26.00	11.53	300
EA13003N-265	26.50	11.32	300
EA13003N-270	27.00	11.11	300



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 14 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003N-275	27.50	10.90	300
EA13003N-280	28.00	10.71	300
EA13001P	36.00	8.61	310
EA13001P-320	32.00	9.68	310
EA13001P-325	32.50	9.53	310
EA13001P-330	33.00	9.39	310
EA13001P-335	33.50	9.25	310
EA13001P-340	34.00	9.11	310
EA13001P-345	34.50	8.98	310
EA13001P-350	35.00	8.85	310
EA13001P-355	35.50	8.73	310
EA13001P-360	36.00	8.61	310
EA13001P-365	36.50	8.49	310
EA13001P-370	37.00	8.37	310
EA13001P-375	37.50	8.26	310
EA13001P-380	38.00	8.15	310
EA13001P-385	38.50	8.05	310
EA13001P-390	39.00	7.94	310
EA13001P-395	39.50	7.84	310
EA13001P-400	40.00	7.75	310
EA13001P-405	40.50	7.65	310
EA13001P-410	41.00	7.56	310
EA13001P-415	41.50	7.46	310
EA13001P-420	42.00	7.38	310
EA13003P	36.00	8.61	310
EA13003P-320	32.00	9.68	310
EA13003P-325	32.50	9.53	310
EA13003P-330	33.00	9.39	310
EA13003P-335	33.50	9.25	310



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 15 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003P-340	34.00	9.11	310
EA13003P-345	34.50	8.98	310
EA13003P-350	35.00	8.85	310
EA13003P-355	35.50	8.73	310
EA13003P-360	36.00	8.61	310
EA13003P-365	36.50	8.49	310
EA13003P-370	37.00	8.37	310
EA13003P-375	37.50	8.26	310
EA13003P-380	38.00	8.15	310
EA13003P-385	38.50	8.05	310
EA13003P-390	39.00	7.94	310
EA13003P-395	39.50	7.84	310
EA13003P-400	40.00	7.75	310
EA13003P-405	40.50	7.65	310
EA13003P-410	41.00	7.56	310
EA13003P-415	41.50	7.46	310
EA13003P-420	42.00	7.38	310
EA13001Q	48.00	6.45	310
EA13001Q-440	44.00	7.04	310
EA13001Q-445	44.50	6.96	310
EA13001Q-450	45.00	6.88	310
EA13001Q-455	45.50	6.81	310
EA13001Q-460	46.00	6.73	310
EA13001Q-465	46.50	6.66	310
EA13001Q-470	47.00	6.59	310
EA13001Q-475	47.50	6.52	310
EA13001Q-480	48.00	6.45	310
EA13001Q-485	48.50	6.39	310
EA13001Q-490	49.00	6.32	310



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 16 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001Q-495	49.50	6.26	310
EA13001Q-500	50.00	6.20	310
EA13001Q-505	50.50	6.13	310
EA13001Q-510	51.00	6.07	310
EA13001Q-515	51.50	6.01	310
EA13001Q-520	52.00	5.96	310
EA13001Q-525	52.50	5.90	310
EA13001Q-530	53.00	5.84	310
EA13001Q-535	53.50	5.79	310
EA13001Q-540	54.00	5.74	310
EA13001Q-545	54.50	5.68	310
EA13001Q-550	55.00	5.63	310
EA13001Q-555	55.50	5.58	310
EA13001Q-560	56.00	5.53	310
EA13003Q	48.00	6.45	310
EA13003Q-440	44.00	7.04	310
EA13003Q-445	44.50	6.96	310
EA13003Q-450	45.00	6.88	310
EA13003Q-455	45.50	6.81	310
EA13003Q-460	46.00	6.73	310
EA13003Q-465	46.50	6.66	310
EA13003Q-470	47.00	6.59	310
EA13003Q-475	47.50	6.52	310
EA13003Q-480	48.00	6.45	310
EA13003Q-485	48.50	6.39	310
EA13003Q-490	49.00	6.32	310
EA13003Q-495	49.50	6.26	310
EA13003Q-500	50.00	6.20	310
EA13003Q-505	50.50	6.13	310



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 17 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003Q-510	51.00	6.07	310
EA13003Q-515	51.50	6.01	310
EA13003Q-520	52.00	5.96	310
EA13003Q-525	52.50	5.90	310
EA13003Q-530	53.00	5.84	310
EA13003Q-535	53.50	5.79	310
EA13003Q-540	54.00	5.74	310
EA13003Q-545	54.50	5.68	310
EA13003Q-550	55.00	5.63	310
EA13003Q-555	55.50	5.58	310
EA13003Q-560	56.00	5.53	310
EM13001A	12.00	19.16	230
EM13001A-120	12.00	19.16	230
EM13001A-125	12.50	18.40	230
EM13001A-130	13.00	17.69	230
EM13001A-135	13.50	17.03	230
EM13001A-140	14.00	16.42	230
EM13001A-145	14.50	15.86	230
EM13001A-150	15.00	15.33	230
EM13001A-155	15.50	14.83	230
EM13001A-160	16.00	14.37	230
EM13001A-165	16.50	13.93	230
EM13001A-170	17.00	13.52	230
EM13001A-175	17.50	13.14	230
EM13001A-180	18.00	12.77	230
EM13003A	12.00	19.16	230
EM13003A-120	12.00	19.16	230
EM13003A-125	12.50	18.40	230
EM13003A-130	13.00	17.69	230



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 18 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003A-135	13.50	17.03	230
EM13003A-140	14.00	16.42	230
EM13003A-145	14.50	15.86	230
EM13003A-150	15.00	15.33	230
EM13003A-155	15.50	14.83	230
EM13003A-160	16.00	14.37	230
EM13003A-165	16.50	13.93	230
EM13003A-170	17.00	13.52	230
EM13003A-175	17.50	13.14	230
EM13003A-180	18.00	12.77	230
EM13001B	12.00	20.00	240
EM13001B-120	12.00	20.00	240
EM13001B-125	12.50	19.20	240
EM13001B-130	13.00	18.46	240
EM13001B-135	13.50	17.77	240
EM13001B-140	14.00	17.14	240
EM13001B-145	14.50	16.55	240
EM13001B-150	15.00	16.00	240
EM13001B-155	15.50	15.48	240
EM13001B-160	16.00	15.00	240
EM13001B-165	16.50	14.54	240
EM13001B-170	17.00	14.11	240
EM13001B-175	17.50	13.71	240
EM13001B-180	18.00	13.33	240
EM13003B	12.00	20.00	240
EM13003B-120	12.00	20.00	240
EM13003B-125	12.50	19.20	240
EM13003B-130	13.00	18.46	240
EM13003B-135	13.50	17.77	240



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 19 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003B-140	14.00	17.14	240
EM13003B-145	14.50	16.55	240
EM13003B-150	15.00	16.00	240
EM13003B-155	15.50	15.48	240
EM13003B-160	16.00	15.00	240
EM13003B-165	16.50	14.54	240
EM13003B-170	17.00	14.11	240
EM13003B-175	17.50	13.71	240
EM13003B-180	18.00	13.33	240
EM13001C	12.00	20.85	250.2
EM13001C-120	12.00	20.85	250.2
EM13001C-125	12.50	20.01	250.2
EM13001C-130	13.00	19.24	250.2
EM13001C-135	13.50	18.53	250.2
EM13001C-140	14.00	17.87	250.2
EM13001C-145	14.50	17.25	250.2
EM13001C-150	15.00	16.68	250.2
EM13001C-155	15.50	16.14	250.2
EM13001C-160	16.00	15.63	250.2
EM13001C-165	16.50	15.16	250.2
EM13001C-170	17.00	14.71	250.2
EM13001C-175	17.50	14.29	250.2
EM13001C-180	18.00	13.90	250.2
EM13003C	12.00	20.85	250.2
EM13003C-120	12.00	20.85	250.2
EM13003C-125	12.50	20.01	250.2
EM13003C-130	13.00	19.24	250.2
EM13003C-135	13.50	18.53	250.2
EM13003C-140	14.00	17.87	250.2



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 20 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003C-145	14.50	17.25	250.2
EM13003C-150	15.00	16.68	250.2
EM13003C-155	15.50	16.14	250.2
EM13003C-160	16.00	15.63	250.2
EM13003C-165	16.50	15.16	250.2
EM13003C-170	17.00	14.71	250.2
EM13003C-175	17.50	14.29	250.2
EM13003C-180	18.00	13.90	250.2
EM13001D	24.00	10.83	260
EM13001D-190	19.00	13.68	260
EM13001D-195	19.50	13.33	260
EM13001D-200	20.00	13.00	260
EM13001D-205	20.50	12.68	260
EM13001D-210	21.00	12.38	260
EM13001D-215	21.50	12.09	260
EM13001D-220	22.00	11.81	260
EM13001D-225	22.50	11.55	260
EM13001D-230	23.00	11.30	260
EM13001D-235	23.50	11.06	260
EM13001D-240	24.00	10.83	260
EM13001D-245	24.50	10.61	260
EM13001D-250	25.00	10.40	260
EM13001D-255	25.50	10.19	260
EM13001D-260	26.00	10.00	260
EM13001D-265	26.50	9.81	260
EM13001D-270	27.00	9.62	260
EM13001D-275	27.50	9.45	260
EM13001D-280	28.00	9.28	260
EM13003D	24.00	10.83	260



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 21 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003D-190	19.00	13.68	260
EM13003D-195	19.50	13.33	260
EM13003D-200	20.00	13.00	260
EM13003D-205	20.50	12.68	260
EM13003D-210	21.00	12.38	260
EM13003D-215	21.50	12.09	260
EM13003D-220	22.00	11.81	260
EM13003D-225	22.50	11.55	260
EM13003D-230	23.00	11.30	260
EM13003D-235	23.50	11.06	260
EM13003D-240	24.00	10.83	260
EM13003D-245	24.50	10.61	260
EM13003D-250	25.00	10.40	260
EM13003D-255	25.50	10.19	260
EM13003D-260	26.00	10.00	260
EM13003D-265	26.50	9.81	260
EM13003D-270	27.00	9.62	260
EM13003D-275	27.50	9.45	260
EM13003D-280	28.00	9.28	260
EM13001E	24.00	11.25	270
EM13001E-190	19.00	14.21	270
EM13001E-195	19.50	13.84	270
EM13001E-200	20.00	13.50	270
EM13001E-205	20.50	13.17	270
EM13001E-210	21.00	12.85	270
EM13001E-215	21.50	12.55	270
EM13001E-220	22.00	12.27	270
EM13001E-225	22.50	12.00	270
EM13001E-230	23.00	11.73	270



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 22 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001E-235	23.50	11.48	270
EM13001E-240	24.00	11.25	270
EM13001E-245	24.50	11.02	270
EM13001E-250	25.00	10.80	270
EM13001E-255	25.50	10.58	270
EM13001E-260	26.00	10.38	270
EM13001E-265	26.50	10.18	270
EM13001E-270	27.00	10.00	270
EM13001E-275	27.50	9.81	270
EM13001E-280	28.00	9.64	270
EM13003E	24.00	11.25	270
EM13003E-190	19.00	14.21	270
EM13003E-195	19.50	13.84	270
EM13003E-200	20.00	13.50	270
EM13003E-205	20.50	13.17	270
EM13003E-210	21.00	12.85	270
EM13003E-215	21.50	12.55	270
EM13003E-220	22.00	12.27	270
EM13003E-225	22.50	12.00	270
EM13003E-230	23.00	11.73	270
EM13003E-235	23.50	11.48	270
EM13003E-240	24.00	11.25	270
EM13003E-245	24.50	11.02	270
EM13003E-250	25.00	10.80	270
EM13003E-255	25.50	10.58	270
EM13003E-260	26.00	10.38	270
EM13003E-265	26.50	10.18	270
EM13003E-270	27.00	10.00	270
EM13003E-275	27.50	9.81	270



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 23 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003E-280	28.00	9.64	270
EM13001F	36.00	7.50	270
EM13001F-320	32.00	8.43	270
EM13001F-325	32.50	8.30	270
EM13001F-330	33.00	8.18	270
EM13001F-335	33.50	8.05	270
EM13001F-340	34.00	7.94	270
EM13001F-345	34.50	7.82	270
EM13001F-350	35.00	7.71	270
EM13001F-355	35.50	7.60	270
EM13001F-360	36.00	7.50	270
EM13001F-365	36.50	7.39	270
EM13001F-370	37.00	7.29	270
EM13001F-375	37.50	7.20	270
EM13001F-380	38.00	7.10	270
EM13001F-385	38.50	7.01	270
EM13001F-390	39.00	6.92	270
EM13001F-395	39.50	6.83	270
EM13001F-400	40.00	6.75	270
EM13001F-405	40.50	6.66	270
EM13001F-410	41.00	6.58	270
EM13001F-415	41.50	6.50	270
EM13001F-420	42.00	6.42	270
EM13003F	36.00	7.50	270
EM13003F-320	32.00	8.43	270
EM13003F-325	32.50	8.30	270
EM13003F-330	33.00	8.18	270
EM13003F-335	33.50	8.05	270
EM13003F-340	34.00	7.94	270



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 24 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003F-345	34.50	7.82	270
EM13003F-350	35.00	7.71	270
EM13003F-355	35.50	7.60	270
EM13003F-360	36.00	7.50	270
EM13003F-365	36.50	7.39	270
EM13003F-370	37.00	7.29	270
EM13003F-375	37.50	7.20	270
EM13003F-380	38.00	7.10	270
EM13003F-385	38.50	7.01	270
EM13003F-390	39.00	6.92	270
EM13003F-395	39.50	6.83	270
EM13003F-400	40.00	6.75	270
EM13003F-405	40.50	6.66	270
EM13003F-410	41.00	6.58	270
EM13003F-415	41.50	6.50	270
EM13003F-420	42.00	6.42	270
EM13001G	48.00	5.62	270
EM13001G-440	44.00	6.13	270
EM13001G-445	44.50	6.06	270
EM13001G-450	45.00	6.00	270
EM13001G-455	45.50	5.93	270
EM13001G-460	46.00	5.86	270
EM13001G-465	46.50	5.80	270
EM13001G-470	47.00	5.74	270
EM13001G-475	47.50	5.68	270
EM13001G-480	48.00	5.62	270
EM13001G-485	48.50	5.56	270
EM13001G-490	49.00	5.51	270
EM13001G-495	49.50	5.45	270



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 25 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001G-500	50.00	5.40	270
EM13001G-505	50.50	5.34	270
EM13001G-510	51.00	5.29	270
EM13001G-515	51.50	5.24	270
EM13001G-520	52.00	5.19	270
EM13001G-525	52.50	5.14	270
EM13001G-530	53.00	5.09	270
EM13001G-535	53.50	5.04	270
EM13001G-540	54.00	5.00	270
EM13001G-545	54.50	4.95	270
EM13001G-550	55.00	4.90	270
EM13001G-555	55.50	4.86	270
EM13001G-560	56.00	4.82	270
EM13003G	48.00	5.62	270
EM13003G-440	44.00	6.13	270
EM13003G-445	44.50	6.06	270
EM13003G-450	45.00	6.00	270
EM13003G-455	45.50	5.93	270
EM13003G-460	46.00	5.86	270
EM13003G-465	46.50	5.80	270
EM13003G-470	47.00	5.74	270
EM13003G-475	47.50	5.68	270
EM13003G-480	48.00	5.62	270
EM13003G-485	48.50	5.56	270
EM13003G-490	49.00	5.51	270
EM13003G-495	49.50	5.45	270
EM13003G-500	50.00	5.40	270
EM13003G-505	50.50	5.34	270
EM13003G-510	51.00	5.29	270



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 26 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003G-515	51.50	5.24	270
EM13003G-520	52.00	5.19	270
EM13003G-525	52.50	5.14	270
EM13003G-530	53.00	5.09	270
EM13003G-535	53.50	5.04	270
EM13003G-540	54.00	5.00	270
EM13003G-545	54.50	4.95	270
EM13003G-550	55.00	4.90	270
EM13003G-555	55.50	4.86	270
EM13003G-560	56.00	4.82	270
EM13001H	24.00	11.66	280
EM13001H-190	19.00	14.73	280
EM13001H-195	19.50	14.35	280
EM13001H-200	20.00	14.00	280
EM13001H-205	20.50	13.65	280
EM13001H-210	21.00	13.33	280
EM13001H-215	21.50	13.02	280
EM13001H-220	22.00	12.72	280
EM13001H-225	22.50	12.44	280
EM13001H-230	23.00	12.17	280
EM13001H-235	23.50	11.91	280
EM13001H-240	24.00	11.66	280
EM13001H-245	24.50	11.42	280
EM13001H-250	25.00	11.20	280
EM13001H-255	25.50	10.98	280
EM13001H-260	26.00	10.76	280
EM13001H-265	26.50	10.56	280
EM13001H-270	27.00	10.37	280
EM13001H-275	27.50	10.18	280



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2015010907749045

第 27 页 / 共 33 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001H-280	28.00	10.00	280
EM13003H	24.00	11.66	280
EM13003H-190	19.00	14.73	280
EM13003H-195	19.50	14.35	280
EM13003H-200	20.00	14.00	280
EM13003H-205	20.50	13.65	280
EM13003H-210	21.00	13.33	280
EM13003H-215	21.50	13.02	280
EM13003H-220	22.00	12.72	280
EM13003H-225	22.50	12.44	280
EM13003H-230	23.00	12.17	280
EM13003H-235	23.50	11.91	280
EM13003H-240	24.00	11.66	280
EM13003H-245	24.50	11.42	280
EM13003H-250	25.00	11.20	280
EM13003H-255	25.50	10.98	280
EM13003H-260	26.00	10.76	280
EM13003H-265	26.50	10.56	280
EM13003H-270	27.00	10.37	280
EM13003H-275	27.50	10.18	280
EM13003H-280	28.00	10.00	280
EM13001M	24.00	12.08	290
EM13001M-190	19.00	15.26	290
EM13001M-195	19.50	14.87	290
EM13001M-200	20.00	14.50	290
EM13001M-205	20.50	14.14	290
EM13001M-210	21.00	13.80	290
EM13001M-215	21.50	13.48	290
EM13001M-220	22.00	13.18	290



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 28 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001M-225	22.50	12.88	290
EM13001M-230	23.00	12.60	290
EM13001M-235	23.50	12.34	290
EM13001M-240	24.00	12.08	290
EM13001M-245	24.50	11.83	290
EM13001M-250	25.00	11.60	290
EM13001M-255	25.50	11.37	290
EM13001M-260	26.00	11.15	290
EM13001M-265	26.50	10.94	290
EM13001M-270	27.00	10.74	290
EM13001M-275	27.50	10.54	290
EM13001M-280	28.00	10.35	290
EM13003M	24.00	12.08	290
EM13003M-190	19.00	15.26	290
EM13003M-195	19.50	14.87	290
EM13003M-200	20.00	14.50	290
EM13003M-205	20.50	14.14	290
EM13003M-210	21.00	13.80	290
EM13003M-215	21.50	13.48	290
EM13003M-220	22.00	13.18	290
EM13003M-225	22.50	12.88	290
EM13003M-230	23.00	12.60	290
EM13003M-235	23.50	12.34	290
EM13003M-240	24.00	12.08	290
EM13003M-245	24.50	11.83	290
EM13003M-250	25.00	11.60	290
EM13003M-255	25.50	11.37	290
EM13003M-260	26.00	11.15	290
EM13003M-265	26.50	10.94	290



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 29 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003M-270	27.00	10.74	290
EM13003M-275	27.50	10.54	290
EM13003M-280	28.00	10.35	290
EM13001N	24.00	12.50	300
EM13001N-190	19.00	15.78	300
EM13001N-195	19.50	15.38	300
EM13001N-200	20.00	15.00	300
EM13001N-205	20.50	14.63	300
EM13001N-210	21.00	14.28	300
EM13001N-215	21.50	13.95	300
EM13001N-220	22.00	13.63	300
EM13001N-225	22.50	13.33	300
EM13001N-230	23.00	13.04	300
EM13001N-235	23.50	12.76	300
EM13001N-240	24.00	12.50	300
EM13001N-245	24.50	12.24	300
EM13001N-250	25.00	12.00	300
EM13001N-255	25.50	11.76	300
EM13001N-260	26.00	11.53	300
EM13001N-265	26.50	11.32	300
EM13001N-270	27.00	11.11	300
EM13001N-275	27.50	10.90	300
EM13001N-280	28.00	10.71	300
EM13003N	24.00	12.50	300
EM13003N-195	19.50	15.38	300
EM13003N-200	20.00	15.00	300
EM13003N-205	20.50	14.63	300
EM13003N-210	21.00	14.28	300
EM13003N-215	21.50	13.95	300



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 30 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003N-220	22.00	13.63	300
EM13003N-225	22.50	13.33	300
EM13003N-230	23.00	13.04	300
EM13003N-235	23.50	12.76	300
EM13003N-240	24.00	12.50	300
EM13003N-245	24.50	12.24	300
EM13003N-250	25.00	12.00	300
EM13003N-255	25.50	11.76	300
EM13003N-260	26.00	11.53	300
EM13003N-265	26.50	11.32	300
EM13003N-270	27.00	11.11	300
EM13003N-275	27.50	10.90	300
EM13003N-280	28.00	10.71	300
EM13001P	36.00	8.61	310
EM13001P-320	32.00	9.68	310
EM13001P-325	32.50	9.53	310
EM13001P-330	33.00	9.39	310
EM13001P-335	33.50	9.25	310
EM13001P-340	34.00	9.11	310
EM13001P-345	34.50	8.98	310
EM13001P-350	35.00	8.85	310
EM13001P-355	35.50	8.73	310
EM13001P-360	36.00	8.61	310
EM13001P-365	36.50	8.49	310
EM13001P-370	37.00	8.37	310
EM13001P-375	37.50	8.26	310
EM13001P-380	38.00	8.15	310
EM13001P-385	38.50	8.05	310
EM13001P-390	39.00	7.94	310



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015010907749045

第 31 页 / 共 33 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001P-395	39.50	7.84	310
EM13001P-400	40.00	7.75	310
EM13001P-405	40.50	7.65	310
EM13001P-410	41.00	7.56	310
EM13001P-415	41.50	7.46	310
EM13001P-420	42.00	7.38	310
EM13003P	36.00	8.61	310
EM13003P-320	32.00	9.68	310
EM13003P-325	32.50	9.53	310
EM13003P-330	33.00	9.39	310
EM13003P-335	33.50	9.25	310
EM13003P-340	34.00	9.11	310
EM13003P-345	34.50	8.98	310
EM13003P-350	35.00	8.85	310
EM13003P-355	35.50	8.73	310
EM13003P-360	36.00	8.61	310
EM13003P-365	36.50	8.49	310
EM13003P-370	37.00	8.37	310
EM13003P-375	37.50	8.26	310
EM13003P-380	38.00	8.15	310
EM13003P-385	38.50	8.05	310
EM13003P-390	39.00	7.94	310
EM13003P-395	39.50	7.84	310
EM13003P-400	40.00	7.75	310
EM13003P-405	40.50	7.65	310
EM13003P-410	41.00	7.56	310
EM13003P-415	41.50	7.46	310
EM13003P-420	42.00	7.38	310
EM13001Q	48.00	6.45	310



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2015010907749045

第 32 页 / 共 33 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001Q-440	44.00	7.04	310
EM13001Q-445	44.50	6.96	310
EM13001Q-450	45.00	6.88	310
EM13001Q-455	45.50	6.81	310
EM13001Q-460	46.00	6.73	310
EM13001Q-465	46.50	6.66	310
EM13001Q-470	47.00	6.59	310
EM13001Q-475	47.50	6.52	310
EM13001Q-480	48.00	6.45	310
EM13001Q-485	48.50	6.39	310
EM13001Q-490	49.00	6.32	310
EM13001Q-495	49.50	6.26	310
EM13001Q-500	50.00	6.20	310
EM13001Q-505	50.50	6.13	310
EM13001Q-510	51.00	6.07	310
EM13001Q-515	51.50	6.01	310
EM13001Q-520	52.00	5.96	310
EM13001Q-525	52.50	5.90	310
EM13001Q-530	53.00	5.84	310
EM13001Q-535	53.50	5.79	310
EM13001Q-540	54.00	5.74	310
EM13001Q-545	54.50	5.68	310
EM13001Q-550	55.00	5.63	310
EM13001Q-555	55.50	5.58	310
EM13001Q-560	56.00	5.53	310
EM13003Q	48.00	6.45	310
EM13003Q-440	44.00	7.04	310
EM13003Q-445	44.50	6.96	310
EM13003Q-450	45.00	6.88	310



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2015010907749045

第 33 页 / 共 33 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003Q-455	45.50	6.81	310
EM13003Q-460	46.00	6.73	310
EM13003Q-465	46.50	6.66	310
EM13003Q-470	47.00	6.59	310
EM13003Q-475	47.50	6.52	310
EM13003Q-480	48.00	6.45	310
EM13003Q-485	48.50	6.39	310
EM13003Q-490	49.00	6.32	310
EM13003Q-495	49.50	6.26	310
EM13003Q-500	50.00	6.20	310
EM13003Q-505	50.50	6.13	310
EM13003Q-510	51.00	6.07	310
EM13003Q-515	51.50	6.01	310
EM13003Q-520	52.00	5.96	310
EM13003Q-525	52.50	5.90	310
EM13003Q-530	53.00	5.84	310
EM13003Q-535	53.50	5.79	310
EM13003Q-540	54.00	5.74	310
EM13003Q-545	54.50	5.68	310
EM13003Q-550	55.00	5.63	310
EM13003Q-555	55.50	5.58	310
EM13003Q-560	56.00	5.53	310



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2015010907749045

Valid from: Nov.15,2023

Valid until: Jul.26,2024

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT**

EDAC Power Electronics Co., Ltd.
11-2F, No.150, Jian Yi Rd. 235 Chung Ho District, New Taipei City, TAIWAN, China

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER**

EDAC Power Electronics Co., Ltd.
11-2F, No.150, Jian Yi Rd. 235 Chung Ho District, New Taipei City, TAIWAN, China

**NAME AND LOCATION
OF THE FACTORY**

EDAC Power Electronics (Suzhou) Co., Ltd.
No. 59, Chang Sheng Road, Sheng Pu Town, Suzhou Industrial Park, Suzhou, Jiangsu, P.R. China

PRODUCT MODEL(S)

AC Adaptors
EA1300XYWWWW, EM1300XYWWWW ("X" can be 1 or 3 to represent different types of inlet: 1 represents C14 type, 3 represents C6 type; "Y" can be A, B, C, D, E, F, G, H, N, P, M or Q to represent different output ranges; "W" can be 0-9 A-Z, a-z, "-" or blank to represent different output voltages) input: 100-240 Vac, 50-60 Hz, 5.0-2.5 A; See Appendix for model output (Sale without cord set; Altitude up to 5000m)

**STANDARDS AND
TECHNICAL REQUIREMENTS**

GB 17625.1-2022 (Class A) ; GB 4943.1-2022; GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification (REFNO. CNCA-C09-01:2023)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jan.15, 2015

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page1of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001A	12.00	19.16	230
EA13001A-120	12.00	19.16	230
EA13001A-125	12.50	18.40	230
EA13001A-130	13.00	17.69	230
EA13001A-135	13.50	17.03	230
EA13001A-140	14.00	16.42	230
EA13001A-145	14.50	15.86	230
EA13001A-150	15.00	15.33	230
EA13001A-155	15.50	14.83	230
EA13001A-160	16.00	14.37	230
EA13001A-165	16.50	13.93	230
EA13001A-170	17.00	13.52	230
EA13001A-175	17.50	13.14	230
EA13001A-180	18.00	12.77	230
EA13003A	12.00	19.16	230
EA13003A-120	12.00	19.16	230
EA13003A-125	12.50	18.40	230
EA13003A-130	13.00	17.69	230
EA13003A-135	13.50	17.03	230
EA13003A-140	14.00	16.42	230
EA13003A-145	14.50	15.86	230
EA13003A-150	15.00	15.33	230
EA13003A-155	15.50	14.83	230
EA13003A-160	16.00	14.37	230
EA13003A-165	16.50	13.93	230
EA13003A-170	17.00	13.52	230
EA13003A-175	17.50	13.14	230
EA13003A-180	18.00	12.77	230



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page2of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001B	12.00	20.00	240
EA13001B-120	12.00	20.00	240
EA13001B-125	12.50	19.20	240
EA13001B-130	13.00	18.46	240
EA13001B-135	13.50	17.77	240
EA13001B-140	14.00	17.14	240
EA13001B-145	14.50	16.55	240
EA13001B-150	15.00	16.00	240
EA13001B-155	15.50	15.48	240
EA13001B-160	16.00	15.00	240
EA13001B-165	16.50	14.54	240
EA13001B-170	17.00	14.11	240
EA13001B-175	17.50	13.71	240
EA13001B-180	18.00	13.33	240
EA13003B	12.00	20.00	240
EA13003B-120	12.00	20.00	240
EA13003B-125	12.50	19.20	240
EA13003B-130	13.00	18.46	240
EA13003B-135	13.50	17.77	240
EA13003B-140	14.00	17.14	240
EA13003B-145	14.50	16.55	240
EA13003B-150	15.00	16.00	240
EA13003B-155	15.50	15.48	240
EA13003B-160	16.00	15.00	240
EA13003B-165	16.50	14.54	240
EA13003B-170	17.00	14.11	240
EA13003B-175	17.50	13.71	240
EA13003B-180	18.00	13.33	240



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page3of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001C	12.00	20.85	250.2
EA13001C-120	12.00	20.85	250.2
EA13001C-125	12.50	20.01	250.2
EA13001C-130	13.00	19.24	250.2
EA13001C-135	13.50	18.53	250.2
EA13001C-140	14.00	17.87	250.2
EA13001C-145	14.50	17.25	250.2
EA13001C-150	15.00	16.68	250.2
EA13001C-155	15.50	16.14	250.2
EA13001C-160	16.00	15.63	250.2
EA13001C-165	16.50	15.16	250.2
EA13001C-170	17.00	14.71	250.2
EA13001C-175	17.50	14.29	250.2
EA13001C-180	18.00	13.90	250.2
EA13003C	12.00	20.85	250.2
EA13003C-120	12.00	20.85	250.2
EA13003C-125	12.50	20.01	250.2
EA13003C-130	13.00	19.24	250.2
EA13003C-135	13.50	18.53	250.2
EA13003C-140	14.00	17.87	250.2
EA13003C-145	14.50	17.25	250.2
EA13003C-150	15.00	16.68	250.2
EA13003C-155	15.50	16.14	250.2
EA13003C-160	16.00	15.63	250.2
EA13003C-165	16.50	15.16	250.2
EA13003C-170	17.00	14.71	250.2
EA13003C-175	17.50	14.29	250.2
EA13003C-180	18.00	13.90	250.2



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page4of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001D	24.00	10.83	260
EA13001D-190	19.00	13.68	260
EA13001D-195	19.50	13.33	260
EA13001D-200	20.00	13.00	260
EA13001D-205	20.50	12.68	260
EA13001D-210	21.00	12.38	260
EA13001D-215	21.50	12.09	260
EA13001D-220	22.00	11.81	260
EA13001D-225	22.50	11.55	260
EA13001D-230	23.00	11.30	260
EA13001D-235	23.50	11.06	260
EA13001D-240	24.00	10.83	260
EA13001D-245	24.50	10.61	260
EA13001D-250	25.00	10.40	260
EA13001D-255	25.50	10.19	260
EA13001D-260	26.00	10.00	260
EA13001D-265	26.50	9.81	260
EA13001D-270	27.00	9.62	260
EA13001D-275	27.50	9.45	260
EA13001D-280	28.00	9.28	260
EA13003D	24.00	10.83	260
EA13003D-190	19.00	13.68	260
EA13003D-195	19.50	13.33	260
EA13003D-200	20.00	13.00	260
EA13003D-205	20.50	12.68	260
EA13003D-210	21.00	12.38	260
EA13003D-215	21.50	12.09	260
EA13003D-220	22.00	11.81	260



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page5 of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003D-225	22.50	11.55	260
EA13003D-230	23.00	11.30	260
EA13003D-235	23.50	11.06	260
EA13003D-240	24.00	10.83	260
EA13003D-245	24.50	10.61	260
EA13003D-250	25.00	10.40	260
EA13003D-255	25.50	10.19	260
EA13003D-260	26.00	10.00	260
EA13003D-265	26.50	9.81	260
EA13003D-270	27.00	9.62	260
EA13003D-275	27.50	9.45	260
EA13003D-280	28.00	9.28	260
EA13001E	24.00	11.25	270
EA13001E-190	19.00	14.21	270
EA13001E-195	19.50	13.84	270
EA13001E-200	20.00	13.50	270
EA13001E-205	20.50	13.17	270
EA13001E-210	21.00	12.85	270
EA13001E-215	21.50	12.55	270
EA13001E-220	22.00	12.27	270
EA13001E-225	22.50	12.00	270
EA13001E-230	23.00	11.73	270
EA13001E-235	23.50	11.48	270
EA13001E-240	24.00	11.25	270
EA13001E-245	24.50	11.02	270
EA13001E-250	25.00	10.80	270
EA13001E-255	25.50	10.58	270
EA13001E-260	26.00	10.38	270



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page6 of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001E-265	26.50	10.18	270
EA13001E-270	27.00	10.00	270
EA13001E-275	27.50	9.81	270
EA13001E-280	28.00	9.64	270
EA13003E	24.00	11.25	270
EA13003E-190	19.00	14.21	270
EA13003E-195	19.50	13.84	270
EA13003E-200	20.00	13.50	270
EA13003E-205	20.50	13.17	270
EA13003E-210	21.00	12.85	270
EA13003E-215	21.50	12.55	270
EA13003E-220	22.00	12.27	270
EA13003E-225	22.50	12.00	270
EA13003E-230	23.00	11.73	270
EA13003E-235	23.50	11.48	270
EA13003E-240	24.00	11.25	270
EA13003E-245	24.50	11.02	270
EA13003E-250	25.00	10.80	270
EA13003E-255	25.50	10.58	270
EA13003E-260	26.00	10.38	270
EA13003E-265	26.50	10.18	270
EA13003E-270	27.00	10.00	270
EA13003E-275	27.50	9.81	270
EA13003E-280	28.00	9.64	270
EA13001F	36.00	7.50	270
EA13001F-320	32.00	8.43	270
EA13001F-325	32.50	8.30	270
EA13001F-330	33.00	8.18	270



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page7of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001F-335	33.50	8.05	270
EA13001F-340	34.00	7.94	270
EA13001F-345	34.50	7.82	270
EA13001F-350	35.00	7.71	270
EA13001F-355	35.50	7.60	270
EA13001F-360	36.00	7.50	270
EA13001F-365	36.50	7.39	270
EA13001F-370	37.00	7.29	270
EA13001F-375	37.50	7.20	270
EA13001F-380	38.00	7.10	270
EA13001F-385	38.50	7.01	270
EA13001F-390	39.00	6.92	270
EA13001F-395	39.50	6.83	270
EA13001F-400	40.00	6.75	270
EA13001F-405	40.50	6.66	270
EA13001F-410	41.00	6.58	270
EA13001F-415	41.50	6.50	270
EA13001F-420	42.00	6.42	270
EA13003F	36.00	7.50	270
EA13003F-320	32.00	8.43	270
EA13003F-325	32.50	8.30	270
EA13003F-330	33.00	8.18	270
EA13003F-335	33.50	8.05	270
EA13003F-340	34.00	7.94	270
EA13003F-345	34.50	7.82	270
EA13003F-350	35.00	7.71	270
EA13003F-355	35.50	7.60	270
EA13003F-360	36.00	7.50	270



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page8of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003F-365	36.50	7.39	270
EA13003F-370	37.00	7.29	270
EA13003F-375	37.50	7.20	270
EA13003F-380	38.00	7.10	270
EA13003F-385	38.50	7.01	270
EA13003F-390	39.00	6.92	270
EA13003F-395	39.50	6.83	270
EA13003F-400	40.00	6.75	270
EA13003F-405	40.50	6.66	270
EA13003F-410	41.00	6.58	270
EA13003F-415	41.50	6.50	270
EA13003F-420	42.00	6.42	270
EA13001G	48.00	5.62	270
EA13001G-440	44.00	6.13	270
EA13001G-445	44.50	6.06	270
EA13001G-450	45.00	6.00	270
EA13001G-455	45.50	5.93	270
EA13001G-460	46.00	5.86	270
EA13001G-465	46.50	5.80	270
EA13001G-470	47.00	5.74	270
EA13001G-475	47.50	5.68	270
EA13001G-480	48.00	5.62	270
EA13001G-485	48.50	5.56	270
EA13001G-490	49.00	5.51	270
EA13001G-495	49.50	5.45	270
EA13001G-500	50.00	5.40	270
EA13001G-505	50.50	5.34	270
EA13001G-510	51.00	5.29	270



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page9of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001G-515	51.50	5.24	270
EA13001G-520	52.00	5.19	270
EA13001G-525	52.50	5.14	270
EA13001G-530	53.00	5.09	270
EA13001G-535	53.50	5.04	270
EA13001G-540	54.00	5.00	270
EA13001G-545	54.50	4.95	270
EA13001G-550	55.00	4.90	270
EA13001G-555	55.50	4.86	270
EA13001G-560	56.00	4.82	270
EA13003G	48.00	5.62	270
EA13003G-440	44.00	6.13	270
EA13003G-445	44.50	6.06	270
EA13003G-450	45.00	6.00	270
EA13003G-455	45.50	5.93	270
EA13003G-460	46.00	5.86	270
EA13003G-465	46.50	5.80	270
EA13003G-470	47.00	5.74	270
EA13003G-475	47.50	5.68	270
EA13003G-480	48.00	5.62	270
EA13003G-485	48.50	5.56	270
EA13003G-490	49.00	5.51	270
EA13003G-495	49.50	5.45	270
EA13003G-500	50.00	5.40	270
EA13003G-505	50.50	5.34	270
EA13003G-510	51.00	5.29	270
EA13003G-515	51.50	5.24	270
EA13003G-520	52.00	5.19	270



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page10of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003G-525	52.50	5.14	270
EA13003G-530	53.00	5.09	270
EA13003G-535	53.50	5.04	270
EA13003G-540	54.00	5.00	270
EA13003G-545	54.50	4.95	270
EA13003G-550	55.00	4.90	270
EA13003G-555	55.50	4.86	270
EA13003G-560	56.00	4.82	270
EA13001H	24.00	11.66	280
EA13001H-190	19.00	14.73	280
EA13001H-195	19.50	14.35	280
EA13001H-200	20.00	14.00	280
EA13001H-205	20.50	13.65	280
EA13001H-210	21.00	13.33	280
EA13001H-215	21.50	13.02	280
EA13001H-220	22.00	12.72	280
EA13001H-225	22.50	12.44	280
EA13001H-230	23.00	12.17	280
EA13001H-235	23.50	11.91	280
EA13001H-240	24.00	11.66	280
EA13001H-245	24.50	11.42	280
EA13001H-250	25.00	11.20	280
EA13001H-255	25.50	10.98	280
EA13001H-260	26.00	10.76	280
EA13001H-265	26.50	10.56	280
EA13001H-270	27.00	10.37	280
EA13001H-275	27.50	10.18	280
EA13001H-280	28.00	10.00	280



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page11of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003H	24.00	11.66	280
EA13003H-190	19.00	14.73	280
EA13003H-195	19.50	14.35	280
EA13003H-200	20.00	14.00	280
EA13003H-205	20.50	13.65	280
EA13003H-210	21.00	13.33	280
EA13003H-215	21.50	13.02	280
EA13003H-220	22.00	12.72	280
EA13003H-225	22.50	12.44	280
EA13003H-230	23.00	12.17	280
EA13003H-235	23.50	11.91	280
EA13003H-240	24.00	11.66	280
EA13003H-245	24.50	11.42	280
EA13003H-250	25.00	11.20	280
EA13003H-255	25.50	10.98	280
EA13003H-260	26.00	10.76	280
EA13003H-265	26.50	10.56	280
EA13003H-270	27.00	10.37	280
EA13003H-275	27.50	10.18	280
EA13003H-280	28.00	10.00	280
EA13001M	24.00	12.08	290
EA13001M-190	19.00	15.26	290
EA13001M-195	19.50	14.87	290
EA13001M-200	20.00	14.50	290
EA13001M-205	20.50	14.14	290
EA13001M-210	21.00	13.80	290
EA13001M-215	21.50	13.48	290
EA13001M-220	22.00	13.18	290



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page12of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001M-225	22.50	12.88	290
EA13001M-230	23.00	12.60	290
EA13001M-235	23.50	12.34	290
EA13001M-240	24.00	12.08	290
EA13001M-245	24.50	11.83	290
EA13001M-250	25.00	11.60	290
EA13001M-255	25.50	11.37	290
EA13001M-260	26.00	11.15	290
EA13001M-265	26.50	10.94	290
EA13001M-270	27.00	10.74	290
EA13001M-275	27.50	10.54	290
EA13001M-280	28.00	10.35	290
EA13003M	24.00	12.08	290
EA13003M-190	19.00	15.26	290
EA13003M-195	19.50	14.87	290
EA13003M-200	20.00	14.50	290
EA13003M-205	20.50	14.14	290
EA13003M-210	21.00	13.80	290
EA13003M-215	21.50	13.48	290
EA13003M-220	22.00	13.18	290
EA13003M-225	22.50	12.88	290
EA13003M-230	23.00	12.60	290
EA13003M-235	23.50	12.34	290
EA13003M-240	24.00	12.08	290
EA13003M-245	24.50	11.83	290
EA13003M-250	25.00	11.60	290
EA13003M-255	25.50	11.37	290
EA13003M-260	26.00	11.15	290



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page13of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003M-265	26.50	10.94	290
EA13003M-270	27.00	10.74	290
EA13003M-275	27.50	10.54	290
EA13003M-280	28.00	10.35	290
EA13001N	24.00	12.50	300
EA13001N-190	19.00	15.78	300
EA13001N-195	19.50	15.38	300
EA13001N-200	20.00	15.00	300
EA13001N-205	20.50	14.63	300
EA13001N-210	21.00	14.28	300
EA13001N-215	21.50	13.95	300
EA13001N-220	22.00	13.63	300
EA13001N-225	22.50	13.33	300
EA13001N-230	23.00	13.04	300
EA13001N-235	23.50	12.76	300
EA13001N-240	24.00	12.50	300
EA13001N-245	24.50	12.24	300
EA13001N-250	25.00	12.00	300
EA13001N-255	25.50	11.76	300
EA13001N-260	26.00	11.53	300
EA13001N-265	26.50	11.32	300
EA13001N-270	27.00	11.11	300
EA13001N-275	27.50	10.90	300
EA13001N-280	28.00	10.71	300
EA13003N	24.00	12.50	300
EA13003N-195	19.50	15.38	300
EA13003N-200	20.00	15.00	300
EA13003N-205	20.50	14.63	300



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page14of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003N-210	21.00	14.28	300
EA13003N-215	21.50	13.95	300
EA13003N-220	22.00	13.63	300
EA13003N-225	22.50	13.33	300
EA13003N-230	23.00	13.04	300
EA13003N-235	23.50	12.76	300
EA13003N-240	24.00	12.50	300
EA13003N-245	24.50	12.24	300
EA13003N-250	25.00	12.00	300
EA13003N-255	25.50	11.76	300
EA13003N-260	26.00	11.53	300
EA13003N-265	26.50	11.32	300
EA13003N-270	27.00	11.11	300
EA13003N-275	27.50	10.90	300
EA13003N-280	28.00	10.71	300
EA13001P	36.00	8.61	310
EA13001P-320	32.00	9.68	310
EA13001P-325	32.50	9.53	310
EA13001P-330	33.00	9.39	310
EA13001P-335	33.50	9.25	310
EA13001P-340	34.00	9.11	310
EA13001P-345	34.50	8.98	310
EA13001P-350	35.00	8.85	310
EA13001P-355	35.50	8.73	310
EA13001P-360	36.00	8.61	310
EA13001P-365	36.50	8.49	310
EA13001P-370	37.00	8.37	310
EA13001P-375	37.50	8.26	310



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page15of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001P-380	38.00	8.15	310
EA13001P-385	38.50	8.05	310
EA13001P-390	39.00	7.94	310
EA13001P-395	39.50	7.84	310
EA13001P-400	40.00	7.75	310
EA13001P-405	40.50	7.65	310
EA13001P-410	41.00	7.56	310
EA13001P-415	41.50	7.46	310
EA13001P-420	42.00	7.38	310
EA13003P	36.00	8.61	310
EA13003P-320	32.00	9.68	310
EA13003P-325	32.50	9.53	310
EA13003P-330	33.00	9.39	310
EA13003P-335	33.50	9.25	310
EA13003P-340	34.00	9.11	310
EA13003P-345	34.50	8.98	310
EA13003P-350	35.00	8.85	310
EA13003P-355	35.50	8.73	310
EA13003P-360	36.00	8.61	310
EA13003P-365	36.50	8.49	310
EA13003P-370	37.00	8.37	310
EA13003P-375	37.50	8.26	310
EA13003P-380	38.00	8.15	310
EA13003P-385	38.50	8.05	310
EA13003P-390	39.00	7.94	310
EA13003P-395	39.50	7.84	310
EA13003P-400	40.00	7.75	310
EA13003P-405	40.50	7.65	310



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page16of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13003P-410	41.00	7.56	310
EA13003P-415	41.50	7.46	310
EA13003P-420	42.00	7.38	310
EA13001Q	48.00	6.45	310
EA13001Q-440	44.00	7.04	310
EA13001Q-445	44.50	6.96	310
EA13001Q-450	45.00	6.88	310
EA13001Q-455	45.50	6.81	310
EA13001Q-460	46.00	6.73	310
EA13001Q-465	46.50	6.66	310
EA13001Q-470	47.00	6.59	310
EA13001Q-475	47.50	6.52	310
EA13001Q-480	48.00	6.45	310
EA13001Q-485	48.50	6.39	310
EA13001Q-490	49.00	6.32	310
EA13001Q-495	49.50	6.26	310
EA13001Q-500	50.00	6.20	310
EA13001Q-505	50.50	6.13	310
EA13001Q-510	51.00	6.07	310
EA13001Q-515	51.50	6.01	310
EA13001Q-520	52.00	5.96	310
EA13001Q-525	52.50	5.90	310
EA13001Q-530	53.00	5.84	310
EA13001Q-535	53.50	5.79	310
EA13001Q-540	54.00	5.74	310
EA13001Q-545	54.50	5.68	310
EA13001Q-550	55.00	5.63	310
EA13001Q-555	55.50	5.58	310



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page17of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EA13001Q-560	56.00	5.53	310
EA13003Q	48.00	6.45	310
EA13003Q-440	44.00	7.04	310
EA13003Q-445	44.50	6.96	310
EA13003Q-450	45.00	6.88	310
EA13003Q-455	45.50	6.81	310
EA13003Q-460	46.00	6.73	310
EA13003Q-465	46.50	6.66	310
EA13003Q-470	47.00	6.59	310
EA13003Q-475	47.50	6.52	310
EA13003Q-480	48.00	6.45	310
EA13003Q-485	48.50	6.39	310
EA13003Q-490	49.00	6.32	310
EA13003Q-495	49.50	6.26	310
EA13003Q-500	50.00	6.20	310
EA13003Q-505	50.50	6.13	310
EA13003Q-510	51.00	6.07	310
EA13003Q-515	51.50	6.01	310
EA13003Q-520	52.00	5.96	310
EA13003Q-525	52.50	5.90	310
EA13003Q-530	53.00	5.84	310
EA13003Q-535	53.50	5.79	310
EA13003Q-540	54.00	5.74	310
EA13003Q-545	54.50	5.68	310
EA13003Q-550	55.00	5.63	310
EA13003Q-555	55.50	5.58	310
EA13003Q-560	56.00	5.53	310
EM13001A	12.00	19.16	230



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page18of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001A-120	12.00	19.16	230
EM13001A-125	12.50	18.40	230
EM13001A-130	13.00	17.69	230
EM13001A-135	13.50	17.03	230
EM13001A-140	14.00	16.42	230
EM13001A-145	14.50	15.86	230
EM13001A-150	15.00	15.33	230
EM13001A-155	15.50	14.83	230
EM13001A-160	16.00	14.37	230
EM13001A-165	16.50	13.93	230
EM13001A-170	17.00	13.52	230
EM13001A-175	17.50	13.14	230
EM13001A-180	18.00	12.77	230
EM13003A	12.00	19.16	230
EM13003A-120	12.00	19.16	230
EM13003A-125	12.50	18.40	230
EM13003A-130	13.00	17.69	230
EM13003A-135	13.50	17.03	230
EM13003A-140	14.00	16.42	230
EM13003A-145	14.50	15.86	230
EM13003A-150	15.00	15.33	230
EM13003A-155	15.50	14.83	230
EM13003A-160	16.00	14.37	230
EM13003A-165	16.50	13.93	230
EM13003A-170	17.00	13.52	230
EM13003A-175	17.50	13.14	230
EM13003A-180	18.00	12.77	230
EM13001B	12.00	20.00	240



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page19of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001B-120	12.00	20.00	240
EM13001B-125	12.50	19.20	240
EM13001B-130	13.00	18.46	240
EM13001B-135	13.50	17.77	240
EM13001B-140	14.00	17.14	240
EM13001B-145	14.50	16.55	240
EM13001B-150	15.00	16.00	240
EM13001B-155	15.50	15.48	240
EM13001B-160	16.00	15.00	240
EM13001B-165	16.50	14.54	240
EM13001B-170	17.00	14.11	240
EM13001B-175	17.50	13.71	240
EM13001B-180	18.00	13.33	240
EM13003B	12.00	20.00	240
EM13003B-120	12.00	20.00	240
EM13003B-125	12.50	19.20	240
EM13003B-130	13.00	18.46	240
EM13003B-135	13.50	17.77	240
EM13003B-140	14.00	17.14	240
EM13003B-145	14.50	16.55	240
EM13003B-150	15.00	16.00	240
EM13003B-155	15.50	15.48	240
EM13003B-160	16.00	15.00	240
EM13003B-165	16.50	14.54	240
EM13003B-170	17.00	14.11	240
EM13003B-175	17.50	13.71	240
EM13003B-180	18.00	13.33	240
EM13001C	12.00	20.85	250.2



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page20of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001C-120	12.00	20.85	250.2
EM13001C-125	12.50	20.01	250.2
EM13001C-130	13.00	19.24	250.2
EM13001C-135	13.50	18.53	250.2
EM13001C-140	14.00	17.87	250.2
EM13001C-145	14.50	17.25	250.2
EM13001C-150	15.00	16.68	250.2
EM13001C-155	15.50	16.14	250.2
EM13001C-160	16.00	15.63	250.2
EM13001C-165	16.50	15.16	250.2
EM13001C-170	17.00	14.71	250.2
EM13001C-175	17.50	14.29	250.2
EM13001C-180	18.00	13.90	250.2
EM13003C	12.00	20.85	250.2
EM13003C-120	12.00	20.85	250.2
EM13003C-125	12.50	20.01	250.2
EM13003C-130	13.00	19.24	250.2
EM13003C-135	13.50	18.53	250.2
EM13003C-140	14.00	17.87	250.2
EM13003C-145	14.50	17.25	250.2
EM13003C-150	15.00	16.68	250.2
EM13003C-155	15.50	16.14	250.2
EM13003C-160	16.00	15.63	250.2
EM13003C-165	16.50	15.16	250.2
EM13003C-170	17.00	14.71	250.2
EM13003C-175	17.50	14.29	250.2
EM13003C-180	18.00	13.90	250.2
EM13001D	24.00	10.83	260



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page21of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001D-190	19.00	13.68	260
EM13001D-195	19.50	13.33	260
EM13001D-200	20.00	13.00	260
EM13001D-205	20.50	12.68	260
EM13001D-210	21.00	12.38	260
EM13001D-215	21.50	12.09	260
EM13001D-220	22.00	11.81	260
EM13001D-225	22.50	11.55	260
EM13001D-230	23.00	11.30	260
EM13001D-235	23.50	11.06	260
EM13001D-240	24.00	10.83	260
EM13001D-245	24.50	10.61	260
EM13001D-250	25.00	10.40	260
EM13001D-255	25.50	10.19	260
EM13001D-260	26.00	10.00	260
EM13001D-265	26.50	9.81	260
EM13001D-270	27.00	9.62	260
EM13001D-275	27.50	9.45	260
EM13001D-280	28.00	9.28	260
EM13003D	24.00	10.83	260
EM13003D-190	19.00	13.68	260
EM13003D-195	19.50	13.33	260
EM13003D-200	20.00	13.00	260
EM13003D-205	20.50	12.68	260
EM13003D-210	21.00	12.38	260
EM13003D-215	21.50	12.09	260
EM13003D-220	22.00	11.81	260
EM13003D-225	22.50	11.55	260



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page22of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003D-230	23.00	11.30	260
EM13003D-235	23.50	11.06	260
EM13003D-240	24.00	10.83	260
EM13003D-245	24.50	10.61	260
EM13003D-250	25.00	10.40	260
EM13003D-255	25.50	10.19	260
EM13003D-260	26.00	10.00	260
EM13003D-265	26.50	9.81	260
EM13003D-270	27.00	9.62	260
EM13003D-275	27.50	9.45	260
EM13003D-280	28.00	9.28	260
EM13001E	24.00	11.25	270
EM13001E-190	19.00	14.21	270
EM13001E-195	19.50	13.84	270
EM13001E-200	20.00	13.50	270
EM13001E-205	20.50	13.17	270
EM13001E-210	21.00	12.85	270
EM13001E-215	21.50	12.55	270
EM13001E-220	22.00	12.27	270
EM13001E-225	22.50	12.00	270
EM13001E-230	23.00	11.73	270
EM13001E-235	23.50	11.48	270
EM13001E-240	24.00	11.25	270
EM13001E-245	24.50	11.02	270
EM13001E-250	25.00	10.80	270
EM13001E-255	25.50	10.58	270
EM13001E-260	26.00	10.38	270
EM13001E-265	26.50	10.18	270



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page23of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001E-270	27.00	10.00	270
EM13001E-275	27.50	9.81	270
EM13001E-280	28.00	9.64	270
EM13003E	24.00	11.25	270
EM13003E-190	19.00	14.21	270
EM13003E-195	19.50	13.84	270
EM13003E-200	20.00	13.50	270
EM13003E-205	20.50	13.17	270
EM13003E-210	21.00	12.85	270
EM13003E-215	21.50	12.55	270
EM13003E-220	22.00	12.27	270
EM13003E-225	22.50	12.00	270
EM13003E-230	23.00	11.73	270
EM13003E-235	23.50	11.48	270
EM13003E-240	24.00	11.25	270
EM13003E-245	24.50	11.02	270
EM13003E-250	25.00	10.80	270
EM13003E-255	25.50	10.58	270
EM13003E-260	26.00	10.38	270
EM13003E-265	26.50	10.18	270
EM13003E-270	27.00	10.00	270
EM13003E-275	27.50	9.81	270
EM13003E-280	28.00	9.64	270
EM13001F	36.00	7.50	270
EM13001F-320	32.00	8.43	270
EM13001F-325	32.50	8.30	270
EM13001F-330	33.00	8.18	270
EM13001F-335	33.50	8.05	270



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page24of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001F-340	34.00	7.94	270
EM13001F-345	34.50	7.82	270
EM13001F-350	35.00	7.71	270
EM13001F-355	35.50	7.60	270
EM13001F-360	36.00	7.50	270
EM13001F-365	36.50	7.39	270
EM13001F-370	37.00	7.29	270
EM13001F-375	37.50	7.20	270
EM13001F-380	38.00	7.10	270
EM13001F-385	38.50	7.01	270
EM13001F-390	39.00	6.92	270
EM13001F-395	39.50	6.83	270
EM13001F-400	40.00	6.75	270
EM13001F-405	40.50	6.66	270
EM13001F-410	41.00	6.58	270
EM13001F-415	41.50	6.50	270
EM13001F-420	42.00	6.42	270
EM13003F	36.00	7.50	270
EM13003F-320	32.00	8.43	270
EM13003F-325	32.50	8.30	270
EM13003F-330	33.00	8.18	270
EM13003F-335	33.50	8.05	270
EM13003F-340	34.00	7.94	270
EM13003F-345	34.50	7.82	270
EM13003F-350	35.00	7.71	270
EM13003F-355	35.50	7.60	270
EM13003F-360	36.00	7.50	270
EM13003F-365	36.50	7.39	270



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page25of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003F-370	37.00	7.29	270
EM13003F-375	37.50	7.20	270
EM13003F-380	38.00	7.10	270
EM13003F-385	38.50	7.01	270
EM13003F-390	39.00	6.92	270
EM13003F-395	39.50	6.83	270
EM13003F-400	40.00	6.75	270
EM13003F-405	40.50	6.66	270
EM13003F-410	41.00	6.58	270
EM13003F-415	41.50	6.50	270
EM13003F-420	42.00	6.42	270
EM13001G	48.00	5.62	270
EM13001G-440	44.00	6.13	270
EM13001G-445	44.50	6.06	270
EM13001G-450	45.00	6.00	270
EM13001G-455	45.50	5.93	270
EM13001G-460	46.00	5.86	270
EM13001G-465	46.50	5.80	270
EM13001G-470	47.00	5.74	270
EM13001G-475	47.50	5.68	270
EM13001G-480	48.00	5.62	270
EM13001G-485	48.50	5.56	270
EM13001G-490	49.00	5.51	270
EM13001G-495	49.50	5.45	270
EM13001G-500	50.00	5.40	270
EM13001G-505	50.50	5.34	270
EM13001G-510	51.00	5.29	270
EM13001G-515	51.50	5.24	270



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page26of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001G-520	52.00	5.19	270
EM13001G-525	52.50	5.14	270
EM13001G-530	53.00	5.09	270
EM13001G-535	53.50	5.04	270
EM13001G-540	54.00	5.00	270
EM13001G-545	54.50	4.95	270
EM13001G-550	55.00	4.90	270
EM13001G-555	55.50	4.86	270
EM13001G-560	56.00	4.82	270
EM13003G	48.00	5.62	270
EM13003G-440	44.00	6.13	270
EM13003G-445	44.50	6.06	270
EM13003G-450	45.00	6.00	270
EM13003G-455	45.50	5.93	270
EM13003G-460	46.00	5.86	270
EM13003G-465	46.50	5.80	270
EM13003G-470	47.00	5.74	270
EM13003G-475	47.50	5.68	270
EM13003G-480	48.00	5.62	270
EM13003G-485	48.50	5.56	270
EM13003G-490	49.00	5.51	270
EM13003G-495	49.50	5.45	270
EM13003G-500	50.00	5.40	270
EM13003G-505	50.50	5.34	270
EM13003G-510	51.00	5.29	270
EM13003G-515	51.50	5.24	270
EM13003G-520	52.00	5.19	270
EM13003G-525	52.50	5.14	270



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page27of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003G-530	53.00	5.09	270
EM13003G-535	53.50	5.04	270
EM13003G-540	54.00	5.00	270
EM13003G-545	54.50	4.95	270
EM13003G-550	55.00	4.90	270
EM13003G-555	55.50	4.86	270
EM13003G-560	56.00	4.82	270
EM13001H	24.00	11.66	280
EM13001H-190	19.00	14.73	280
EM13001H-195	19.50	14.35	280
EM13001H-200	20.00	14.00	280
EM13001H-205	20.50	13.65	280
EM13001H-210	21.00	13.33	280
EM13001H-215	21.50	13.02	280
EM13001H-220	22.00	12.72	280
EM13001H-225	22.50	12.44	280
EM13001H-230	23.00	12.17	280
EM13001H-235	23.50	11.91	280
EM13001H-240	24.00	11.66	280
EM13001H-245	24.50	11.42	280
EM13001H-250	25.00	11.20	280
EM13001H-255	25.50	10.98	280
EM13001H-260	26.00	10.76	280
EM13001H-265	26.50	10.56	280
EM13001H-270	27.00	10.37	280
EM13001H-275	27.50	10.18	280
EM13001H-280	28.00	10.00	280
EM13003H	24.00	11.66	280



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page28of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003H-190	19.00	14.73	280
EM13003H-195	19.50	14.35	280
EM13003H-200	20.00	14.00	280
EM13003H-205	20.50	13.65	280
EM13003H-210	21.00	13.33	280
EM13003H-215	21.50	13.02	280
EM13003H-220	22.00	12.72	280
EM13003H-225	22.50	12.44	280
EM13003H-230	23.00	12.17	280
EM13003H-235	23.50	11.91	280
EM13003H-240	24.00	11.66	280
EM13003H-245	24.50	11.42	280
EM13003H-250	25.00	11.20	280
EM13003H-255	25.50	10.98	280
EM13003H-260	26.00	10.76	280
EM13003H-265	26.50	10.56	280
EM13003H-270	27.00	10.37	280
EM13003H-275	27.50	10.18	280
EM13003H-280	28.00	10.00	280
EM13001M	24.00	12.08	290
EM13001M-190	19.00	15.26	290
EM13001M-195	19.50	14.87	290
EM13001M-200	20.00	14.50	290
EM13001M-205	20.50	14.14	290
EM13001M-210	21.00	13.80	290
EM13001M-215	21.50	13.48	290
EM13001M-220	22.00	13.18	290
EM13001M-225	22.50	12.88	290



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page29of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001M-230	23.00	12.60	290
EM13001M-235	23.50	12.34	290
EM13001M-240	24.00	12.08	290
EM13001M-245	24.50	11.83	290
EM13001M-250	25.00	11.60	290
EM13001M-255	25.50	11.37	290
EM13001M-260	26.00	11.15	290
EM13001M-265	26.50	10.94	290
EM13001M-270	27.00	10.74	290
EM13001M-275	27.50	10.54	290
EM13001M-280	28.00	10.35	290
EM13003M	24.00	12.08	290
EM13003M-190	19.00	15.26	290
EM13003M-195	19.50	14.87	290
EM13003M-200	20.00	14.50	290
EM13003M-205	20.50	14.14	290
EM13003M-210	21.00	13.80	290
EM13003M-215	21.50	13.48	290
EM13003M-220	22.00	13.18	290
EM13003M-225	22.50	12.88	290
EM13003M-230	23.00	12.60	290
EM13003M-235	23.50	12.34	290
EM13003M-240	24.00	12.08	290
EM13003M-245	24.50	11.83	290
EM13003M-250	25.00	11.60	290
EM13003M-255	25.50	11.37	290
EM13003M-260	26.00	11.15	290
EM13003M-265	26.50	10.94	290



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page30of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003M-270	27.00	10.74	290
EM13003M-275	27.50	10.54	290
EM13003M-280	28.00	10.35	290
EM13001N	24.00	12.50	300
EM13001N-190	19.00	15.78	300
EM13001N-195	19.50	15.38	300
EM13001N-200	20.00	15.00	300
EM13001N-205	20.50	14.63	300
EM13001N-210	21.00	14.28	300
EM13001N-215	21.50	13.95	300
EM13001N-220	22.00	13.63	300
EM13001N-225	22.50	13.33	300
EM13001N-230	23.00	13.04	300
EM13001N-235	23.50	12.76	300
EM13001N-240	24.00	12.50	300
EM13001N-245	24.50	12.24	300
EM13001N-250	25.00	12.00	300
EM13001N-255	25.50	11.76	300
EM13001N-260	26.00	11.53	300
EM13001N-265	26.50	11.32	300
EM13001N-270	27.00	11.11	300
EM13001N-275	27.50	10.90	300
EM13001N-280	28.00	10.71	300
EM13003N	24.00	12.50	300
EM13003N-195	19.50	15.38	300
EM13003N-200	20.00	15.00	300
EM13003N-205	20.50	14.63	300
EM13003N-210	21.00	14.28	300



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page31of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003N-215	21.50	13.95	300
EM13003N-220	22.00	13.63	300
EM13003N-225	22.50	13.33	300
EM13003N-230	23.00	13.04	300
EM13003N-235	23.50	12.76	300
EM13003N-240	24.00	12.50	300
EM13003N-245	24.50	12.24	300
EM13003N-250	25.00	12.00	300
EM13003N-255	25.50	11.76	300
EM13003N-260	26.00	11.53	300
EM13003N-265	26.50	11.32	300
EM13003N-270	27.00	11.11	300
EM13003N-275	27.50	10.90	300
EM13003N-280	28.00	10.71	300
EM13001P	36.00	8.61	310
EM13001P-320	32.00	9.68	310
EM13001P-325	32.50	9.53	310
EM13001P-330	33.00	9.39	310
EM13001P-335	33.50	9.25	310
EM13001P-340	34.00	9.11	310
EM13001P-345	34.50	8.98	310
EM13001P-350	35.00	8.85	310
EM13001P-355	35.50	8.73	310
EM13001P-360	36.00	8.61	310
EM13001P-365	36.50	8.49	310
EM13001P-370	37.00	8.37	310
EM13001P-375	37.50	8.26	310
EM13001P-380	38.00	8.15	310



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page32of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13001P-385	38.50	8.05	310
EM13001P-390	39.00	7.94	310
EM13001P-395	39.50	7.84	310
EM13001P-400	40.00	7.75	310
EM13001P-405	40.50	7.65	310
EM13001P-410	41.00	7.56	310
EM13001P-415	41.50	7.46	310
EM13001P-420	42.00	7.38	310
EM13003P	36.00	8.61	310
EM13003P-320	32.00	9.68	310
EM13003P-325	32.50	9.53	310
EM13003P-330	33.00	9.39	310
EM13003P-335	33.50	9.25	310
EM13003P-340	34.00	9.11	310
EM13003P-345	34.50	8.98	310
EM13003P-350	35.00	8.85	310
EM13003P-355	35.50	8.73	310
EM13003P-360	36.00	8.61	310
EM13003P-365	36.50	8.49	310
EM13003P-370	37.00	8.37	310
EM13003P-375	37.50	8.26	310
EM13003P-380	38.00	8.15	310
EM13003P-385	38.50	8.05	310
EM13003P-390	39.00	7.94	310
EM13003P-395	39.50	7.84	310
EM13003P-400	40.00	7.75	310
EM13003P-405	40.50	7.65	310
EM13003P-410	41.00	7.56	310



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page33of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003P-415	41.50	7.46	310
EM13003P-420	42.00	7.38	310
EM13001Q	48.00	6.45	310
EM13001Q-440	44.00	7.04	310
EM13001Q-445	44.50	6.96	310
EM13001Q-450	45.00	6.88	310
EM13001Q-455	45.50	6.81	310
EM13001Q-460	46.00	6.73	310
EM13001Q-465	46.50	6.66	310
EM13001Q-470	47.00	6.59	310
EM13001Q-475	47.50	6.52	310
EM13001Q-480	48.00	6.45	310
EM13001Q-485	48.50	6.39	310
EM13001Q-490	49.00	6.32	310
EM13001Q-495	49.50	6.26	310
EM13001Q-500	50.00	6.20	310
EM13001Q-505	50.50	6.13	310
EM13001Q-510	51.00	6.07	310
EM13001Q-515	51.50	6.01	310
EM13001Q-520	52.00	5.96	310
EM13001Q-525	52.50	5.90	310
EM13001Q-530	53.00	5.84	310
EM13001Q-535	53.50	5.79	310
EM13001Q-540	54.00	5.74	310
EM13001Q-545	54.50	5.68	310
EM13001Q-550	55.00	5.63	310
EM13001Q-555	55.50	5.58	310
EM13001Q-560	56.00	5.53	310



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2015010907749045

page34of 34

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出电压(V)	输出电流(A) Max.	输出功率(W) Max.
EM13003Q	48.00	6.45	310
EM13003Q-440	44.00	7.04	310
EM13003Q-445	44.50	6.96	310
EM13003Q-450	45.00	6.88	310
EM13003Q-455	45.50	6.81	310
EM13003Q-460	46.00	6.73	310
EM13003Q-465	46.50	6.66	310
EM13003Q-470	47.00	6.59	310
EM13003Q-475	47.50	6.52	310
EM13003Q-480	48.00	6.45	310
EM13003Q-485	48.50	6.39	310
EM13003Q-490	49.00	6.32	310
EM13003Q-495	49.50	6.26	310
EM13003Q-500	50.00	6.20	310
EM13003Q-505	50.50	6.13	310
EM13003Q-510	51.00	6.07	310
EM13003Q-515	51.50	6.01	310
EM13003Q-520	52.00	5.96	310
EM13003Q-525	52.50	5.90	310
EM13003Q-530	53.00	5.84	310
EM13003Q-535	53.50	5.79	310
EM13003Q-540	54.00	5.74	310
EM13003Q-545	54.50	5.68	310
EM13003Q-550	55.00	5.63	310
EM13003Q-555	55.50	5.58	310
EM13003Q-560	56.00	5.53	310



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2015010907749045

申请编号 Application No. : A2023CCC0907-4286115

申请人(委托人) Applicant: 翌胜电子股份有限公司 / EDAC Power Electronics Co., Ltd.

证书编号 Certificate No.(变更前 Original): 2015010907749045

变更产品名称: 电源适配器

Name of Product Modified: AC Adaptors

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	1.变更实施规则	CNCA-C09-01: 2014	CNCA-C09-01: 2023
2	2.安全标准换版	GB4943.1-2011	GB 4943.1-2022
3	3.更新安全关键件清单	见原报告: C-00401-B1408QT-04116	见本次报告安全关键件清单 报告编号: C-06901-23007380-P-S
4	4..新增型号	见原报告: C-00401-B1408QT-04116	EA1300XYWWWW,EM1300XYWWWW ("X" 可为 1 或 3 表示不同器具输入插座 类型: 1 代表 C14 type, 3 代表 C6 type; "Y" 可为 A, B, C, D, E, F, G, H,N, P, M 或 Q 表示不同的输出范围; "W"可为 0-9 A-Z, a-z, "-" 或空白, 代表不同输出电压)
5	5.EMC 标准换版	GB17625.1-2012	GB 17625.1-2022

现批准以上变更。

Above Modification is approved. The present will replace the original.

第 1 页 / 共 2 页

签发: 谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

变 更 结 论 Modification Approval

证书编号 Certificate No. : 2015010907749045

批准日期 (Date) : 2023 年 11 月 15 日

第 2 页 / 共 2 页

签发:

谢肇煦



中国质量认证中心