

## **Customer Product/Process Change Notification**

PCN # 102409 Issued Date: 03/02/2023

Issued By: Cheryll Santiago

		Author: Cheryll Santiago
Change affects whole product family?	No	]
Part #'s affected (See attached if entire product family is a		1
597-3111-407F / 597-3111-402F, 597-3311-407NF 3325-407F, 597-3325-402F, 597-3612-407F / 597	/ 597-3311-402	NF, 597-3401-407NF / 597-3401-402NF, 597-
Description of Change:		
New LED Die material is higher luminous intensity		
Reason for Change:		_
Old LED Die/Chip is EOL		
Properties of Old vs. Changed Product:		
See Comparison sheets		
Disposition of Old Product:		
Deplete existing Stock on hand.		
Expected Implementation Date:	For orders placed a	fter 6/1/2023 Last Time Buy Date: 6/01/2023
	Not Applicable	]
Additional Comments: (Include Potential Risks if Appropr	riate)	
Package size is thinner 1.4mm vs old package size 1.5r	mm, Viewing angle	e on new part is 40 degree vs 70 degree
Supporting Qualification Data:		
When Available upon request only.		
Approved By:		
(Minimum of three approvals are required.)		
Vice President of Operations:		
Vice President of Sales OED/Signals:		
Director of Customer Service:		
Vice President of Marketing:		
Director of Quality:		_

NOTE: Expected Implementation date and Last Time Buy Date are estimated based on existing materials and consumption rates. Subject to change.

## AFFECTED PART NUMBERS USING THIS | REPLACEMENT 1206 LED WITH LENS 1.4

## 597 SMD LED MICROLED SINGLE COLOR

OBSOLETE P/N
597-3111-407F / 597-3111-402F
597-3311-407NF / 597-3311-402NF
597-3401-407NF / 597-3401-402NF
597-3612-407F / 597-3612-402F
597-3325-407F / 597-3325-402F

## EOL 1206 LED WITH LENS 1.5MM THK PROFILE MM THK PROFILE AND HIGHER BRIGHTNESS

DESCRIPTION
SMD LED 1206 RED 7" REEL/SMD LED 1206 R Sample Strip
SMD LED 1206 GRN 7" REEL/SMD LED 1206 G Sample Strip
SMD LED 1206 YEL 7" REEL/SMD LED 1206 Y Sample Strip
SMD LED 1206 B WLENS 7" REEL/SMD 1206 B Sample Strip
SMD 1206 INGAN G WL 7"REEL/SMD 1206 INGAN G WL SMPSTR

USE NEW P/N
599-0410-127F / 599-0410-122F
599-0460-127F / 599-0460-122F
599-0440-127F / 599-0440-122F
599-0490-127F / 599-0490-122F
599-0480-127F / 599-0480-122F

DESCRIPTION
SM 1206 RED640nm wLENS 7" RL / SM1206 RED640nm wLENS SMPSTR
SM 1206 GRN570nm wLENS 7" RL / SM 1206 GRN570 wLENS SMPSTR
SM 1206 YEL590nm wLENS 7" RL / SM 1206 YEL590 wLENS SMPSTR
SM 1206 BLUE470nm wLENS 7" RL / SM 1206 BLUE470 wLENS SMPSTR
SM 1206 TGRN525nm wLENS 7" RL / SM 1206 TGRN525nm wLENS SMPSTR