

 HARTING Product Termination Notification	PTN
---	------------

Business Unit: HARTING Electric

PTN/23/013/C+N-US

Product Range: Han HPR/HC/HV

Date: 09/25/2023

Title: Phase Out – Various Han HPR/HC/HV

Details of the Product Changes

1. Concerned Part Numbers	
09400060401	Han 6HPR-gg-KV-16
7401UNI054801	HPR 34 hood metal cover
7401GLA031700	CGM HSM.DS M32 D.18~22mm
7401GLA031600	CGM HSM.DS M25 D.14~17mm
7400000000020	Dummy P/N for Han 6HPR self hood
7400000000019	Dummy P/N for Han 6HPR self closing samp
7030024080199	CARCACA SUPERIOR 2xm25 e 1xm12
29110006225	CONNEX cPot CP-CF25
29110006216	CONNEX cPot CP-CF16
29110006212	CONNEX cPot CP-AF25
29110006125	CONNEX cPot CP-CM25
29110006116	CONNEX cPot CP-CM16
29110006112	CONNEX cPot CP-AM25
19407030981	Han 3HPR-asgw-M25 lange Ausführung (FKM)
19407030980	Han 3HPR-asgw-M20 kurze Ausführung (FKM)
19407030973	Han 3HPR-asgw-M25
19407030431	Han 3HPR-gg-SV-M25 schwarz
19407030414	Han 3HPR-gg-SV-M20 (lange Schraube)
19404100512	Han 10HPR-gs-SV-M32 (o. Oberfläche)
19400489819	Han 48HPR-Deckel 4xM32, 1xM25
19400489815	Han 48HPR-Deckel (2xM50/1xM20)
19400489814	Deckel Han 48HPR 2xM50
19400349943	Han 34HPR EasyCon cover 4xM40
19400349924	Han 34HPR EasyCon cover 2xM50

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

19400349923	Han 34HPR EasyCon cover 2xM40
19400340643	V-Trägergehäuse 4xM40
19400340624	V-Trägergehäuse 2xM50
19400340623	V-Trägergehäuse 2xM40
19400249945	Han 24HPR EasyCon Cover 4xM25 SE
19400249944	Han 24HPR EasyCon Cover 2xM32-M40 SE
19400249943	Han 24HPR EasyCon Cover 3xM32 side entry
19400249936	Han 24HPR EasyCon Deckel 2xM32-M40-M10
19400249933	Han 24HPR EasyCon Deckel 2xM25-M32-M10
19400241266YYC	24HPR HSM 1-M50
19400241213YYC	Han 24HPR-HSM-2xM40(h=52)-Screw Lock
19400241213	Han 24HPR-asg2-SV-M40 (h=52)
19400240917	Han 24HPR-asgw-SV-K-M50
19400240650	Han 24HPR-enlarged-TGW-SV-M32
19400240593	Han 24HPR-gg/gs-SV-M50/M40
19400240592	Han 24HPR-gs2/gg2-SV-M32/M40
19400240591	Han 24HPR-gs/gg2-SV-M32/M40
19400240523YYC	Han 24HPR-HSE-M40 Screw Lock -Tag
1940024052356	Han 24HPR-HSE-M40
19400240523	Han 24HPR-HSE-M40 Screw Lock -Tag
19400240518	Han 24HPR-TGS-HB-SV-M40
19400240488	Han 24HPR-gg-ZV-M40 - ZV-Sonderlänge
19400240487YYC	Han 24HPR-HTE2-CL-M32
19400240487	Han 24HPR-gg2-ZV-M32
19400240485	Han 24HPR-gg-ZV-M63
19400240465	Han 24HPR-gg3-SV-M32-M10
19400240464	Han 24HPR-gg3-SV-M25
19400240463	Han 24HPR-gg3-SV-M32-M25
19400240462	Han 24HPR-gg3-SV-M40/2xM16
19400240460	Han 24HPR-gg3-SV-M20
19400240452	Han 24HPR-gg-SV-3xM25-M10
19400240439	Han 24HPR-gg2-SV-M32-M20
1940024043800	Han 24HPR Hood Top Entry 2xM40 Screw loc
19400240436	Han 24HPR-HTE2-SV-M40
19400240435	Han 24HPR-gg2-SV-M40/M10

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
---	---	------------

19400240417	Han 24HPR-gg-SV-M32 (hohe Bauform)
1940024041301	Han 24 HPR Hood Top Entry M32 Screw Lock
1940024041300	Han 24HPR-gg-SV-M40
19400169907	Han 16HPR EasyCon cover M40
1940016127300	Han 16 HPR Base Panel-screw lock. PG 36
19400161265YYC	Han 16HPR-HSM-1xM50-Screw Lock milled
19400161221	Han 16HPR-asg2-SV-M25
19400160523	Han 16HPR-gs-SV-M40-Tag
19400160498	Han 16HPR-GG4-ZV-M25-enlarged
19400160423	Han 16HPR-gg-SV-M40 - weiss
19400101267	Han 10HPR-asg1-SV-K-M32
19400101261	Han 10HPR-ASG1-SV-M25
19400101220	Han 10HPR-asg3-SV-M20
19400100522YYC	Han 10HPR-HSE-M32 Screw Lock -Tag
19400100522	Han 10HPR-HSE-M32 Screw Lock -Tag
1940006126100	Han 6 HPR base panel -screw lock. PG 29
19400060583	Han 6HPR-TGS für ZV-M25
19400060522	Han 6HPR-gs-SV-M32-Tag
19400030412	Han 3HPR-gg-SV-M25 (PH2)
19400030400SP	Han 3HPR-gg-KV-M20 nicht RoHS
19400009953	Han 24HPR-gg-SV-M40 offen
19110013032	Han 1HC350 carrier module male
10407031001	Han 3HPR-TGG-M20 Han Q5/0-Bu-Cat3
10400240005	Han 24HPR EasyCon Set 5
10400240004	Han 24HPR EasyCon Set 4
10110061002	Male side Stadler MT 2
10110061001	Male side Stadler MT 1
09407030901	Han 3 HPR-asw-13,5 RoHS konform
09407030351	Han 3HPR-agg-SV, Pulver sw
09407030331	Han 3HPR-agg-SV, Pulver sw (Ni)
09404240811	Han 24HPR-g-SV
09404240412	Han 24HPR-HTE-SCL-PG21-(RAL1023)
09400340601	V - Deckel HPR 34
09400245413	Han 24 HPR-AK-SV
09400245412	Han 24 HPR-AK-SV (ohne Oesen)

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

0940024541100	Han 24 HPR Cover Screw Locking
09400241231	Han 24 HPR Surface Mounted Hous. Straigh
09400241202	Han 24HPR-asg o. Kabeleing. und Logo
09400240881	Han 24HPR-gg-ZV
09400240801	Han 24HPR Hood w/o Pg-Toggle locking
09400240631	Han 24 HPR-GW
09400240594	Han 24HPR-gs/gg-SV-36/21
0940024051402	Han 24 HPR Hood Side Entry PG 36 Screw L
09400240513XL	Han 24HPR-gs-SV-29
0940024051303	Han 24 HPR Hood Side Entry PG 29 Screw L
09400240504	Han 24 HPR Hood Side Entry PG 36 Toggle
0940024046102	Han 24 HPR Hood Top Entry 3xPG16 Screw L
09400240434	Han 24HPR-gg2-SV-36
0940024041600	Han 24 HPR Hood Top Entry PG 48 Screw lo
09400240413XL	Han 24HPR-gg-SV-29
0940024041303	Han 24 HPR Hood Top Entry PG 29 Screw Lo
0940024041302	Han 24 HPR Hood Top Entry PG 29 Screw Lo
09400240404	Han 24HPR-gg-KV-36
0940024040302	Han 24 HPR Hood Top Entry PG 29 Toggle I
09400240403	Han 24HPR-gg-KV-29
09400240402	Han 24HPR-gg-KV-21
09400161263	Han 16 HPR Base Panel-screw lock. PG 36
09400160514YYC	Han 16HPR HSE-S-Pg36
09400160514	Han 16 HPR Hood Side Entry PG 36 Screw L
09400160504	Han 16HPR-gs-KV-36
09400160503	Han 16HPR-gs-KV-29
09400160502	Han 16 HPR Hood Side Entry PG 21 Toggle
09400160404	Han 16HPR-gg-KV-36
09400160403	Han 16HPR-gg-KV-29
09400160402	Han 16HPR-HTE-Pg 21 Toggle lock
09400160318	Han 16HPR-agg-SV EPDM Dichtung
09400160312	Han 16HPR Base Panel gasket
09400105412	Han 10 HPR-AK-SV (ohne Oesen)
09400101262YYC	Han 10HPR-HSM-Pg29-Screw lock
09400101262	Han 10HPR-HSM-Pg29-Screw lock

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09400100801	Han 10 HPR Hood - toggle locking w/o PG
09400100503	Han 10HPR-gs-KV-29
09400100502	Han 10HPR-gs-KV-21
09400100413YYC	Han 10HPR-gg-SV-29
09400100403	Han 10HPR-gg-KV-29
09400100402	Han 10HPR-gg-KV-21
09400100401	Han 10HPR-gg-KV-16
09400100381YYC	Han 10HPR-agg-ZV
09400100381	Han 10HPR Base Panel for Central Lever
09400060801	Han 6 HPR Hood - toggle locking w/o PG
09400060502	Han 6 HPR-gs-KV-21
09400060501	Han 6HPR-gs-KV-16
09400060414	Han 6HPR-gg-SV-36 f. Han HC-Mod 650A/4kV
09400060402	Han 6HPR-gg-KV-21
09400060401	Han 6HPR Hood Top Entry PG16 Toggle lock
09400060319	Han 6HPR-AGG-ZV-Kappe
09400060318	Han 6HPR-agg ohne Befestigungsflansche
09400035404	Han 3HPR Hood cover,toggle lock,chrome p
09400035403	Han 3HPR-K f. OT-KV-o. Schnur sw-chrom
09400030402SP	Han 3HPR-gg-KV-13,5
09400009988	Han EasyCon Sperrblech
09400009987	Abstandshalter M6 Han 24HPR EasyCon
09400009985	Sperrbolzen M6 (50mm) m. Kappe
09400009984	Sperrbolzen M6 (45mm) m. Kappe
09400009982	Sperrbolzen M6 (50mm)
0940000995401	Mounting Frame Han 24 HPR 10 mm, M4, chr
0940000995400	MONTAGERAHMEN Han 24HPR
09400009943	Han 16HPR-agg Rechteckdichtung
09400009939	Distanzhalter Han 24HPR EasyCon f. HC250
09400009927	Han 24HPR EasyCon Befestigungsbleche
09400005602	Zugentlastungsbügel 100A
09400005601	Zugentlastungsbügel 200A
09110013094	Han 1 HC-TC250 Halteplatte
09110009991	3x-HC350 Traegerplatte
09110009967	Han 4HC-F 350-enlarged PD4

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
---	---	------------

09110009966 Han 4HC-M 350-enlarged PD4 09110009962 Han HC-Trennwand 09110009959 Han 2HC-Halterung PD4 09110009930 Han HC250+PE Halterung-F 09110009910 Schrumpfschlauch 32/8-0-76mm 09110009908 Potentialausgleichskontakt Buchse 09110009907 Potentialausgleichskontakt Buchse 09110009906 Dichtring HC350-Modul-Bu-Steckseite 09110006820 Han TC200 GT Kontaktbuchse 25 mm ² 09110006816 Han TC100 GT Kontaktbuchse 16 mm ² 09110006720 Han TC200 GT Kontaktstift 25 mm ² 09110006716 Han TC100 GT Kontaktstift 16 mm ² 09110006255 Han HC-S-M10-Lamellenkontaktbuchse 350 A 09110006216XL Han TC100 Buchsenkontakt 16mm ² 150VPE 09110006207 Han TC100 Buchsenkontakt 1,5 mm ² 09110006196 Han TC650 male contact 150mm ² 09110006169 Han TC100 Stiftkontakt 16mm ² (d=6,0mm) 09110006159 Han TC70 Stiftkontakt M5 09110006107 Han TC100 Stiftkontakt 1,5 mm ² 09000009910 Schrumpfschlauch 39/13-80qmm 09000005486 Han 24HPR EasyCon-ZV Bügel 09000005485 Lever Han 24HPR-CL
2. Description of Changes/News
In order to optimize our portfolio and focus on relevant products, we will phase out the above mentioned products.
3. Possible Replacement Products
For assistance in alternative solutions, please reach out to our technical support team at techsupportUS@HARTING.com.
4. Scheduled Date of Implementation
1. Last order: 10/01/2024

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)