


SPECIALTY CABLE SPEAKER WIRE

Carolprene jacketed cables used for audio and video



GENERAL INFO

General Cable offers a variety of Gepco® and Carol® Brand wire and cable for audio/video and direct burial applications. From field production cable to microphone, snake, guitar and speaker cable, General Cable supports the increasingly demanding entertainment industry. For extreme hard service, General Cable's rubber microphone cables offer the ultimate in performance and service life. The rubber designs are highly flexible and designed to lie flat on studio floors, as well as provide high impact and abrasion resistance. For outdoor and cold weather applications, microphone cable jacketed with Carolprene® provides the ultimate protection against ozone, oil and ultraviolet radiation. These technically sophisticated cables are required to contain sources of interference and to protect against difficulties where they are unavoidable. In addition to providing the needed electrical characteristics, the cables are properly designed to handle demanding conditions, such as microphone hum, handling noise, crosstalk, electrostatic hum, SCR noise and common ground noise —either on stage, in a studio or at a remote venue. For more information on these cables or for other special applications, please contact your General Cable sales representative.

CONSTRUCTION/DESIGN

Nominal outer diameter [inch]	Conductor strand count	Cable marking	Conductor category	AWG size
		NA		
		CAROL (R) 12 AWG C1363 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	Class 2 = stranded	12
		CAROL (R) 12 AWG C1363 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	Class 2 = stranded	12
		CAROL (R) 14 AWG C1361 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	Class 2 = stranded	14
		CAROL (R) 14 AWG C1361 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	Class 2 = stranded	14
		NA	Class 2 = stranded	16
		NA	Class 2 = stranded	16
		NA	Class 2 = stranded	16
		CAROL (R) 18 AWG C1357 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	Class 2 = stranded	18
		CAROL (R) 18 AWG C1357 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	Class 2 = stranded	18
		CAROL (R) 18 AWG C1357 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	Class 2 = stranded	18
0.172	7/.0152	NA	Class 2 = stranded	18
		CAROL (R) 20AWG C1360 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	Class 2 = stranded	20
		CAROL (R) 20AWG C1360 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	Class 2 = stranded	20
		CAROL (R) 20AWG C1360 - E54567-8 (UL) 120 VOLT P1 SPEAKER WIRE	Class 2 = stranded	20

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
C1364.38.90	12/2C STRANDED SPEAKER WIRE	NA			2	Clear
C1363.15.90M	12/2C STRANDED SPEAKER WIRE	CAROL (R) 12 AWG C1363 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	12	Black/White	2	Clear
C1363.38.90M	12/2C STRANDED SPEAKER WIRE	CAROL (R) 12 AWG C1363 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	12	Black/White	2	Clear
C1363.38.90	12/2C STRANDED SPEAKER WIRE	CAROL (R) 12 AWG C1363 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	12	Black, White	2	Clear
C1361.41.90	14/2C STRANDED SPEAKER WIRE	CAROL (R) 14 AWG C1361 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	14		2	Clear
C1361.38.90	14/2C STRANDED SPEAKER WIRE	CAROL (R) 14 AWG C1361 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	14		2	Clear
C1361.41.90M	14/2C STRANDED SPEAKER WIRE	CAROL (R) 14 AWG C1361 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	14	Black, White	2	Clear
C1361.38.90M	14/2C STRANDED SPEAKER WIRE	CAROL (R) 14 AWG C1361 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	14	Black, White	2	Clear
C1358.18.90M	16/2C STRANDED SPEAKER WIRE	NA	16	NA	2	Clear
C1358.41.90M	16/2C STRANDED SPEAKER WIRE	NA	16	NA	2	Clear

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
C1358.21.01	16/2C STRANDED SPEAKER WIRE	NA	16	Black, White	2	Black
C1358.18.01	16/2C STRANDED SPEAKER WIRE	NA	16	Black, White	2	Black
C1358.41.90	16/2C STRANDED SPEAKER WIRE	NA	16	Black, White	2	Clear
C1358.18.90	16/2C STRANDED SPEAKER WIRE	NA	16	Black, White	2	Clear
C1357.18.90M	18/2C STRANDED SPEAKER WIRE	CAROL (R) 18 AWG C1357 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	18	Black, White	2	Clear
C1357.41.90M	18/2C STRANDED SPEAKER WIRE	CAROL (R) 18 AWG C1357 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	18	Black, White	2	Clear
C1357.41.90	18/2C STRANDED SPEAKER WIRE	CAROL (R) 18 AWG C1357 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	18	Black/White	2	Clear
C1357.18.90	18/2C STRANDED SPEAKER WIRE	CAROL (R) 18 AWG C1357 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	18	Black/White	2	Clear
C1357.41.01	18/2C STRANDED SPEAKER WIRE	CAROL (R) 18 AWG C1357 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	18	Black, White	2	Black
C7102A.41.99	18/2C STRANDED UNSHIELDED AWM 1007	NA	18	Black, White	2	Yellow

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
C1360.21.01	20/2C STRANDED SPEAKER WIRE	CAROL (R) 20AWG C1360 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	20	NA	2	Black
C1360.41.01	20/2C STRANDED SPEAKER WIRE	CAROL (R) 20AWG C1360 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	20	NA	2	Black
C1360.21.02	20/2C STRANDED SPEAKER WIRE	CAROL (R) 20AWG C1360 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	20	Black, White	2	White
C1360.21.10	20/2C STRANDED SPEAKER WIRE	CAROL (R) 20AWG C1360 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	20	Black, White	2	Gray
C1360.21.90	20/2C STRANDED SPEAKER WIRE	CAROL (R) 20AWG C1360 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	20	Black, White	2	Clear
C1360.41.90	20/2C STRANDED SPEAKER WIRE	CAROL (R) 20AWG C1360 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	20	Black, White	2	Clear
C1360.41.90M	20/2C STRANDED SPEAKER WIRE	CAROL (R) 20AWG C1360 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	20	Black, White	2	Clear
C1362.21.90	22/2C STRANDED SPEAKER WIRE	CAROL (R) 22AWG C1362 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	22	Black, White	2	Clear
C1362.18.90	22/2C STRANDED SPEAKER WIRE	CAROL (R) 22AWG C1362 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	22	Black, White	2	Clear
C1362.21.01	22/2C STRANDED SPEAKER WIRE	CAROL (R) 22AWG C1362 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	22	Black, White	2	Black

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
C1362.21.01M	22/2C STRANDED SPEAKER WIRE	CAROL (R) 22AWG C1362 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	22	Black, White	2	Black
C1362.18.90M	22/2C STRANDED SPEAKER WIRE	CAROL (R) 22AWG C1362 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	22	Black, White	2	Clear
C1356.26.02SR	24/2C STRANDED SPEAKER WIRE	CAROL (R) 24AWG C1356 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	24	Black, White	2	White
C1356.21.90M	24/2C STRANDED SPEAKER WIRE	CAROL (R) 24AWG C1356 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	24	NA	2	Clear
C1356.21.01	24/2C STRANDED SPEAKER WIRE	CAROL (R) 24AWG C1356 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	24	Black, White	2	Black
C1356.21.90	24/2C STRANDED SPEAKER WIRE	CAROL (R) 24AWG C1356 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	24	Black, White	2	Clear
C1356.15.90	24/2C STRANDED SPEAKER WIRE	CAROL (R) 24AWG C1356 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	24	Black, White	2	Clear
C1356.21.10	24/2C STRANDED SPEAKER WIRE	CAROL (R) 24AWG C1356 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	24	Black, White	2	Gray
C1356.52.10	24/2C STRANDED SPEAKER WIRE	CAROL (R) 24AWG C1356 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	24	Black, White	2	Gray
C1356.21.01M	24/2C STRANDED SPEAKER WIRE	CAROL (R) 24AWG C1356 - E54567-8 (UL) 120 VOLT SPEAKER WIRE	24	Black, White	2	Black

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
C1364.38.90	12/2C STRANDED SPEAKER WIRE							
C1363.15.90M	12/2C STRANDED SPEAKER WIRE		0.025				0.64	
C1363.38.90M	12/2C STRANDED SPEAKER WIRE		0.025				0.64	
C1363.38.90	12/2C STRANDED SPEAKER WIRE		0.025				0.64	
C1361.41.90	14/2C STRANDED SPEAKER WIRE		0.025				0.64	
C1361.38.90	14/2C STRANDED SPEAKER WIRE		0.025				0.64	
C1361.41.90M	14/2C STRANDED SPEAKER WIRE		0.025				0.64	
C1361.38.90M	14/2C STRANDED SPEAKER WIRE		0.025				0.64	
C1358.18.90M	16/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1358.41.90M	16/2C STRANDED SPEAKER WIRE		0.02				0.51	

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
C1358.21.01	16/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1358.18.01	16/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1358.41.90	16/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1358.18.90	16/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1357.18.90M	18/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1357.41.90M	18/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1357.41.90	18/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1357.18.90	18/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1357.41.01	18/2C STRANDED SPEAKER WIRE		0.02				0.51	
C7102A.41.99	18/2C STRANDED UNSHIELDED AWM 1007		0.02	0.172			0.51	4.36

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
C1360.21.01	20/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1360.41.01	20/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1360.21.02	20/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1360.21.10	20/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1360.21.90	20/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1360.41.90	20/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1360.41.90M	20/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1362.21.90	22/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1362.18.90	22/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1362.21.01	22/2C STRANDED SPEAKER WIRE		0.02				0.51	

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
C1362.21.01M	22/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1362.18.90M	22/2C STRANDED SPEAKER WIRE		0.02				0.51	
C1356.26.02SR	24/2C STRANDED SPEAKER WIRE		0.016				0.41	
C1356.21.90M	24/2C STRANDED SPEAKER WIRE		0.016				0.41	
C1356.21.01	24/2C STRANDED SPEAKER WIRE		0.016				0.41	
C1356.21.90	24/2C STRANDED SPEAKER WIRE		0.016				0.41	
C1356.15.90	24/2C STRANDED SPEAKER WIRE		0.016				0.41	
C1356.21.10	24/2C STRANDED SPEAKER WIRE		0.016				0.41	
C1356.52.10	24/2C STRANDED SPEAKER WIRE		0.016				0.41	
C1356.21.01M	24/2C STRANDED SPEAKER WIRE		0.016				0.41	

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	C1364.38.90	12/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	1	LBS
	C1363.15.90M	12/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	7	LBS
	C1363.38.90M	12/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	14	LBS
	C1363.38.90	12/2C STRANDED SPEAKER WIRE	US	Distribution products	MTS	1	LBS
	C1361.41.90	14/2C STRANDED SPEAKER WIRE	US	Distribution products	MTS	1	LBS
	C1361.38.90	14/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	1	LBS
	C1361.41.90M	14/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	19	LBS
	C1361.38.90M	14/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	29	LBS
	C1358.18.90M	16/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	7	LBS
	C1358.41.90M	16/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	38	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	C1358.21.01	16/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	24	LBS
	C1358.18.01	16/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	12	LBS
	C1358.41.90	16/2C STRANDED SPEAKER WIRE	US	Distribution products	MTS	23	LBS
	C1358.18.90	16/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	11	LBS
	C1357.18.90M	18/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	5	LBS
	C1357.41.90M	18/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	263	LBS
	C1357.41.90	18/2C STRANDED SPEAKER WIRE	US	Distribution products	MTS	18	LBS
	C1357.18.90	18/2C STRANDED SPEAKER WIRE	US	Distribution products	MTS	8	LBS
	C1357.41.01	18/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	19	LBS
	C7102A.41.99	18/2C STRANDED UNSHIELDED AWM 1007	US	Distribution products	MTO	18	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	C1360.21.01	20/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	13	LBS
	C1360.41.01	20/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	13	LBS
	C1360.21.02	20/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	13	LBS
	C1360.21.10	20/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	13	LBS
	C1360.21.90	20/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	12	LBS
	C1360.41.90	20/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	13	LBS
	C1360.41.90M	20/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	20	LBS
	C1362.21.90	22/2C STRANDED SPEAKER WIRE	US	Distribution products	MTS	8	LBS
	C1362.18.90	22/2C STRANDED SPEAKER WIRE	US	Distribution products	MTS	4	LBS
	C1362.21.01	22/2C STRANDED SPEAKER WIRE	US	Distribution products	MTS	8	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	C1362.21.01M	22/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	2	LBS
	C1362.18.90M	22/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	5	LBS
	C1356.26.02SR	24/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	27	LBS
	C1356.21.90M	24/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	8	LBS
	C1356.21.01	24/2C STRANDED SPEAKER WIRE	US	Distribution products	MTS	5	LBS
	C1356.21.90	24/2C STRANDED SPEAKER WIRE	US	Distribution products	MTS	5	LBS
	C1356.15.90	24/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	2	LBS
	C1356.21.10	24/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	5	LBS
	C1356.52.10	24/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	17	LBS
	C1356.21.01M	24/2C STRANDED SPEAKER WIRE	US	Distribution products	MTO	5	LBS

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
C1364.38.90	12/2C STRANDED SPEAKER WIRE	FOOT	12	12	12	500 FT Reel
C1363.15.90M	12/2C STRANDED SPEAKER WIRE	FOOT	14	8	11	250 FT Spool
C1363.38.90M	12/2C STRANDED SPEAKER WIRE	FOOT	12	12	12	500 FT Reel
C1363.38.90	12/2C STRANDED SPEAKER WIRE	FOOT	12	12	6	500 FT Reel
C1361.41.90	14/2C STRANDED SPEAKER WIRE	FOOT	12	12	8	1000 FT Reel
C1361.38.90	14/2C STRANDED SPEAKER WIRE	FOOT	0	0	0	500 FT Reel
C1361.41.90M	14/2C STRANDED SPEAKER WIRE	FOOT	12	12	7	1000 FT Reel
C1361.38.90M	14/2C STRANDED SPEAKER WIRE	FOOT	22	20	1	500 FT Reel
C1358.18.90M	16/2C STRANDED SPEAKER WIRE	FOOT	14	7	10	500 FT Spool
C1358.41.90M	16/2C STRANDED SPEAKER WIRE	FOOT	22	20	1	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
C1358.21.01	16/2C STRANDED SPEAKER WIRE	FOOT	11	11	7	1000 FT Spool
C1358.18.01	16/2C STRANDED SPEAKER WIRE	FOOT	13	7	10	500 FT Spool
C1358.41.90	16/2C STRANDED SPEAKER WIRE	FOOT	11	11	7	1000 FT Reel
C1358.18.90	16/2C STRANDED SPEAKER WIRE	FOOT	13	7	10	500 FT Spool
C1357.18.90M	18/2C STRANDED SPEAKER WIRE	FOOT	7	7	12	500 FT Spool
C1357.41.90M	18/2C STRANDED SPEAKER WIRE	FOOT	22	20	1	1000 FT Reel
C1357.41.90	18/2C STRANDED SPEAKER WIRE	FOOT	9	9	6	1000 FT Reel
C1357.18.90	18/2C STRANDED SPEAKER WIRE	FOOT	14	7	7	500 FT Spool
C1357.41.01	18/2C STRANDED SPEAKER WIRE	FOOT	9	9	10	1000 FT Reel
C7102A.41.99	18/2C STRANDED UNSHIELDED AWM 1007	FOOT	12	12	6	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
C1360.21.01	20/2C STRANDED SPEAKER WIRE	FOOT	11	11	11	1000 FT Spool
C1360.41.01	20/2C STRANDED SPEAKER WIRE	FOOT	9	9	6	1000 FT Reel
C1360.21.02	20/2C STRANDED SPEAKER WIRE	FOOT	11	11	11	1000 FT Spool
C1360.21.10	20/2C STRANDED SPEAKER WIRE	FOOT	11	11	12	1000 FT Spool
C1360.21.90	20/2C STRANDED SPEAKER WIRE	FOOT	11	11	11	1000 FT Spool
C1360.41.90	20/2C STRANDED SPEAKER WIRE	FOOT	9	9	6	1000 FT Reel
C1360.41.90M	20/2C STRANDED SPEAKER WIRE	FOOT	11	11	11	1000 FT Reel
C1362.21.90	22/2C STRANDED SPEAKER WIRE	FOOT	7	7	7	1000 FT Spool
C1362.18.90	22/2C STRANDED SPEAKER WIRE	FOOT	14	7	5	500 FT Spool
C1362.21.01	22/2C STRANDED SPEAKER WIRE	FOOT	7	7	7	1000 FT Spool

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
C1362.21.01M	22/2C STRANDED SPEAKER WIRE	FOOT	7	8	7	1000 FT Spool
C1362.18.90M	22/2C STRANDED SPEAKER WIRE	FOOT	22	20	1	500 FT Spool
C1356.26.02SR	24/2C STRANDED SPEAKER WIRE	FOOT	0	0	0	5000 FT Spool
C1356.21.90M	24/2C STRANDED SPEAKER WIRE	FOOT	7	7	5	1000 FT Spool
C1356.21.01	24/2C STRANDED SPEAKER WIRE	FOOT	14	7	5	1000 FT Spool
C1356.21.90	24/2C STRANDED SPEAKER WIRE	FOOT	14	7	5	1000 FT Spool
C1356.15.90	24/2C STRANDED SPEAKER WIRE	FOOT	11	11	7	250 FT Spool
C1356.21.10	24/2C STRANDED SPEAKER WIRE	FOOT	7	7	11	1000 FT Spool
C1356.52.10	24/2C STRANDED SPEAKER WIRE	FOOT	11	11	9	3000 FT Reel
C1356.21.01M	24/2C STRANDED SPEAKER WIRE	FOOT	7	7	12	1000 FT Spool