

Phoenix Contact Inc. P.O. BOX 4100 Harrisburg, PA 17111-0100 Phone: 717-944-1300

Product Change Notification

PCN-ICC-9541-2024

Business Unit	Product Line Code	Type of Change	Action	Date of Issue
ICC - Industrial	BE2	Product Change	Notify Distributors and	2/15/2024
Cabinet		Notification	Field	

The following Phoenix Contact products have been modified. Existing specifications will be met or exceeded. Please review and acknowledge this document and inform your personnel as needed.

Description for Product Change Notification

The PT 2.5, TWIN, and QUATTRO PE ground terminals (see product list) will be completely converted to the NEW design. There are no restrictions for

accessories such as FBS bridges, covers, test adapters, or marking. The PE terminal blocks can also be used without restrictions with the feed-through terminal blocks old and new design.

Can existing stock still be used? Ye	es
Is mixture of stock acceptable?	0

Transaction Dates	
Date modification goes into effect from Germany:	6/1/2024
Expected first shipment (from Phoenix Contact) of the modified products(s):	6/1/2024



Phoenix Contact Inc. P.O. BOX 4100 Harrisburg, PA 17111-0100 Phone: 717-944-1300


Product Change Notification





Phoenix Contact Inc.
P.O. BOX 4100
Harrisburg, PA 17111-0100
Phone: 717-944-1300

Product Change Notification



Should you have any issues with the timeline or content of this product change, please contact Phoenix Contact using the information below. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN; provided, however, that the failure to acknowledge receipt does not affect the product change or the effective date thereof.

Contact Info:

Chance Atkins catkins@phoenixcontact.com

Thank you,

Cory Myer

Associate Product Marketing Manager ICC



INSPIRING INNOVATIONS

Phoenix Contact Inc.
P.O. BOX 4100
Harrisburg, PA 17111-0100
Phone: 717-944-1300

Product Change Notification

Part #	Type Description
3209536	PT 2,5-PE
3209565	PT 2,5-TWIN-PE
3209594	PT 2,5-QUATTRO-PE