

FIG. 6 BOTTOMSIDE (FOOTPRINT FOR 2 ROW x 4 POSITION SHOWN) (SAME AS FIG. 1, EXCEPT AS SHOWN) (ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE)

F:\DWG\MISC\Mktg\Footprnt\IJ5-XX-XX.X-X-X-FOOTPRINT.SLDDRW

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMITEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMITEC, INC.




SHEET 3 OF 4

REVISION B


RECOMMENDED STENCIL LAYOUT FOR IJ5-XX-05.0-X-X-X-FOOTPRINT


NOTES:

 STENCIL TO BE .0050[.127] THICK.
 TO ACHIEVE THE DESIRED SOLDER FILLET VOLUME, SOLDER PASTE WILL BE REQUIRED TO BE PRINTED ON. THE TOP (PRIMARY) AND BOTTOM (SECONDARY) SIDES.



DETAIL 'D' SCALE 12 : 1





TOP SIDE (STENCIL FOR 2 ROW x 4 POSITION SHOWN)
(SAME AS FIG.1, EXCEPT AS SHOWN)
(ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE)




FIG. 8 BOTTOM SIDE (STENCIL FOR 2 ROW x 4 POSITION SHOWN)
(SAME AS FIG.1, EXCEPT AS SHOWN)
(ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE)

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com

code: 55322 -sheet 4 of 4 ^J