
REVISION A

RECOMMENDED PCB LAYOUT FOR PEC-XX-XX-X-S-XX



Ī	TABLE 1			
	POSITION	"A"	"B"	
Ī	-03	.200	.380	
	-07	.600	.780	
	-10	.900	1.080	

FIGURE 1 SURFACE MOUNT -10 POSITION ALIGNMENT PIN OPTION SHOWN

ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.




FIGURE 2 SURFACE MOUNT -10 POSITION LOCKING CLIP OPTION SHOWN (SAME AS FIGURE 1 EXCEPT WHERE SHOWN)



PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED SAMIEC, INC. AND SHALL NOT BE REPRODUCE OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812.944.6733 FAX: 812.948.5047 e-Mail: <u>INFO@SAMTEC.COM</u> CODE:

CODE: 55322

NOTE: STENCIL TO BE .0060[.152] THICK.

TAB	TABLE 2		
POSITION	"A"		
-03	.200		
-07	.600		
-10	.900		




FIGURE 3 -10 POSITION SHOWN

ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.



PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION I'MS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812.944.6733 FAX: 812.948.5047 e-Mail: <u>INFO@SAMTEC.COM</u> CODE:

RECOMMENDED PCB LAYOUT FOR PEC-XX-XX-X-S-XX




TABLE 3			
POSITION	"A"	"B"	
-03	.200	.380	
-07	.600	.780	
-10	.900	1.080	

FIGURE 4

THRU HOLE -10 POSITION ALIGNMENT PIN OPTION SHOWN




FIGURE 5

THRU HOLE -10 POSITION LOCKING CLIP OPTION SHOWN (SAME AS FIGURE 4 EXCEPT WHERE SHOWN)



PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812.944.6733 FAX: 812.948.5047 e-Mail: INFO@SAMTEC.COM CODE:

CODE: 55322

REVISION A

RECOMMENDED MATING CARD LAYOUT FOR PEC-XX-XX-X-S-XX

NOTE:
PADS TO BE TIN PLATED.
ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.






FIGURE 6 -03 POSITION MATING CARD SHOWN (SAME AS FIGURE 5 WITHOUT POLARIZATION SLOT)

	TABLE 4				
POSITION	"A"	"B"	"C"		
-03	.440	.200	N/A		
-07	.840	.600	.370		
-10	1.140	.900	.470		



PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED SAMIEC, INC. AND SHAEL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812.944.6733 FAX: 812.948.5047 e-Mail: <u>INFO@SAMTEC.COM</u> CODE:

CODE: 55322