

27117.3  
PAP 16/4A OG

---

End plate, Width: 1.5 mm, Colour: Orange

**Business data**

---

|                     |           |
|---------------------|-----------|
| Packaging unit      | 20        |
| Quantity unit       | PC        |
| Unit of weight      | G         |
| Customs number      | 85389099  |
| Country of origin   | DE        |
| Prio-Article        | 27117.6   |
| Product description | End plate |

---

---

### Technical data

---

#### Dimensions

---

|        |         |
|--------|---------|
| Length | 123 mm  |
| Width  | 1.5 mm  |
| Height | 41.5 mm |

#### Materials

---

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-0           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 120 °C        |

#### Print

---

|        |        |
|--------|--------|
| Colour | Orange |
|--------|--------|


#### Environmental Product Compliance

---

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2022-01-17 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

### Accessories


#### Terminal blocks



Protective earth terminal, Push-in connection,  
Mounting type: Mounting rail TS 35/7.5,  
Rated cross-section: 16 mm<sup>2</sup>, Width: 12.1  
mm, Colour: Green-yellow

#### General order data

| Product number: | Article name   | GTIN (EAN)    | Packaging unit |
|-----------------|----------------|---------------|----------------|
| 27035.2         | PSL 16/4A GNYE | 4044211224240 | 50 ST          |



Feed-through terminal, Push-in connection,  
Mounting type: Mounting rail TS 35/7.5,  
Rated cross-section: 16 mm<sup>2</sup>, Width: 12.1  
mm, Colour: Grey

#### General order data

| Product number: | Article name | GTIN (EAN)    | Packaging unit |
|-----------------|--------------|---------------|----------------|
| 27034.6         | PRK 16/4A GR | 4044211224233 | 50             |