RECOMMENDED PCB LAYOUT FOR GRFX-J-P-XX-XX-XX-XX-FOOTPRINT

12/14/2016 ECN-291253

DESIGNED & DIMENSIONED IN MILLIMETERS[INCHES]

SERIES

GRF1: GRF 50 OHM CONNECTORS
GRF7: GRF 75 OHM CONNECTORS
(SEE TABLE 1)

OPTION
BLANK: WITHOUT THREADED INSERTS
-E: WITH THREADED INSERTS
(SEE TABLE 2)




TABLE 1							
SERIES	"A"	"B"	"C"				
-GRF1	2.54 [0.100]	1.27 [0.050]	0.84 [0.033]				
-GRF7	3.00 [0.118]	1.50 [0.059]	0.50 [0.020]				

FOOTPRINT FOR GRFX-J-P-04-XX-ST-TH1-X SHOWN

TABLE 2								
OPTION	"D"	"E"	"F"	"G"	"H"	"J"		
BLANK	(NO OF POSITION) X 5.00[.197]	N/A	N/A	N/A	N/A	N/A		
-E	(NO OF POSITION) X 5.00[.197] +12.1[.476]	(NO OF POSITION) X 5.00[.197] +7.20[.283]	1.93 [0.076]	0.84 [0.033]	2.54 [0.100]	1.27 [0.050]		

D

NOTES:

1. CONNECTOR ENVELOPE DIMENSIONS. OTHER COMPONENTS PLACED ON

PCB SHALL AVOID THIS ZONE.

2. ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.

* PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND
PROPRIETARY INFORMATION AND ALL DESIGN,
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS
AND SALES RIGHTS ARE EXPRESS VERSIVED BY SAMMEC,
INC. THIS DOCUMENT SHALL NOT BE DISCLOSE, IN WHOLE
OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR
REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY
THER PROJECT IN ANY MANIFER WITHOUT THE EXPRESS



REVISION D RECOMMENDED STENCIL LAYOUT FOR GRFX-J-P-XX-XX-XX-XX-X-FOOTPRINT

DESIGNED & DIMENSIONED IN MILLIMETERS[INCHES]

SERIES

GRF1: GRF 50 OHM CONNECTORS
(SEE TABLE 1, SHT 1)

OPTION
BLANK: WITHOUT THREADED INSERTS
-E: WITH THREADED INSERTS
(SEE TABLE 2, SHT 1 & TABLE 3)

NOTE:

1. STENCIL THICKNESS TO BE 0.15[.006].




FIG 6

STENCIL FOR GRF1-J-P-04-XX-ST-TH1-X SHOWN
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG. 1)

TABLE 3					
OPTION	"K"	"L"	"M"		
BLANK	N/A	N/A	N/A		
-E	1.50 [0.059]	(NO OF POSITION) x 5.00[.197] + 14.74[.580]	7.37 [0.290]		

PROPRIETARY NOTE

THIS DOCUMENT CONTINE CONFIDENTIAL AND
PROPRIETARY INFORMATION AND ALL DESIGN,
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS
AND SALES RIGHTS ARE EXPRESS VERSEAVED BY SAMTEC,
INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE
OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR
REPRODUCED, TRANSFERRE OR INCORPORATE DIN ANY
OTHER PROJECT IN ANY MANIFER WITHOUT THE EXPRESS



REVISION D RECOMMENDED STENCIL LAYOUT FOR GRFX-J-P-XX-XX-XX-XX-X-FOOTPRINT

DESIGNED & DIMENSIONED IN MILLIMETERS[INCHES]

GRF7: GRF 75 OHM CONNECTORS (SEE TABLE 1, SHT 1)

- <u>OPTION</u>
BLANK: WITHOUT THREADED INSERTS
-E: WITH THREADED INSERTS
(SEE TABLE 4)

NOTE:

1. STENCIL THICKNESS TO BE 0.15[.006].




FIG 7


STENCIL FOR GRF7-J-P-04-XX-ST-TH1-X SHOWN (DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)

TABLE 4				
OPTION	"N"	"P"		
BLANK	N/A	N/A		
-E	(NO OF POSITION) x 5.00[.197] + 12.2[.480]	6.10 [0.240]		

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONPENTIAL AND
PROPRIETARY NORMATION AND ALL DESIGN,
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS
AND SALES RIGHTS ARE DEPRESSAY RESERVED BY SAMITE,
INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE
OF PART, TO ANY UNAUTHORIZED PERSON DE REITTY NOR
REPRODUCED, TRANSFERRED OR INCORPORATE IN ANY
OTHER PROJECT IN ANY MANNERS WITHOUT THE SEWREST.





RECOMMENDED STENCIL LAYOUT FOR GRFX-J-P-XX-XX-XX-XXX-X-FOOTPRINT

SERIES GRF7: GRF 75 OHM CONNECTORS (SEE TABLE 1, SHT 1) OPTION
BLANK: WITHOUT THREADED INSERTS
-E: WITH THREADED INSERTS
(SEE TABLE 2, SHT 1)

NOTE:

1. STENCIL THICKNESS TO BE 0.15[.006].




FIG 3 STENCIL FOR GRF7-J-P-04-XX-ST-MT1 SHOWN (SEE NOTE 1, SHT 3)

ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.

RECOMMENDED PCB LAYOUT FOR GRFX-J-P-XX-XX-XX-XX-FOOTPRINT

SERIES

GRF7: GRF 75 OHM CONNECTORS (SEE TABLE 1, SHT 1)

OPTION
BLANK: WITHOUT THREADED INSERTS
-E: WITH THREADED INSERTS
(SEE TABLE 2, SHT1)




FIG 4
FOOTPRINT FOR GRF7-J-P-04-XX-ST-SM1 SHOWN D
(SAME AS FIG 1 EXCEPT AS NOTED)

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCOMPORATED IN ANY WANDLES WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.




RECOMMENDED STENCIL LAYOUT FOR GRFX-J-P-XX-XX-XX-XX-FOOTPRINT

SERIES GRF7: GRF 75 OHM CONNECTORS (SEE TABLE 1, SHT 1)

-<u>OPTION</u> BLANK: WITHOUT THREADED INSERTS -E: WITH THREADED INSERTS (SEE TABLE 2, SHT 1)

NOTE:

1. STENCIL THICKNESS TO BE 0.15[.006].



ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.

THIS DECUMENT CONTRING CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN. MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE DORRESSY MESSENDE SI SAME OF MANUFACTURING, THE DECUMENT SHALL NOT BE DECLOSED, IN WHICH OF PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED ON INCOMPORTATION ANY OTHER PROJECT IN ANY MANURE WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

