


PIN STYLE	PRODUCT DEFINITION			
	POS	MATING SIDE ±0.2	SOLDER SIDE ±0.25	("OAL") REF
13				
14				
15				
16				
17	2X17	5.72	3.42	10.8
18	2X10	5.72	2.54	10.8
19	2X17	5.72	2.54	10.8
20				
21	2X36	5.72	2.54	10.8
22	2X08	5.72	2.54	10.8
23	2X05	5.72	2.54	10.8
24	2X03	5.72	2.54	10.8
25	2X03	5.72	2.54	10.8
26	2X03	5.72	2.54	10.8




mat'l. code				surface ☒ ISO 1302 ☒ ISO 406 ☒ ISO 1101		tolerance		projection		product family			
litr ecn no dr date				tolerances unless otherwise specified		angles		mm		title			
AB F40235 JMC 94.02.25				linear				scale 1:1		HEADER,STR,DR			
AC F30323 JMC 95.02.27										POL DUPLEX 2.54mm			
AD F10707 LMU 01.12.03										dwg no			
AE F20197 LMU 02.04.16				dr		G LEOTY		91.11.13		sheet 3 of -			
AF F06-0196 LMU 06.06.20				engr		PHAMVAN JM		95.02.27		size			
				chr		COMPAGNON J		95.02.27		77314			
				appd		JMP		95.02.27		type			
sheet index		revision sheet								CUSTOMER Drawing			



FCIconnect.com

Copyright FCI

PIN STYLE	PRODUCT DEFINITION			
	POS	MATING SIDE ±0.2	SOLDER SIDE ±0.25	("OAL") REF
27	2X05	5.72	2.54	10.8
28	2X05	5.72	2.54	10.8
29	2X04	12.7	5.72	20.96
30	2X18	12.7	5.72	20.96
31	2X12	12.7	5.72	20.96
32	2X08	12.7	5.72	20.96
33	2X10	12.7	5.72	20.96
34	2X24	12.7	5.72	20.96
35	2X14	12.7	5.72	20.96
36	2X14	12.7	5.72	20.96
37	2X36	12.7	5.72	20.96
38	2X16	12.7	5.72	20.96
39	2X36	12.7	5.72	20.96
40	2X06	12.7	5.72	20.96




mat'l. code				surface ISO 1302	tolerance ISO 406 ISO 1101	projection 	product family BERGSTIK		
ltr	ecn no	dr	date	tolerances unless otherwise specified			title HEADER,STR,DR POL DUPLEX 2.54mm		
AB	F40235	JMC	94.02.25	angles	linear	mm	dwg no 77314		
AC	F30323	JMC	95.02.27			scale 1:1			
AD	F10707	LMU	01.12.03				type CUSTOMER		
AE	F20197	LMU	02.04.16	dr	G LEOTY	91.11.13			
AF	F06-0196	LMU	06.06.20	engr	PHAMVAN JM	95.02.27	size A3		
				chr	COMPAGNON J	95.02.27			
				appd	JMP	95.02.27	Drawing		
sheet index	revision sheet								



FCIconnect.com

Copyright FCI

PIN STYLE	PRODUCT DEFINITION			
	POS	MATING SIDE ±0.2	SOLDER SIDE ±0.25	("OAL") REF
41	2X20	12.7	5.72	20.96
42	2X36	12.7	5.72	20.96
43	2X36	12.7	5.72	20.96
44	2X18	12.7	5.72	20.96
45	2X22	12.7	5.72	20.96
46	2X20	12.7	5.72	20.96
47	2X36	12.7	5.72	20.96
48	2X16	12.7	5.72	20.96
49	2X28	12.7	5.72	20.96
50	2X05	5.72	2.54	10.8
51	2X29	5.84	3.42	11.8
52	2X25	5.72	2.54	10.8
53	2X25	12.83	3.03	18.4
54	2X03	5.84	3.42	11.8




mat'l. code				surface ISO 1302	tolerance ISO 406 ISO 1101	projection 	product family BERGSTIK			
ltr	ecn no	dr	date	tolerances unless otherwise specified		mm 	title HEADER,STR,DR POL DUPLEX 2.54mm			
AB	F40235	JMC	94.02.25	angles	linear					
AC	F30323	JMC	95.02.27			scale 1:1	dwg no 77314			
AD	F10707	LMU	01.12.03							
AE	F20197	LMU	02.04.16	dr	G LEOTY	91.11.13	sheet 5 of - size A3			
AF	F06-0196	LMU	06.06.20	engr	PHAMVAN JM	95.02.27				
				chr	COMPAGNON J	95.02.27	type CUSTOMER			
				appd	JMP	95.02.27				
sheet index		revision sheet								



FCIconnect.com


Copyright FCI

PIN STYLE	PRODUCT DEFINITION			
	POS	MATING SIDE ±0.2	SOLDER SIDE ±0.25	("OAL") REF
55	2X05	5.84	3.42	11.8
56	2X06	5.84	3.42	11.8
57	2X08	5.84	3.42	11.8
58	2X09	5.84	3.42	11.8
59	2X13	5.84	3.42	11.8
60	2X05	5.84	3.42	11.8
61	2X04	5.72	2.54	10.8
62	2X20	5.72	2.54	10.8
63	2X06	5.72	2.54	10.8
64	2X04	5.84	3.42	11.8
65	2X06	5.72	2.72	10.8
66	2X13	5.84	3.12	11.5
67	2X05	5.72	2.54	10.8
68	2X13	5.84	3.42	11.8



mat'l. code				surface ISO 1302	tolerance ISO 406 ISO 1101	projection 	product family BERGSTIK			
ltr	ecn no	dr	date	tolerances unless otherwise specified			title HEADER,STR,DR POL DUPLEX 2.54mm			
AB	F40235	JMC	94.02.25	angles	linear					
AC	F30323	JMC	95.02.27			mm	scale 1:1			
AD	F70430	JMC	97.06.02							
AE	F00100	LMU	00.01.11	dr	G LEOTY	91.11.13				
AF	F10707	LMU	01.12.03	engr	PHAMVAN JM	95.02.27				
AG	F20197	LMU	02.04.16	chr	COMPAGNON J	95.02.27				
AH	F06-0196	LMU	06.06.20	appd	JMP	95.02.27				
sheet	revision						dwg no 77314			
index	sheet									
							sheet 6 of - size A3			
							type CUSTOMER Drawing			

PIN STYLE	PRODUCT DEFINITION			
	POS	MATING SIDE ±0.2	SOLDER SIDE ±0.25	("OAL") REF
69	2X04	5.72	2.54	10.8
70	2X05	5.72	2.54	10.8
71	2X20	5.72	3.05	11.3
72	2X17	5.72	3.05	11.3
73	2X10	5.72	3.05	11.3
74	2X13	5.72	3.05	11.3
75	2X20	5.72	3.05	11.3
76	2X20	5.72	3.05	11.3
77	2X17	5.72	3.05	11.3
78	2X15	5.84	3.42	11.8
79				
80				
81				
82				
83				
84	2X05	5.72	3.05	11.3




mat'l. code				surface ☒ ISO 1302 ☒ ISO 406 ☒ ISO 1101		tolerance		projection		product family BERGSTIK			
ltr	ecn no	dr	date	tolerances unless otherwise specified						title			
AJ	F06-0196	LMU	06.06.20	angles	linear					HEADER,STR,DR			
AD	F50246	JMC	95.04.03					scale 1:1		POL DUPLEX 2.54mm			
AE	F50625	JMC	95.08.26	dr	G LEOTY	91.11.13				dwg no		sheet 7 of -	size
AF	F50916	JMC	95.12.05	engr	COMPAGNON J	95.12.05				77314		A3	
AG	F10707	LMU	01.12.03	chr									
AH	F20197	LMU	02.04.16	appd	JMC	95.12.05							
sheet index	revision sheet									type CUSTOMER		Drawing	



FCIconnect.com

Copyright FCI

PIN STYLE	PRODUCT DEFINITION			
	POS	MATING SIDE ±0.2	SOLDER SIDE ±0.25	("OAL") REF
85	2X20	5.72	2.54	10.8
86	2X11	5.72	2.54	10.8
87	2X18	5.72	3.05	11.3
88	2X07	5.72	3.05	11.3
89	2X08	5.72	3.05	11.3
90	2X17	6.6	2.66	11.82
91	2X20	6.75	2.90	12.2
92	2X08	5.72	3.05	11.3
93	2X10	5.72	2.54	10.8
94	2X08	5.84	3.05	11.5
95	2X06	5.70	2.93	11.17
96	2X08	8.06	3.00	13.60
97	2X09	5.84	3.05	11.50
98	2X09	5.84	3.05	11.50
99	2X05	15.36	3.05	20.95
AA	2X05	5.90	2.36	10.80
AB	2X03	9.20	3.05	14.80
AC	2X03	9.20	3.05	14.80




mat'l. code		surface ISO 1302		tolerance ISO 406 ISO 1101		projection mm		product family BERGSTIK	
ltr		ecn no		date		tolerances unless otherwise specified		title	
R		F20197		LMU 02.04.16		angles		HEADER,STR,DR	
S		F03-0298		LMU 03.10.28		linear		POL DUPLEX 2.54mm	
T		F04-0137		LMU 04.02.12		scale N/A		dwg no	
U		F06-0117		LMU 06.01.30		dr		sheet 8 of	
V		F06-0196		LMU 06.06.20		engr		size	
W		F09-0218		LMU 09.11.16		chr		A3	
						appd JMC		96.08.28	
sheet index		revision sheet						type CUSTOMER Drawing	



FCIconnect.com


Copyright FCI

PIN STYLE	PRODUCT DEFINITION			
	POS	MATING SIDE ±0.2	SOLDER SIDE ±0.25	("OAL") REF
AD	2X25	7.75	3.05	13.35
AE	2X07	5.72	3.05	11.30
AF	2X14	5.84	2.41	10.80
AG	2X18	5.72	3.05	11.30
AH	2X06	6.75	2.90	12.20
AJ	2X08	5.84	3.42	11.80
AK	2X18	7.00	3.05	12.59
AL	2X12	5.84	3.05	11.43
AM	2X05	5.84	3.05	11.43
AN	2X10	10.95	3.05	16.55
AP	2X10	10.95	3.05	16.55
AR	2X10	10.95	3.05	16.55
AS	2X05	5.84	3.05	11.43
AT	2X06	15.76	3.50	21.80
AU	2X08	15.76	3.50	21.80
AV	2X08	11.76	3.50	17.80
AW	2X27	3.35	2.71	8.60



PIN STYLE	PRODUCT DEFINITION			
	POS	MATING SIDE ±0.2	SOLDER SIDE ±0.25	("OAL") REF
AX	2X03	5.84	3.05	11.43
AY	2X05	5.86	2.00	10.40
BA	2X06	6.00	2.95	11.50
BB	2X05	7.70	3.00	13.24
BC	2X05	7.70	3.00	13.24
BD	2X10	7.70	3.00	13.24
BE	2X03	7.70	3.00	13.24
BF	2X16	3.91	3.05	9.50
BG	2X04	8.40	2.30	13.24
BH	2X11	5.96	3.00	11.50
BJ	2X05	5.72	3.05	11.30

VIEW OF MISSING PINS POSITION FROM BOTTOM VIEW									
1 2 3 B A									
1	5	10	15	20	25	30	35		



- NOTES:
- 1 - PART NUMBER 77314--YXX
 - 2 - PINS "A" AND "B" USED FOR RETENTION.
 - 3 - DIRECTION OF RETENTION SHOWN BY ARROWS.
 - 4 - KINKED LEGS LOCATION CAN BE MOVED IF A PIN IS MISSING.
 - 5 - RETENTION VERSION ONLY AVAILABLE WHEN DIM "B" IS BETWEEN 3 AND 3.5mm.
 - 6 - 2 AND 3 POSN KINKED HEADER ARE NOT AVAILABLE.

mat'l. code				surface ISO 1302	tolerance ISO 406 ISO 1101	projection mm	product family BERGSTIK
ltr ecn no dr date				tolerances unless otherwise specified			title
A	F-40013	DDE	23.01.23	angles	Linear		HEADER,STR,DR
B	F-47772	DDE	23.03.15				POL DUPLEX 2.54mm
C	F-50714	DDE	24.02.09			scale N/A	
D	F-51166	LMU	24.04.05	dr	L.MULIN	10.04.30	dwg no
				enr	JMC	10.04.30	sheet 10 of
				chr			size
				appd	JMC	10.04.30	A3
sheet index	revision sheet						type
							CUSTOMER Drawing