






spec ref -				dr Andrew Yong 2010/10/22				size A3		scale 10:1					
tolerance std ISO 406 ISO 1101 TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Yuan-Yuan Bao 2021/02/02				ecn no ELX-N-39769-1							
				chr - -											
appr Tim Yao 2021/02/03				product family MINITEK				rel level Released							
 ISO 1302		linear		0.X	± -	Amphenol FCI title MNITEK 11 SMT STR HEADER WITH LOC				dwg no 91753				rev AJ	
				0.XX	±0.25										
				0.XXX	± -										
ISO 1302		angular		0°	± -°	www.fci.com		cat. no. -		Product - Customer Drw				sheet 1 of 3	

A	1			2			3		4	
	PRODUCT NO.	POS	DIM X	DIM Y	DIM Z	DIM H	DIM W	POL. POS	PLATING	MAT'L
	91753-001	2X22	42	44	40	4.0	2.0	-	0.76µm MIN GXT	SEE NOTE ①
	-002	2X11	20	22	18	2.7	2.0	-	0.38µm MIN Au	▲
	-003	2X12	22	24	20	4.0	2.4	-	0.76µm MIN GXT	
	-004	2X14	26	28	24	4.0	2.0	-	0.76µm MIN GXT	
	-005	2X14	26	28	24	5.0	2.0	-	0.76µm MIN GXT	
	-006	2X7	12	14	10	5.9	2.0	-	0.76µm MIN GXT	
	-007	2X3	4	6	2	4.0	2.0	-	0.76µm MIN GXT	
B	-008	2X22	42	44	40	4.0	2.0	20	0.76µm MIN GXT	
	-009	2X10	18	20	16	4.0	2.0	-	0.38µm MIN GXT	
	-010	2X10	18	20	16	4.5	2.0	-	0.38µm MIN GXT	
	-011	2X8	14	16	12	5.9	2.0	-	0.76µm MIN GXT	
	-012	2X15	28	30	26	5.0	2.0	-	0.76µm MIN GXT	
	-013	2X25	48	50	46	5.0	2.0	-	0.76µm MIN GXT	
	-014	2X16	30	32	28	4.5	2.0	-	0.76µm MIN GXT	
C	-015	2X8	14	16	12	4.0	2.0	-	0.38µm MIN GXT	
	-016	2X15	28	30	26	4.0	2.0	-	0.38µm MIN GXT	
	-017	2X7	12	14	10	4.5	2.0	-	0.76µm MIN GXT	
	-018	2X4	6	8	4	9.4	2.0	-	0.38µm MIN GXT	
	-019	2X4	6	8	4	4.0	2.0	-	CONTACT;0.05um MIN. Au TAIL:2.54um MIN.matte Sn	
	-020	2X11	20	22	18	4.0	2.0	-	CONTACT;0.05um MIN. Au TAIL:2.54um MIN.matte Sn	
	-021	2X7	12	14	10	4.0	2.0	-	CONTACT;0.38um MIN. Au TAIL:2.54um MIN.matte Sn	
D	-022	2X11	20	22	18	4.0	2.0	-	CONTACT;0.38um MIN. Au TAIL:2.54um MIN.matte Sn	
	-023	2X9	16	18	14	4.0	2.0	-	CONTACT;0.38um MIN. Au TAIL:2.54um MIN.matte Sn	
	-024	2X6	10	12	8	4.0	2.0	-	CONTACT;0.38um MIN. GXT TAIL:2.54um MIN.matte Sn	
	-025	2X6	10	12	8	4.0	2.0	-	CONTACT;GOLD FLASH TAIL:2.54um MIN.matte Sn	
	-026	2X5	8	10	6	4.0	2.0	-	CONTACT;GOLD FLASH TAIL:2.54um MIN.matte Sn	▼
	-027	2X10	18	20	16	4.0	2.0	-	CONTACT;GOLD FLASH TAIL:2.54um MIN.matte Sn	SEE NOTE ①

spec ref		-		dr		Andrew Yong		2010/10/22						size		A3		scale		10:1									
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Yuan-Yuan Bao		2021/02/02						ecn no		ELX-N-39769-1													
ISO 406 ISO 1101				chr		-		-						rel level		Released													
				appr		Tim Yao		2021/02/03		product family						MINITEK													
 surface - ISO 1302		linear		0.X		±-		Amphenol FCi		title		MNITEK II SMT STR HEADER WITH LOC						dwg no		91753						rev		AJ	
				0.XX		±0.25																							
				0.XXX		±-																							
		ISO 1302		angular		0°		±-°		www.fci.com		cat. no.		-		Product - Customer Drw						sheet 2 of 3							

A

- R



FIG. 2
NOTE (6)

D