

Cable Assembly Coaxial BNC to BNC
RG-59 36.00" (914.40mm)

RoHS
Compliant

Stock No.: 9202451R0676

FEATURES

- 75Ω impedance
- BNC Plug to BNC Plug
- RG-59




Product Description

Terminated with BNC male straight connector to BNC male straight connector for a durable, impedance match coaxial cable assembly. Gold plated contacts are utilized to minimize insertion loss.

General Specifications

Attribute	Value
Terminated/Unterminated	Terminated
Coaxial Type	RG-59
Connector 1	BNC Plug
Connector 2	BNC Plug
Connector 1 Gender	Male
Connector 2 Gender	Male
Characteristic Impedance	75 Ω
Length	36.00" (914.40mm)
Voltage Rating	500 VRMS

Product Drawing



Features:

- True 75 Ohm connectors for optimal impedance match
- Highly flexible multi-stranded 75 Ohm RG59 type coax cable

Materials:

Connectors: BNC Male

Body: Brass, Tarnish resistant plating

Dielectric: PTFE

Center Contact: Gold Plated Brass

Strain Relief: PVC molded directly to cable and connectors

Ratings:

Operating Voltage: Shield/Earth: 30VAC/60VDC Max.

Inner Conductor/Shield: 500VRMS Max.

Operating Temperature: +50°C (+122°F) Max.

Dimensions: Millimeters (Inches)

Part Number Table

Part Number	Description
9202460R0685	Cable Assembly Coaxial BNC to BNC RG-59 12.00" (304.80mm)
9202491R0716	Cable Assembly Coaxial BNC to BNC RG-59 24.00" (609.60mm)
9202451R0676	Cable Assembly Coaxial BNC to BNC RG-59 36.00" (914.40mm)
9202492R0717	Cable Assembly Coaxial BNC to BNC RG-59 48.0" (1.2m) 4.0'
9202501R0726	Cable Assembly Coaxial BNC to BNC RG-59 60.0" (1.5m) 5.0'
9202525R0750	Cable Assembly Coaxial BNC to BNC RG-59 72.0" (1.8m) 6.0'

Important Notice: This data sheet and its contents (the "Information") belong to the members of the EASE group of companies (the "Group") or are licensed to it. No license is granted for the use of it other than for information purposes in connection with the products to which it relates. No license of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate, but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. EASE is the registered trademark of Ease Electronics Co., Limited 2019.