



## Cable Assembly Coaxial SMA to SMA RG-142B 24.00" (609.60mm)

# RoHS Compliant

### **FEATURES**

- 50Ω impedance
- SMA Plug to SMA Plug
- RG-142B



Stock No.: 9202526R0751

#### **Product Description**

Terminated with SMA quick-connect male connector to SMA male connector for a durable, impedance match coaxial cable assembly. Gold plated contacts are utilized to minimize insertion loss.


#### **General Specifications**

Attribute	Value
Terminated/Unterminated	Terminated
Coaxial Type	RG-142B
Connector 1	SMA Quick-Connect Plug
Connector 2	SMA Plug
Connector 1 Gender	Male
Connector 2 Gender	Male
Characteristic Impedance	50 Ω
Length	24.00" (609.60mm)
Voltage Rating	750 V





#### **Product Drawing**



#### **Features**

- DC 4GHz bandwidth.
- Precision machined connectors.
- Perfect for applications where space, weight, performance and ease of connection are required.

#### Materials:

SMA Quick-Connect Male Connector:

Center Contact: Brass, Gold Plated Connector Body: Brass, Nickel Plated Crimp Ferrule: Copper, Nickel Plated

Insulators: PTFE

SMA Male Connector:

Center Contact: Brass, Gold Plated Connector Body: Brass, Gold Plated Crimp Ferrule: Copper, Nickel Plated

Insulators: PTFE

### **Specifications**

Cable Type RG142B/U	
Impedance	50Ω
Frequency Range	DC - 4GHz
Insulation Resistance	≥ 1000 MΩ
Insulator Withstand	750V
Temperature Range	-65° C to +165°C
	(-85°F to +329°F)
Jacket	FEP
Cable O.D.	0.195" (4.95mm)
Center Conductor (mm)	.95 solid silver coated
	copper covered steel

Dimensions: Millimeters (Inches)

#### **Part Number Table**

Part Number	Description
9202494R0719	Cable Assembly Coaxial SMA to SMA RG-142B 12.00" (304.80mm)
9202526R0751	Cable Assembly Coaxial SMA to SMA RG-142B 24.00" (609.60mm)
9202529R0754	Cable Assembly Coaxial SMA to SMA RG-142B 36.00" (914.40mm)
9202531R0756	Cable Assembly Coaxial SMA to SMA RG-142B 48.0" (1.2m) 4.0'
9202530R0755	Cable Assembly Coaxial SMA to SMA RG-142B 60.0" (1.5m) 5.0'

Important Notice: This data sheet and its contents (the "Information") belong to the members of the EASE group of companies (the "Group") or are licensed to it. No license is granted for the use of it other than for information purposes in connection with the products to which it relates. No license of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate, but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. EASE is the registered trademark of Ease Electronics Co., Limited 2019.