

Cable Assembly Coaxial SMB to SMB
RG-179B 60.0" (1.5m) 5.0'

RoHS
Compliant

Stock No.: 9202575R0800

FEATURES

- 75Ω impedance
- SMB Jack to SMB Jack
- RG-179B




Product Description

Terminated with SMB male straight connector to SMB male straight connector for a durable, impedance match coaxial cable assembly. Gold plated contacts are utilized to minimize insertion loss.

General Specifications

Attribute	Value
Terminated/Unterminated	Terminated
Coaxial Type	RG-179B
Connector 1	SMB Jack
Connector 2	SMB Jack
Connector 1 Gender	Male
Connector 2 Gender	Male
Characteristic Impedance	75 Ω
Length	60.0" (1.5m) 5.0'
Voltage Rating	750 V

Product Drawing



Features:

- Small size and durability for confident connections.
- Connectors are precision machined and gold-plated for low loss.
- Perfect for applications where space, weight, performance and ease of connections are required.

Cable Type	RG179B/U
Impedance	75Ω
Frequency Range	DC - 2GHz
Capacitance per 1ft (0.305m)	19.5 pF
Insulation Resistance	≥ 1000 MΩ
Insulator Withstand	750V
Temperature Range	-65°C to +165°C (-85°F to +329°F)
Jacket	FEP
Cable O.D. (inches)	0.100" (2.54mm))
Center Conductor (mm)	7 x .1 silver coated copper covered steel

Materials:

SMB Male Connectors (75 ohm)
 Center Contact: Brass, Gold Plated
 Body: Brass, Gold Plated
 Crimp Ferrule: Copper, Nickel Plated
 Insulators: Silicone Rubber

Dimensions: Millimeters (Inches)

Part Number Table

Part Number	Description
9202572R0797	Cable Assembly Coaxial SMB to SMB RG-179B 12.00" (304.80mm)
9202573R0798	Cable Assembly Coaxial SMB to SMB RG-179B 24.00" (609.60mm)
9202522R0747	Cable Assembly Coaxial SMB to SMB RG-179B 36.00" (914.40mm)
9202574R0799	Cable Assembly Coaxial SMB to SMB RG-179B 48.0" (1.2m) 4.0'
9202575R0800	Cable Assembly Coaxial SMB to SMB RG-179B 60.0" (1.5m) 5.0'

Important Notice: This data sheet and its contents (the "Information") belong to the members of the EASE group of companies (the "Group") or are licensed to it. No license is granted for the use of it other than for information purposes in connection with the products to which it relates. No license of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate, but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. EASE is the registered trademark of Ease Electronics Co., Limited 2019.