



Product / Process Change Notification (PCN)




- ☐ Major Change
☒ Minor Change

PCN Number: PCN_IndLHCA_20250228 Affected Series: WE-LHCA Affected Order Codes: Please refer to table 1 PCN Date: 2024-08-28 (YYYY-MM-DD) Effective Date: 2025-02-28 (YYYY-MM-DD)		Change Category: ☐ Equipment/Location ☐ General Data ☐ Material ☐ Process ☐ Product Design ☒ Shipping/Packaging ☐ Supplier ☐ Software																														
Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-Mail: pcn.eisos@we-online.com		Datasheet Change: ☒ Yes ☐ No Attachment: ☐ Yes ☒ No																														
Description of Change: Due to packaging optimizations, Würth Elektronik eiSos will change the product's packing method. Würth Elektronik eiSos will ensure some datasheet corrections for the product series WE-LHCA with sizes and order codes indicated in table 1. There will be no change in form, fit, function, quality, or reliability of the product. The new revision of the affected order codes will be sent out after the previous revision is out of stock (according to FIFO - first-in, first-out).																																
Details of Change: Table 1. Affected Order Codes <table border="1" style="width: 100%;"> <tr> <td colspan="5">a. Order codes for size 7030:</td> </tr> <tr> <td>7843734600047</td> <td>7843734600056</td> <td>7843734600068</td> <td>784373460010</td> <td>784373460015</td> </tr> <tr> <td>784373460022</td> <td>784373460033</td> <td>784373460047</td> <td>784373460056</td> <td>784373460068</td> </tr> <tr> <td>784373460082</td> <td>784373460100</td> <td>784373460150</td> <td>784373460220</td> <td></td> </tr> <tr> <td colspan="5">b. Order codes for size 1040:</td> </tr> <tr> <td>784373680010</td> <td>784373680015</td> <td>784373680022</td> <td>784373680033</td> <td>784373680047</td> </tr> </table>			a. Order codes for size 7030:					7843734600047	7843734600056	7843734600068	784373460010	784373460015	784373460022	784373460033	784373460047	784373460056	784373460068	784373460082	784373460100	784373460150	784373460220		b. Order codes for size 1040:					784373680010	784373680015	784373680022	784373680033	784373680047
a. Order codes for size 7030:																																
7843734600047	7843734600056	7843734600068	784373460010	784373460015																												
784373460022	784373460033	784373460047	784373460056	784373460068																												
784373460082	784373460100	784373460150	784373460220																													
b. Order codes for size 1040:																																
784373680010	784373680015	784373680022	784373680033	784373680047																												

78437368068	784373680082	784373680100	784373680150	784373680220
784373680330	784373680470	784373680560	784373680680	
c. Order codes for size 1365:				
784373865010	784373865015	784373865022	784373865033	784373865047
784373865056	784373865068	784373865082	784373865100	784373865150
784373865220	784373865330	784373865470		
d. Order codes for size 1770:				
784373170047	784373170056	784373170068	784373170082	784373170100
784373170150	784373170220	784373170330	784373170470	784373170560
784373170680	784373170820			

1. To reduce the amount of packaging waste in the product series WE-LHCA, with sizes and order codes indicated in table 1, the inner boxes will be omitted. No plastic filler will be used, and every reel will be stacked and separated by paperboard. The outer box dimension, reel quantity (pcs.), and box quantity (pcs.) will be updated accordingly. Additional details of the changes can be found in the table below:

Table 2. Packaging Changes of affected Order Codes

	Before Change	After Change
Datasheet packing drawings	 	

Overview of inner packing change																		
Packaging specifications for size 7030 (Table 1 section a)	<table><tr><td>L_c(mm)</td><td>360,00</td></tr><tr><td>W_c(mm)</td><td>360,00</td></tr><tr><td>H_c(mm)</td><td>370,00</td></tr><tr><td>Outer Box Qty.(pcs.)</td><td>9000</td></tr></table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	370,00	Outer Box Qty.(pcs.)	9000	<table><tr><td>L_c(mm)</td><td>360,00</td></tr><tr><td>W_c(mm)</td><td>360,00</td></tr><tr><td>H_c(mm)</td><td>240,00</td></tr><tr><td>Outer Box Qty.(pcs.)</td><td>9000</td></tr></table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	240,00	Outer Box Qty.(pcs.)	9000
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	370,00																	
Outer Box Qty.(pcs.)	9000																	
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	240,00																	
Outer Box Qty.(pcs.)	9000																	
Packaging specifications for size 1040 (Table 1 section b)	<table><tr><td>L_c(mm)</td><td>360,00</td></tr><tr><td>W_c(mm)</td><td>360,00</td></tr><tr><td>H_c(mm)</td><td>370,00</td></tr><tr><td>Outer Box Qty.(pcs.)</td><td>4800</td></tr></table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	370,00	Outer Box Qty.(pcs.)	4800	<table><tr><td>L_c(mm)</td><td>360,00</td></tr><tr><td>W_c(mm)</td><td>360,00</td></tr><tr><td>H_c(mm)</td><td>240,00</td></tr><tr><td>Outer Box Qty.(pcs.)</td><td>4800</td></tr></table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	240,00	Outer Box Qty.(pcs.)	4800
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	370,00																	
Outer Box Qty.(pcs.)	4800																	
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	240,00																	
Outer Box Qty.(pcs.)	4800																	
Packaging specifications for size 1365 (Table 1 section c)	<table><tr><td>L_c(mm)</td><td>360,00</td></tr><tr><td>W_c(mm)</td><td>360,00</td></tr><tr><td>H_c(mm)</td><td>370,00</td></tr><tr><td>Outer Box Qty.(pcs.)</td><td>2400</td></tr></table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	370,00	Outer Box Qty.(pcs.)	2400	<table><tr><td>L_c(mm)</td><td>360,00</td></tr><tr><td>W_c(mm)</td><td>360,00</td></tr><tr><td>H_c(mm)</td><td>240,00</td></tr><tr><td>Outer Box Qty.(pcs.)</td><td>2400</td></tr></table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	240,00	Outer Box Qty.(pcs.)	2400
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	370,00																	
Outer Box Qty.(pcs.)	2400																	
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	240,00																	
Outer Box Qty.(pcs.)	2400																	
Packaging specifications for size 1770 (Table 1 section d)	<table><tr><td>L_c(mm)</td><td>360,00</td></tr><tr><td>W_c(mm)</td><td>360,00</td></tr><tr><td>H_c(mm)</td><td>370,00</td></tr><tr><td>Outer Box Qty.(pcs.)</td><td>900</td></tr></table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	370,00	Outer Box Qty.(pcs.)	900	<table><tr><td>L_c(mm)</td><td>360,00</td></tr><tr><td>W_c(mm)</td><td>360,00</td></tr><tr><td>H_c(mm)</td><td>270,00</td></tr><tr><td>Outer Box Qty.(pcs.)</td><td>900</td></tr></table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	270,00	Outer Box Qty.(pcs.)	900
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	370,00																	
Outer Box Qty.(pcs.)	900																	
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	270,00																	
Outer Box Qty.(pcs.)	900																	
Reliability / Qualification of Change: Product approval is according to the specification criteria and is internally released by the Product Management Department.																		