



Product/Process Change Notice (PCN)

- ☒ Major Change
☐ Minor Change

PCN Number: PCN_conDSUB_20250101 Affected Series: WR-DSUB Affected Order Codes: 61800925311 ; 61801525311 61802525311 ; 61803725311 PCN Date: 2024-10-01 (YYYY-MM-DD) Effective Date: 2025-01-01 (YYYY-MM-DD)	Change Category: ☒ Equipment/Location ☐ General Data ☐ Material ☐ Process ☒ Product Design ☒ Shipping/Packaging ☐ Supplier ☐ Software
Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-Mail: pcn.eican@we-online.com	Datasheet Change: ☒ Yes ☐ No Attachment: ☐ Yes ☒ No

DESCRIPTION OF CHANGE:

To increase the production capability, Würth Elektronik eiSos will change the production site of the above-mentioned products. This implies changes in design, tolerances, packaging dimensions and quantity. There will be no change in function, or reliability of the product. The new revision of the affected order codes will be sent out after the previous revision is out of stock (according to FIFO - first-in, first-out).

DETAILS OF CHANGE:


1. Production Line Change

The production lines can be identified by the first three digits of the lot number: **XXX**XXXXXXXXXXXX


Old production line	New production line
Lot number: 298 XXX XXX XXX XXX	Lot number: 463 XXX XXX XXX XXX
Country of origin on Delivery Note: Taiwan	Country of origin on Delivery Note: China

2. Design Change

Before change



After change



Before change

Part number	B (mm)	C (mm)	D (mm)	F (mm)	G (mm)
61800925311	18.0	31.3	29.8	9.2	11.9
61801525311	18.0	43.2	37.1	10.4	12.8
61802525311	18.2	55.3	41.0	11.2	14.0
61803725311	18.2	70.5	48.0	14.0	15.8



After change

Part number	W (mm)	L (mm)	H (mm)	W1 (mm)	L2 (mm)
61800925311	18.0	31.0	29.8	9.2	11.9
61801525311	18.0	43.2	37.1	10.4	12.8
61802525311	18.0	53.5	40.7	12.0	13.4
61803725311	18.0	70.5	46.7	14.0	16.0

3. Packaging specifications

Part number	Before change		After change	
	Qty per bag (SPQ)	Qty per carton	Qty per bag (SPQ)	Qty per carton
61800925311	100	600	50	1000
61801525311	100	400	50	800
61802525311	50	350	50	600
61803725311	50	250	50	500

RELIABILITY / QUALIFICATION OF CHANGE:

An additional reliability testing was performed and approved.
 Additional details of the test can be found in the table below:

Test Item	Sample Size	Test Conditions	Acceptance
Visual & Dimensional	30	Check datasheet dimensions with calliper & profile projector. Check aspect of the parts (no burrs, no molding defects).	Approved