

Product/Process Change Notice (PCN)

- ☐ Major Change
☒ Minor Change

PCN Number: PCN_PeBU CF_20250204

Affected Series: WP-BUCF

Affected Part Number: 7461059

PCN Date: 2024-11-04 (YYYY-MM-DD)

Effective Date: 2025-02-04 (YYYY-MM-DD)

Change Category:

- ☐ Equipment/Location
☒ General Data
☐ Material
☐ Process
☐ Product Design
☒ Shipping/Packaging
☐ Supplier
☐ Software

Contact: Product Management

Phone: +49 (0) 7942 - 945 5001

Fax: +49 (0) 7942 - 945 5179

E-Mail: pcn.eican@we-online.com

Datasheet Change:

- ☒ Yes ☐ No

Attachment:

- ☐ Yes ☒ No

DESCRIPTION OF CHANGE:

Due to an improvement of the production capability, Würth Elektronik eiSos will change the packaging from carton to carton tray. The new carton will change the SPQ an CPQ.


In addition, because of database mismatch the value of the total height is placed in brackets.

There will be no change in form, fit, function, quality or reliability of the product.

The new revision of the affected order codes will be sent out after the previous revision is out of stock (according to FIFO - first-in, first-out).

DETAILS OF CHANGE:

The new packaging will look like showed in the pictures below.

Before Change		After Change
		
Dimensions (LxWxH):		Dimensions (LxWxH):
139.0 x 89.0 x 97.0 mm		274.0 x 171.0 x 15.0 mm

Before Change



After Change



Dimensions (LxWxH):

300.0 x 200.0 x 115.0 mm

Dimensions (LxWxH):

300.0 x 200.0 x min. 115.0 mm

Height varies depending on the component due to two-part carton.

Before Change

General Information:



Material	Brass
Surface	Tin
Execution	Press-Fit
Operating Temperature	-55 up to +150 °C
Packaging	Bulk

After Change

General Information:

Material	Brass
Surface	Tin
Execution	Press-Fit
Operating Temperature	-55 up to +150 °C
Packaging	Tray

Order Code	Before Change		After Change	
	SPQ: Carton case	CPQ: Carton	SPQ: Carton Tray	CPQ: Carton
7461059	96	-	93	465

Before Change	After Change
	
Dimension in the drawing without bracket:	Dimension in the drawing with bracket:
17.0	(17.0)
Reliability / Qualification Summary: There will be no change of the product, therefore no additional reliability or qualification testing was performed. The new packaging was checked according to internal quality standards.	