

Product Bulletin

Document # : PB22338X Issue Date: 12 June 2018

Title of Change:	AR0833CS Datasheet Update		
Effective date:	12 June 2018		
Contact information:	Contact your local ON Semiconductor Sales Office or <sonya.yip@onsemi.com></sonya.yip@onsemi.com>		
Type of notification:	This Product Bulletin is for notification purposes only. ON Semiconductor will proceed with implementation of this change upon publication of this Product Bulletin.		
Change category:	☐ Wafer Fab Change ☐ Assembly Change	☐ Test Change ☐ Other: <u>Documentation</u>	
Change Sub-Category(s): Manufacturing Site Change/Addition Manufacturing Process Change Product specific change		☑ Datasheet/Product Doc change☐ Shipping/Packaging/Marking☐ Other:	
Sites Affected:	ON Semiconductor Sites: None	External Foundry/Subcon Sites: None	


Description and Purpose:

AR0833 Datasheet was updated to correct a documentation error. These changes do affect form, fit, or function of the product.

AR0833 Datasheet Change

1. Updated Figure 44, Chief Ray Angle (CRA) vs. Image Height to the correct 12° CRA figure.

Old Figure 44:



www.onsemi.com

36


TEM001796 Rev. O Page 1 of 2



Product Bulletin

Document # : PB22338X Issue Date: 12 June 2018

New Figure 44:



List of Affected Standard Parts:

AR0833CS3C12SUAA0-DP

TEM001796 Rev. O Page 2 of 2

ON Semiconductor®		
Appendix A: Changed Products		
)		

Product	Customer Part Number	
AR0833CS3C12SUAA0-DP		